



- [products](#)
- [store](#)
- [blog](#)
- [support](#)
- [community](#)
- [careers](#)
- [company](#)

[F/FAQ](#) [S/Search](#) [M/Memberlist](#) [U/Usergroups](#) [R/Register](#) [Pr/Profile](#) [L/Log in to check your private messages](#) [L/Log in](#)
[Wanted - Jaxer code examples](#)

[Post new topic](#) [Reply to top](#) [Aptana Forums Forum Index](#) -> [Extending Jaxer](#)

[View previous topic :: View next topic](#)

Author	Message
davey STAFF Joined: 23 Jul 2007 Posts: 290	Posted: Sat Jan 26, 2008 12:43 am Post subject: Wanted - Jaxer code examples Reply with quote if you've written an interesting piece of jaxer code, post it here, or post a link to it. we'd love to see what you are doing with the Jaxer cheers Last edited by davey on Wed Mar 05, 2008 12:49 am; edited 1 time in total Back to top View user's profile Send private message Visit poster's website
mmclaren Joined: 03 May 2007 Posts: 4	Posted: Tue Jan 29, 2008 2:37 pm Post subject: A Microformats example Reply with quote Wow! Jaxer is brilliant. Well done. I noticed that Jaxer includes the Microformats module so I borrowed some JavaScript from the Operator plugin and put together a simple example : Here is the source You will need to download it and install it onto a Jaxer instance. Essentially, it parses a web page for hCard entries and prints the result as vCard. Back to top View user's profile Send private message
davey STAFF Joined: 23 Jul 2007 Posts: 290	Posted: Tue Jan 29, 2008 7:31 pm Post subject: Reply with quote Very cool. Tantek would be proud. This is a great example, it shows that the Jaxer server essentially provides the developer with the same 'power' features you get as a firefox extension when running code server side. I've inlined, the source here to make it easier for folks to review. <pre><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd"> <html> <head> <title id='docTitle'>Jaxer Microformats Example</title> <script type="text/javascript" runat="both"> function \$(id){ return document.getElementById(id); } </script> <script type="text/javascript" runat="server"> function go(){ Jaxer.Includer.load("resource:///modules/Microformats.js"); var page = Jaxer.Web.get("http://microformats.org/wiki/hcard", { as: "xml" }); var microformatsArray = Microformats.get("hCard", page); var results = "<div><pre>"; for (i = 0; i < microformatsArray.length; i++) { results += vCard(microformatsArray[i], "\n"); } results += "</pre></div>"; \$("#output").innerHTML = results; } function vCard(hcard, lineending){ var crlf = "\r\n"; if (lineending) { crlf = lineending; } var vcf; var i; var j; vcf = "BEGIN:VCARD" + crlf; vcf += "PRODID:-//aptana.com/jaxer//Jaxer Microformats Example//EN" + crlf; vcf += "SOURCE:" + content.document.location.href + crlf; vcf += "NAME:" + content.document.title + crlf; vcf += "VERSION:3.0" + crlf; if (hcard.n && (hcard.n["family-name"] hcard.n["given-name"] hcard.n["additional-name"] hcard.n["honorific-prefix"] hcard.n["honorific-suffix"])) { vcf += "N;CHARSET=UTF-8"; if (hcard.n["family-name"]) { vcf += hcard.n["family-name"]; } vcf += ";"; if (hcard.n["given-name"]) { vcf += hcard.n["given-name"]; } vcf += ";"; if (hcard.n["additional-name"]) { vcf += hcard.n["additional-name"].join(","); } vcf += ";"; if (hcard.n["honorific-prefix"]) { vcf += hcard.n["honorific-prefix"].join(","); } vcf += ";"; if (hcard.n["honorific-suffix"]) { vcf += hcard.n["honorific-suffix"].join(","); } vcf += crlf; } else { vcf += "N;;;;;" + crlf; } }</pre>

```

if (hcard.org) {
    vcf += "ORG;CHARSET=UTF-8:";
    if (hcard.org[0]["organization-name"]) {
        vcf += hcard.org[0]["organization-name"];
    }
    if (hcard.org[0]["organization-unit"]) {
        vcf += ";";
        vcf += hcard.org[0]["organization-unit"].join(";");
    }
    vcf += crlf;
}
if (hcard.fn) {
    vcf += "FN;CHARSET=UTF-8:" + hcard.fn + crlf;
}
if (hcard.title) {
    vcf += "TITLE;CHARSET=UTF-8:" + hcard.title[0] + crlf;
}
if (hcard.role) {
    vcf += "ROLE;CHARSET=UTF-8:" + hcard.role[0] + crlf;
}
if (hcard["sort-string"]) {
    vcf += "SORT-STRING;CHARSET=UTF-8:" + hcard["sort-string"][0] + crlf;
}
if (hcard["class"]) {
    vcf += "CLASS;CHARSET=UTF-8:" + hcard["class"] + crlf;
}
if (hcard.tz) {
    vcf += "TZ;CHARSET=UTF-8:" + hcard.tz + crlf;
}
if (hcard.category) {
    vcf += "CATEGORIES;CHARSET=UTF-8:" + hcard.category.join(",") + crlf;
}
if (hcard.rev) {
    vcf += "REV:" + hcard.rev + crlf;
}
if (hcard.bday) {
    vcf += "BDAY:" + hcard.bday + crlf;
}
if (hcard.uid) {
    vcf += "UID:" + hcard.uid + crlf;
}
else {
    vcf += "UID:" + crlf;
}
if (hcard.url) {
    for (i = 0; i < hcard.url.length; i++) {
        vcf += "URL:" + hcard.url[i] + crlf;
    }
}
if (hcard.email) {
    for (i = 0; i < hcard.email.length; i++) {
        vcf += "EMAIL";
        if (hcard.email[i].type) {
            vcf += ";TYPE=";
            vcf += hcard.email[i].type.join(",");
        }
        vcf += ":";
        vcf += "<br / >";
        vcf += crlf;
    }
}
if (hcard.adr) {
    for (i = 0; i < hcard.adr.length; i++) {
        vcf += "ADR;CHARSET=UTF-8";
        if (hcard.adr[i].type) {
            vcf += ";TYPE=";
            vcf += hcard.adr[i].type.join(",");
        }
        vcf += ":";
        if (hcard.adr[i]["post-office-box"]) {
            vcf += hcard.adr[i]["post-office-box"];
        }
        vcf += ":";
        if (hcard.adr[i]["extended-address"]) {
            vcf += hcard.adr[i]["extended-address"];
        }
        vcf += ":";
        if (hcard.adr[i]["street-address"]) {
            vcf += hcard.adr[i]["street-address"].join(",");
        }
        vcf += ":";
        if (hcard.adr[i].locality) {
            vcf += hcard.adr[i].locality;
        }
        vcf += ":";
        if (hcard.adr[i].region) {
            vcf += hcard.adr[i].region;
        }
        vcf += ":";
        if (hcard.adr[i]["postal-code"]) {
            vcf += hcard.adr[i]["postal-code"];
        }
        vcf += ":";
        if (hcard.adr[i]["country-name"]) {
            vcf += hcard.adr[i]["country-name"];
        }
        vcf += crlf;
    }
}
if (hcard.tel) {
    for (i = 0; i < hcard.tel.length; i++) {
        vcf += "TEL;TYPE=";
        if (hcard.tel[i].type) {
            vcf += hcard.tel[i].type.join(",");
        }
        else {
            /* Default to voice if there is no type */
            vcf += "VOICE";
        }
        vcf += ":";
        vcf += hcard.tel[i].value;
        vcf += crlf;
    }
}
if (hcard.geo) {
    vcf += "GEO:" + hcard.geo.latitude + " " + hcard.geo.longitude + crlf;
}
if (hcard.note) {
    vcf += "NOTE;CHARSET=UTF-8:";
    for (i = 0; i < hcard.note.length; i++) {
        var s = hcard.note[i];
        s = s.replace(/\<.*?>/g1, ' ');
        s = s.replace(/[\n\r\t]/g1, ' ');
        s = s.replace(/\s{2,}/g1, ' ');
        s = s.replace(/\s{2,}/g1, '');
        s = s.replace(/\^s+/, '');
        if (i != 0) {
            vcf += " ";
        }
        vcf += s;
    }
    vcf += crlf;
}
if (hcard.nickname) {
    vcf += "NICKNAME;CHARSET=UTF-8:" + hcard.nickname + crlf;
}
/* Add code to handle data URLs */
if (hcard.photo) {
    vcf += "PHOTO;VALUE=uri:" + hcard.photo + crlf;
}

```

```

    }
    if (hcard.logo) {
        vcf += "LOGO;VALUE=uri:" + hcard.logo + crlf;
    }
    if (hcard.label) {
        vcf += "LABEL:" + hcard.label + crlf;
    }
    vcf += "END:VCARD" + crlf;
    return vcf;
}

</script>
</head>
<body onserverload="go()">
    <div id="output">
    </div>
</body>
</html>

```

Last edited by davey on Tue Mar 25, 2008 7:20 pm; edited 1 time in total

[Back to top](#)

[View user's profile](#) [Send private message](#) [Visit poster's website](#)

mmclaren

Posted: Sun Feb 03, 2008 1:35 pm Post subject:

[Reply with qu](#)

Here is another more advanced example for you, a tag cloud generator for Atom and RSS 2 feeds (with [a small amount of borrowed code](#)). This makes use of Firefox 3's support for [EXSLT](#). I could probably improve this slightly if I understood jQuery but it works!!!

The best thing about writing this for Jaxer and not just Firefox 3 is that it will work in Firefox 2, IE6 and IE7.

Best wishes,

Mark

First the html/javascript:

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html>
    <head>
        <title id='docTitle'>Tag cloud</title>
        <script type="text/javascript" runat="both">
            function $(id) { return document.getElementById(id); }
        </script>
        <script type="text/javascript" runat="server">
            var max;

            function go(){
                var xsltProcessor = new XSLTProcessor();
                var xsltStylesheet = Jaxer.Web.get("tagcloud.xsl", {
                    as: "xml"
                });
                xsltProcessor.importStylesheet(xsltStylesheet);
                var feed;
                // RSS 2.0
                // feed = "http://cctextws.microsoft.com/rssemmitter/default.aspx?Id=584ef2b0-1365-430a-b6a9-44fa32fa6779";
                // Atom
                feed = "http://rollerweblogger.org/roller/feed/entries/atom"
                var xmlDoc = Jaxer.Web.get(feed, {
                    as: "xml"
                });
                var fragment = xsltProcessor.transformToFragment(xmlDoc, document);
                $("applicationContent").innerHTML = "";
                $("applicationContent").appendChild(fragment);
                computeTagCloud();
            }

            function getFontSize(count){
                var fontSize = (150.0*(1.0+(1.5*count-max/2)/max))+ "%";
                return fontSize;
            }

            function getElementsByClass(searchClass, node, tag) {
                var classElements = new Array();
                if ( node == null )
                    node = document;
                if ( tag == null )
                    tag = '*';
                var els = node.getElementsByTagName(tag);
                var elsLen = els.length;
                var pattern = new RegExp("(^|\\s)"+searchClass+"(\\s|$)");
                for ( i = 0, j = 0; i < elsLen; i++) {
                    if ( pattern.test(els[i].className) ) {
                        classElements[j] = els[i];
                        j++;
                    }
                }
                return classElements;
            }

            function computeTagCloud() {
                var tags = getElementsByClass("tag", document, "a");
                var l = tags.length;
                for (i = 0; i < l; i++) {
                    var tag = tags[i];
                    var title = tag.getAttribute("title");
                    tag.style.fontSize = getFontSize(title);
                }
            }
        </script>
    </head>
    <body onserverload="go()">
        <div id='applicationContent'>
            Application Content Here.
        </div>
    </body>
</html>

```

and then the XSL, tagcloud.xsl

```

<?xml version="1.0" encoding="utf-8"?>
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
    version="1.0"
    xmlns:atom="http://www.w3.org/2005/Atom"
    xmlns:exsl="http://exslt.org/common"
    xmlns:set="http://exslt.org/sets"
    xmlns:math="http://exslt.org/math"
    extension-element-prefixes="set math">

    <xsl:template match="/rss/channel">
        <xsl:variable name="distincts" select="set:distinct(//item/category)"/>
        <xsl:variable name="counts">
            <counts>
                <xsl:for-each select="$distincts">
                    <xsl:variable name="category"><xsl:value-of select="."/></xsl:variable>
                    <count><xsl:value-of select="count(//item[category = $category])"/></count>
                </xsl:for-each>
            </counts>
        </xsl:variable>


        <xsl:apply-templates select="exsl:node-set($counts)"/>
    </xsl:template>

```

</xsl:stylesheet>

[View user's profile](#) [Send private message](#)

Posted: Mon Feb 04, 2008 8:38 pm Post subject:

 [Reply with quote](#)

Thanks!

[View user's profile](#) [Send private message](#) [Visit poster's website](#)

Posted: Sun Feb 24, 2008 5:10 pm Post subject:

[Reply with quote](#)

(There are better ways to do uploads than throw over a whole object! This is just for fun.)

Joined: 27 Jan 2008
Posts: 21

[Back to top](#)

 [View user's profile](#) [Send private message](#)

Display posts from previous: All Posts Oldest First Go

[Post new topic](#) [Reply to top](#) [Aptana Forums Forum Index](#) -> [Extending Jaxer](#)

All times are GMT

Page 1 of 1

Jump to: Extending Jaxer Go

You **cannot** post new topics in this forum
You **cannot** reply to topics in this forum
You **cannot** edit your posts in this forum
You **cannot** delete your posts in this forum
You **cannot** vote in polls in this forum

 SUBSCRIBE

Powered by [phpBB](#) Copyright 2001, 2005 phpBB Group | Copyright 2005-2008 Aptana, Inc. | [Contact Us](#) | [Privacy](#)