

SAFE WORK METHOD STATEMENT

Review with Customer	Notify customer of all site safety rules and risks including risk of falling items	All relevant above items reviewed	N/A	List if any additional controls required	Yes No N/A	Risk Score. (Residual)	By Whom: (Initials)
----------------------	--	-----------------------------------	-----	--	------------	------------------------	---------------------

Comments

(Please add any further information/diagrams to the back of the document or at the bottom of the section)

All workers at site must review all items listed on the SWMS and fill out the below section as acknowledgement of review and confirm that they will work in accordance with the controls listed.

Name:	Date:	Signature:
Name:	Date:	Signature
Name:	Date:	Signature:
Name:	Date:	Signature:
Name:	Date:	Signature:

SAFE WORK METHOD STATEMENT

Site clean-up and reinstatement	Pack away all access equipment, tools and unused equipment -Clean all rubbish, remove any trip hazards/barriers installed	Slips, trips, falls, cuts, abrasions, soft tissue injuries	E / H / M / L	Weight of loads assessed before manual handling, use appropriate handling methods:	Yes No N/A	E / H / M / L	
			E / H / M / L	Secure excess material to vehicle(s) using appropriate restraints	Yes No N/A	E / H / M / L	
Manual Handling	Manual Handling and Chemicals		E / H / M / L	If lifting is going to be involved?	Yes No N/A	E / H / M / L	
			E / H / M / L	Have you familiarised yourself with the first aid steps of the chemicals you use? (this instruction is on the relevant MSDS for the chemical)	Yes No N/A	E / H / M / L	
			E / H / M / L	Are all chemicals safely stored and contained in appropriately labelled containers	Yes No N/A	E / H / M / L	
			E / H / M / L	Do you have Current Material Safety Data Sheets (MSDS/SDS) available for all chemicals?	Yes No N/A	E / H / M / L	
Additional site specific items							

If you have come across anything not covered in the above assessment, please use the following to look in to any potential risk and add them in the following table

Important Note:

On the following risk assessment table, please do pay very close attention to any potential risk/s around the following areas. However, remember that the following points are given as reminders of what to look out for. Every job is inherently different in terms of the risk/s it poses on the installation team, the environment they work on etc and thus needs to be assessed thoroughly using this SWMS.


- Live electricity (consider the local electrical regulations on proximity limit of working near live electricity. Example 21(1) and 21(2)(a) of the OHS Act 2004 for Vic) Access in and out of the work area
- Public road access
- Traffic near you

What are the tasks involved?	What are the hazards and risks?	What are the risk control measures?
List the risks in a logical order	What aspects of the work could harm workers or the public?	Describe what will be done to make the activity as safe as possible?

SAFE WORK METHOD STATEMENT

Electrical work	Gain access to ceiling space -Run/secure cables -Connect Solar modules, inverter(s), final sub circuit and applicable switching gear -Test installed equipment	Slips, trips and falls, electric shocks, cuts, abrasions, soft tissue injuries	E / H / M / L	Power isolated with lockout used while in roof space and mains board work	Yes No N/A	E / H / M / L	
			E / H / M / L	Adequate lighting used	Yes No N/A	E / H / M / L	
			E / H / M / L	Access equipment set correctly	Yes No N/A	E / H / M / L	
			E / H / M / L	Testing cables for isolation before handling	Yes No N/A	E / H / M / L	
			E / H / M / L	Confined areas are assessed as whether safe to access, personnel have	Yes No N/A	E / H / M / L	
			E / H / M / L	Correct use of test equipment	Yes No N/A	E / H / M / L	
			E / H / M / L	What are the potential electrical risks posed?			
			E / H / M / L	Qualify the risk and its likelihood, impact and severity levels:		E / H / M / L	
			E / H / M / L	What protective measures will you put in place to minimise this?		E / H / M / L	
			E / H / M / L	What are the residual risks after all protective measure have been		E / H / M / L	
			E / H / M / L	How will you manage the residual risks		E / H / M / L	
			E / H / M / L	Are RCDs being utilised?	Yes No N/A	E / H / M / L	
			E / H / M / L	Portable electrical equipment is in good condition, with a current test tag.	Yes No N/A	E / H / M / L	
			E / H / M / L	Electrical test equipment c	Yes No N/A	E / H / M / L	
			E / H / M / L	What other potential risk are there in this installation job?		E / H / M / L	
			E / H / M / L	Qualify the risk and its likelihood, impact and severity levels:		E / H / M / L	
			E / H / M / L	What protective measures will you put in place to minimise this?		E / H / M / L	
			E / H / M / L	What are the residual risks after all protective measure have been effected?		E / H / M / L	
			E / H / M / L	How will you manage the residual risks		E / H / M / L	
			E / H / M / L	Can parking vehicles on the road pose risk?	Yes No N/A	E / H / M / L	
			E / H / M / L	Are you going to use wheel chocks when parking on steep inclines?	Yes No N/A	E / H / M / L	
			E / H / M / L	Are you following appropriate controls in place when loading/unloading materials and equipment?	Yes No N/A	E / H / M / L	
			E / H / M / L	Is your vehicle inspection u	Yes No N/A	E / H / M / L	
			E / H / M / L	p-to-date?	Yes No N/A	E / H / M / L	
			E / H / M / L	Is your vehicle service and maintenance up-to-date?	Yes No N/A	E / H / M / L	

SAFE WORK METHOD STATEMENT

Working at Heights Hierarchy	The height work you will accomplish here needs to consider the following steps as preferred methods of avoiding possible risks associated with height:	E / H / M / L	Where possible work is being completed at ground level	Yes No N/A	E / H / M / L		
		E / H / M / L	For hard to access areas, scaffolding and/or EWP are being utilised	Yes No N/A	E / H / M / L		
		E / H / M / L	Is fall arrest being used?	Yes No N/A	E / H / M / L		
		E / H / M / L	Have you assessed the risks associated with working at heights?	Yes No N/A	E / H / M / L		
				Is the harness being used inspected?	Yes No N/A	E / H / M / L	
				Is the harness being used in a working	Yes No N/A	E / H / M / L	
				Is the ladder being used in a working order?	Yes No N/A	E / H / M / L	
				What is the inspection date of the ladder as shown on its tag.	Yes No N/A	E / H / M / L	
				Scaffolding was erected by a qualified person?	Yes No N/A	E / H / M / L	
				Scaffolding tag has been fitted?	Yes No N/A	E / H / M / L	
				Prestart inspection has been conducted on EWP/Plant?	Yes No N/A	E / H / M / L	
				Tool lanyards in place were appropriate	Yes No N/A	E / H / M / L	
				Equipment and/or materials secured at heights.	Yes No N/A	E / H / M / L	
				All personal have all relevant licences? (Please see the section under "Qualifications / Licenses Required:" on page 1 for the licences required.)	Yes No N/A	E / H / M / L	

SAFE WORK METHOD STATEMENT

Job Address				Job Date			
Item	Job Steps	Hazard / Risk Description:	Risk Score. (Initial)	Controls Required:	Control Applicable Please Circle	Risk Score. (Residual)	By Whom: (Initials)
Assess individual site	Check the job site for any site specific risks / hazards	List site items here (e.g. Environmental, nature, animals, surface areas, access areas	E / H / M / L	For the following Controls	Yes No N/A	E / H / M / L	
Set up work area and access equipment	1. Check all equipment to be used for defects and appropriate tags. 2. Clear access area of obstructions. 3. Erect Edge Protection (if applicable) 4. Erect Ladder/access equipment. 5. Cordon off area's. 6. Ensure that customer property is protected from any damage.	Hazard: Road and pedestrian traffic. Risks: Vehicle impact Hazard: Working at Heights. Risks: Slips, trips and falls, cuts, abrasions, soft tissue injuries	Initial Set Up Items	Is edge protection, scaffolding and/or EWP being utilized <i>(If NO add reason in comments section)</i>	Yes No N/A	E / H / M / L	
				check integrity of ladders/access equipment	Yes No N/A	E / H / M / L	
				check electrical equipment for valid tags and function	Yes No N/A	E / H / M / L	
				check that all tools are in good working order	Yes No N/A	E / H / M / L	
				Erect high visibility barriers if appropriate	Yes No N/A	E / H / M / L	
				Check that base for ladder erection is flat and stable and ladder is not likely to slip	Yes No N/A	E / H / M / L	
				Use of gutter guard and ladder secured at top if appropriate	Yes No N/A	E / H / M / L	
				If EWP used, operator is proficient and licensed	Yes No N/A	E / H / M / L	
				Anchor Point secured appropriately	Yes No N/A	E / H / M / L	
				Correct Panel lifting technique Identified	Yes No N/A	E / H / M / L	
				Area at risk of falling objects identified and cordoned off	Yes No N/A	E / H / M / L	
				Household property is protected ie gardens, landscaping, home exteriors, windows etc.	Yes No N/A	E / H / M / L	
General Roof Top work	Gain access to roof -Remove tiles if appropriate, fit brackets, stirrups and railing -Fit Solar modules -Connect Solar modules	Hazard: working at Heights. Risks: Slips, trips and falls, cuts, abrasions, soft tissue injuries Hazard: Working near live overhead cables Risks: Electrocutation	E / H / M / L	Risk of fall - when measuring roof	Yes No N/A	E / H / M / L	
			E / H / M / L	Harness used in fall prevention mode. <i>If N/A please list alternative fall prevention measures</i>	Yes No N/A	E / H / M / L	
			E / H / M / L	Harness to be used when measuring roof - <i>If No add reason in comments section.</i>	Yes No N/A	E / H / M / L	
			E / H / M / L	Risk of fall - When installing rail	Yes No N/A	E / H / M / L	
			E / H / M / L	Harness to be used When installing rail - <i>If No add reason in comments section</i>	Yes No N/A	E / H / M / L	
			E / H / M / L	Risk of fall - when raising panels to roof	Yes No N/A	E / H / M / L	
			E / H / M / L	Harness to be used when raising - <i>If No add reason in comment section</i>	Yes No N/A	E / H / M / L	
			E / H / M / L	Risk of fall - When plonking panels	Yes No N/A	E / H / M / L	
			E / H / M / L	Harness to be used when plonking panels <i>If No add reason in comment section</i>	Yes No N/A	E / H / M / L	
			E / H / M / L	Risk of fall - General roof top work	Yes No N/A	E / H / M / L	
			E / H / M / L	Harness to be used during General roof top work - <i>If No add reason in comments section</i>	Yes No N/A	E / H / M / L	
			E / H / M / L	Weight of loads assessed before manual handling, use appropriate handling methods	Yes No N/A	E / H / M / L	
			E / H / M / L	Isolation and connection of electrical components by qualified personnel	Yes No N/A	E / H / M / L	
			E / H / M / L	Correct PPE used	Yes No N/A	E / H / M / L	

SAFE WORK METHOD STATEMENT

Customer Details			
Primary Contractor:		ABN #:	Job Address:
Contact Position:	Installation Manager	Phone Number:	Job Date:
Job Project Details			
Activity / Task:	Installation of Grid-connect Solar Generating Power System	Main Contractor: (If Applicable)	
Resources / Trades Involved:	Electrician / Trades Assistant	Electrical Workers License Number:	
Plant & Equipment Used:	N/A	Site Supervisor	
Maintenance Checks:	Daily Operators Check to be documented in the Log book, 90 Day Inspection, Annual Inspection, 10 Year Inspection. and/or as per manufacturers recommendations	NOTE: This is a generic SWMS form to be used as an example please modify to suit your use	
Materials Used:	Solar Panels, Inverters, Cable, Conduit, Trunking, Fixings		
Qualifications / Licenses Required:	Electrical License Current CEC Installation Accreditation Working at heights White Card Asbestos Awareness (Only ACT) And when and if relevant: EWP High Risk Licence Forklift Scaffolding Ticket Working in confined space	Industry Codes or Standards Applicable to the Works: Electrical Safety Act 1971 Electrical Safety Regulation 2004 AS/NZS 5033:2014 Installation of photovoltaic (PV) arrays AS 4777.1:2016 Grid connection of energy systems via inverters AS/NZS 1768:2007 Lightning protection AS/NZS 3000:2018 Electrical installations ISO:9001:2015 Quality Management AS/NZS4801:2001 Safety Management	
Workplace Health & Safety Legislation:	Work Health and Safety Act 2011 Work Health and Safety Regulation 2011 National Code of Practice for the Prevention of Falls in General Construction National Code of Practice for Manual Handling		

Please check if there is any **fire warning** where you are about to do the installation work: <http://www.emergencyalert.gov.au/>

Is there any **Heat/Inclement warning** locally? <http://www.bom.gov.au/>

If digging is involved, please ensure you call the **hotline for safe excavation** information: <http://1100.com.au/>

For any national **weather or other warning** check: <http://www.bom.gov.au/australia/warnings/?ref=ftr>

For **Asbestos** related concerns, check: <https://www.asbestosafety.gov.au/national-asbestos-exposure-register>

To **contact Police**, pick your local number: <http://www.afp.gov.au/contact>

To contact **emergency** services (000). This number is for Police, Fire and Ambulance: <http://www.triplezero.gov.au/Pages/Usingotheremergencynumbers.aspx>

Ensure that you have **contact details for your branch and Solargain head office**: <http://www.solargain.com.au/contact>

Worksafe: <http://www.safeworkaustralia.gov.au/sites/swa/media-events/pages/media-events>

		LIKELIHOOD				
		CERTAIN	MOST LIKELY	POSSIBLE	UNLIKELY	RARE
CONSEQUENCE	FATALITY	Extreme	Extreme	High	High	Medium
	SERIOUS INJURY	Extreme	High	High	Medium	Medium
	MEDICAL TREATMENT	High	High	High	Medium	Low
	FIRST AID INJURY	High	High	Medium	Low	Low
	NEAR MISS NO INJURY	Medium	Medium	Medium	Low	Low
EXTREME: Do not commence activity. Implement controls that reduce risk to a medium level or below. Full risk assessment and work method procedures required to be authorised by supervisor.						
HIGH: Do not commence activity. Implement controls that reduce risk to a medium level or below. Recommend that supervisor review and approve control measures.						
MEDIUM: Risks are to be assessed and controlled using hierarchy of control methodology prior to commencing work.						
LOW: Manage individual risks using appropriate controls and proceed working with caution and review regularly.						

