Retention Risk Analysis

Healthcare Employee Attrition Study

Jade Mikalauskas

March 3rd, 2026

Made with GAMMA

Business Problem

The healthcare organization is experiencing employee attrition across several departments. High turnover increases staffing instability and operational costs.

This analysis examines workforce data to identify key drivers of attrition and determine where retention strategies should be prioritized.

Made with GAMMA

Attrition Risk Snapshot

Workforce metrics show that attrition risk is concentrated among early-tenure employees and those experiencing overtime workloads.

11.9%
Overall Attrition

32%
Early Tenure Attrition

+24.2%
Overtime Attrition Lift

38.9%
At-Risk Workforce

Made with GAMMA

Attrition by Role & Department

	Cardiology	Maternity	Neurology
Admin	0%	0%	0%
Administrative	0%	2%	0%
Nurse	12%	15%	11%
Therapist	6%	3%	0%

Maternity shows the highest **Nurse attrition** at **15%**, followed by **Cardiology at 12%** and **Neurology at 11%**.

Nursing roles show consistently higher attrition across departments, indicating that role-specific factors may be contributing to turnover.

Made with GAMMA

Attrition by Monthly Income



Attrition is highest among lower income employees, particularly those earning **under $3,000 per month**. Turnover decreases as salary levels increase.

This suggests compensation may influence employee retention.

Made with GAMMA

Attrition by Overtime



Employees working overtime experience significantly higher attrition rates **(29.2%)** compared to employees without overtime **(5.0%).**

This suggests workload pressure is a major contributor to turnover.

Made with GAMMA

Years with Current Manager



Employees with less than one year under their current manager experience the highest attrition rates. Attrition generally declines as manager tenure increases.

This may indicate that leadership stability plays a role in retention.

Made with GAMMA

Primary Drivers of Attrition

Manager Tenure

0–1 years with manager = highest attrition

Early Tenure Risk

Employees with 0–5 years tenure show the highest turnover

Overtime Workload

29.2% attrition vs 5% without overtime



Nurse Roles

Highest attrition across clinical departments

Low Compensation

Lower salary bands show higher turnover

Made with GAMMA

Rention Strategy Recommendations

Reduce Overtime Workload

Balance staffing to prevent excessive overtime

Strengthen Early Employee Support

Improve onboarding and mentorship programs for early-career employees

Review Compensation Structure

Evaluate salary competitiveness in lower income bands

Support Nursing Workforce Stability

Improve staffing and workload distribution in high-demand nursing departments

Support managers early in their leadership tenure

Provide training and support for managers early in their leadership tenure

Made with GAMMA