

```

library(dplyr)
data <- read.csv(file.choose())
head(data) #shows the first 6 rows, useful for checking the values and
columns
# look right

str(data) # shows structure of the dataset: col names, data types, preview
of val

View(data) #opens the spreadsheet

names(data)

# seperate holdout from training data
training <- data %>%
  filter(training_holdout == "training")

holdout <- data %>%
  filter(training_holdout == "holdout")

# check the number of observations in each dataset
nrow(training) # 32055
nrow(holdout) # 8016

table(data$training_holdout)

# filter for guest medical
guest_medical <- training %>%
  filter(coverage == "Guest Medical")

# assign risk tier classifications
guest_medical <- guest_medical %>%
  mutate(
    tier = case_when(
      risk_tier == 1 ~ "Preffered",
      risk_tier == 2 ~ "Standard",
      risk_tier == 3 ~ "Non-Standard",
      TRUE ~ NA_character_
    )
  )

# calculate total claims in dollars
total_claims <- guest_medical %>%
  group_by(tier) %>%
  summarise(
    total_claims = sum(amount, na.rm = TRUE),
    .groups = "drop"
  )

# calculate total policy holders
# need to replace id with actual column name

```

```

policyholder_count <- guest_medical %>%
  group_by(tier) %>%
  summarise(
    policyholders = n_distinct(student_id),
    .groups = "drop"
  )

# calculate avg claim
guest_medical_summary <- guest_medical %>%
  group_by(risk_tier, tier) %>%
  summarise(
    total_claims = sum(amount, na.rm = TRUE),
    policyholders = n_distinct(student_id),
    avg_claim = total_claims / policyholders,
    .groups = "drop"
  ) %>%
  arrange(risk_tier)

# round results
guest_medical_summary <- guest_medical_summary %>%
  mutate(
    total_claims = round(total_claims, 2),
    avg_claims = round(avg_claim, 2)
  )

# display results
print(guest_medical_summary)
View(guest_medical_summary)

```