Entegris

SOLARIS® SCR FILTERS

CMP solutions for on-tool filtration



the solution for CMP on-tool filtration

Overview

As the semiconductor industry seeks improved CMP wafer defect reduction solutions, slurry filtration at the point-of-tool will provide additional protection against the delivery of defect-causing particles and agglomerates. Solaris® technology offers two levels of filtration to choose from depending upon your particular needs. The Solaris SCR01 filter is designed for the filtration of fine particle slurries typically used in copper and STI processes. The Solaris SCR03 filter is a more open filter for larger particle slurries typically used for oxide and other metal processes.

Superior Gel Holding Capability, Longer Life

This unique, high-density depth filter provides superior agglomerate and gel holding capability. With over four inches of media engineered specifically to retain gels and agglomerates, this design ensures longer life over traditional depth filtration designs while allowing the critical working particles to reach the wafer.

Self-Venting Design

Solaris filters utilize a self-venting feature which allows bubbles formed during decomposition of some hydrogen peroxide-based slurries to flow through the filter and not create “dead space” for potential slurry dry-out.


Less Handling, Cleaner and Less Expensive

The convenient disposable design minimizes exposure to slurry while maximizing convenience during filter changeout. The self-venting feature provides a more efficient startup with less slurry handling.


Features	Benefits
Unique, high-density depth filter	Superior agglomerate and gel holding capability ensures longer life over traditional depth filters.
Self-venting filtration	Eliminates “dead space” and the potential for slurry dry-out in the filtration media, providing longer life.
Available in 1.5 µm and 3 µm retention ratings	Filter design optimized for fine particle slurries or larger particle retention ratings slurries; ensures longer filter life while allowing critical working particles to reach the wafer.
Over 4" of specially designed media	Provides superior filtration; gel and agglomerate retention to ensure desired particles reach the wafer to optimize planarization processes.
Disposable design	Allows quick installation, minimizes downtime and limits the handling of hazardous chemicals during the installation and disposal processes, creating a safer work environment.

Dimensions

Solaris SCR Filter with Flare Connection




Solaris SCR Filter with Connectology Connection



Performance Data

Retention Efficiency



Ordering Information

Part Number	Description	Retention Rating	Inlet/Outlet Fittings	Dimensions	
				A	B
SCR01 5C E1	Solaris SCR01 5" Connectology	Similar to 1.5 µm	Connectology	203.2 mm ±2.54 mm (8.0" ±0.10")	134.9 mm ±2.54 mm (5.31" ±0.10")
SCR03 5C E1	Solaris SCR01 5" Connectology	Similar to 3 µm	Connectology	203.2 mm ±2.54 mm (8.0" ±0.10")	134.9 mm ±2.54 mm (5.31" ±0.10")
SCR01 53 E1	Solaris SCR01 5" flare	Similar to 1.5 µm	3/8" flare	203.2 mm ±2.54 mm (8.0" ±0.10")	152.4 mm ±2.54 mm (6.0" ±0.10")
SCR03 13 E1	Solaris SCR01 10" flare	Similar to 3 µm	3/8" flare	330.2 mm ±2.54 mm (13.0" ±0.10")	279.4 mm ±2.54 mm (11.0" ±0.10")

Connectology filters for use with the Solaris manifold (Part number SLRM10350) or Solaris DVP manifold (Part number SH9R021B05).

For More Information

Please call your Regional Customer Service Center today to learn what Entegris can do for you. Visit *www.entegris.com* and select the Customer Service link for the center nearest you.

Terms and Conditions of Sale

All purchases are subject to Entegris' Terms and Conditions of Sale. To view and print this information, *visit www.entegris.com* and select the Legal Notices link from the footer.

Entegris®, the Entegris Rings Design®, Solaris® and Connectology® are registered trademarks of Entegris, Inc.

ENTEGRIS, INC.
Corporate Headquarters | 129 Concord Road | Billerica, MA 01821 USA
Customer Service Tel. +1 952 556 4181 | Customer Service Fax +1 952 556 8022
In North America 800 394 4083 | *www.entegris.com*

©2007–2012 Entegris, Inc. All rights reserved Printed in USA 4423-5206ENT-1212

Entegris
creating a material advantage