

Exceptions Question Bank

CSCI040: ~~Computing for the Web~~ Introduction to Hacking

Your exceptions quiz will contain 5 questions that follow the pattern in this question bank.

Recall that you are responsible for knowing the following exceptions: `AssertionError`, `AttributeError`, `IndexError`, `KeyError`, `NameError`, `UnboundLocalError`, `TypeError`, `ZeroDivisionError`.

Problem 1. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = []
total = 0
while xs:
    total += 1
print('total=', total)
```

Problem 2. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = []
while xs:
    total += 1
    assert(xs)
print('total=', total)
```

Problem 3. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = []  
while len(xs) < 5:  
    xs.append('test')  
print('len(xs)=', len(xs))
```

Problem 4. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = []  
while len(xs) < 5:  
    xs.append('test')  
    assert(xs)  
print('len(xs)=', len(xs))
```

Problem 5. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [1, 2, 3]  
while xs:  
    xs.append('test')  
print('len(xs)=', len(xs))
```

Problem 6. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [1, 2, 3]
total = 0
while xs:
    total /= total
print('len(xs)=', len(xs))
```

Problem 7. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [1, 2, 3]
while xs:
    xs.append('test')
    assert('t' in xs)
print('len(xs)=', len(xs))
```

Problem 8. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [1, 2, 3]
while xs:
    xs += 'test'
print('len(xs)=', len(xs))
```

Problem 9. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [1, 2, 3]
total = 10
for x in xs:
    total %= x
print("total=", total)
```

Problem 10. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [0, 1, 2]
xs.replace(1, 2)
print("xs=", xs)
```

Problem 11. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
s = 'hello_world'
i = s.find('_')
print("i=", i)
```

Problem 12. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
for k,v in sorted(grades.items()):
    print(v[ 'hw1 '])
```

Problem 13. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
for k,v in sorted(grades.items()):
    print(k[ 'hw1 '])
```

Problem 14. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
for k,v in sorted(grades.items()):
    print(v[0])
```

Problem 15. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
for k,v in sorted(grades.items()):
    print(k[0])
```

Problem 16. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
output = "grade=" + grades['alice']['hw1']
print('output=', output)
```

Problem 17. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
output = "grade=" + grades['charlie']['hw1']
print('output=', output)
```

Problem 18. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
output = "grade=" + grades['bob']['hw2'][91]
print('output=', output)
```

Problem 19. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
output = alice['hw1']
print('output=', output)
```

Problem 20. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
total = 0
for i in grades:
    for j in i:
        total += 1
print('total=', total)
```

Problem 21. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [1, 2, 3]
try:
    result = xs[3]
except IndexError:
    result = -1
print('result=', result)
```

Problem 22. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [1, 2, 3]
try:
    result = xs[3]
except:
    result = -1
print('result=', result)
```

Problem 23. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
xs = [1, 2, 3]
try:
    result = xs[3]
except NameError:
    result = -1
print('result=', result)
```


Problem 24. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
try:
    output = "grade=" + grades[ 'charlie' ][ 'hw1' ]
except KeyError:
    output = 'oops'
print( 'output=', output)
```

Problem 25. The following code (circle one)

terminates without error

throws an exception

runs forever

If the code terminates without error, write the output. If the code throws an exception, state the exception.

```
grades={
    'alice':{ 'hw1':99, 'hw2':88},
    'bob':{ 'hw1':82, 'hw2':91},
}
try:
    output = "grade=" + grades[ 'charlie' ][ 'hw1' ]
except IndexError:
    output = 'oops'
print( 'output=', output)
```