

Global Cancer Patient Analysis Dashboard

Year

▼

All

Gender

▼

All

Country_Region

▼

All

Cancer_Type

▼

All


50K
Total Patients

4.95
Avg Severity


5.01
Avg Survival

52K
Avg Cost


Patients by Cancer Type




Gender Distribution



Survival by Stage




Smoking vs Severity



Risk Factor Analysis Dashboard

R



Rate Impact. Risk Factor

- Genetic Risk shows the strongest relationship with severity.
- Smoking severity trend increases steadily.
- Air Pollution has a positive association with severity.
- Obesity and Alcohol show moderate impact.

Analyzing the impact of lifestyle and environmental risk factors on cancer severity

Smoking by Gender

Female
83,514.40

Male
83,638.20

Other
82,338.70

Patient Outcomes

Year

▼

All

Gender

▼

All

Cancer

▼

All

Country

▼


All

50K
Total Patients


5.01
Avg Survival

52K
Avg Cost

Survival by Cancer




Survival by Gender



Survival by Year



Treatment by Cost bySurvival



Recommendations:

- Promote early cancer screening.
- Reduce smoking and alcohol consumption:
- Monitor high genetic-risk patients closely.
- Improve access to treatment for better

"Empowering Better Patient Outcomes Through Analytics."