

=====

sadmlib_std_demo.sh v3.7 - Library v2.59

User Var. that affect SADMIN behavior	Description	This System Result
[001] \$SADM_VER	Script Version Number	: 3.7
[002] \$SADM_PN	Script Name	: sadmlib_std_demo.sh
[003] \$SADM_INST	Script Name Without Extension	: sadmlib_std_demo
[004] \$SADM_USERNAME	Current User Name	: root
[005] \$SADM_TPID	Current Process ID	: 31387
[006] \$SADM_MULTIPLE_EXEC	Allow running multiple copy	: Y
[007] \$SADM_USE_RCH	Gen. entry in .rch file	: N
[008] \$SADM_LOG_TYPE	Set Output to [S]creen [L]og [B]oth	: B
[009] \$SADM_LOG_APPEND	Append Log or Create New One	: N
[010] \$SADM_LOG_HEADER	Generate Header in log	: N
[011] \$SADM_LOG_FOOTER	Generate or not Footer in log	: N
[012] \$SADM_EXIT_CODE	Script Exit Return Code	: 0

=====

sadmlib_std_demo.sh v3.7 - Library v2.59

Calling Functions	Description	This System Result
[001] \$(sadm_get_release)	SADMIN Release Number (XX.XX)	: 0.94.0
[002] \$(sadm_get_ostype)	OS Type (Uppercase,LINUX,AIX,DARWIN)	: LINUX
[003] \$(sadm_get_osversion)	Return O/S Version (Ex: 7.2, 6.5)	: 7.6.1810
[004] \$(sadm_get_osmajorversion)	Return O/S Major Version (Ex 7, 6)	: 7
[005] \$(sadm_get_osminorversion)	Return O/S Minor Version (Ex 2, 3)	: 6
[006] \$(sadm_get_osname)	O/S Name (REDHAT,CENTOS,UBUNTU,...)	: CENTOS
[007] \$(sadm_get_oscodename)	O/S Project Code Name	: Core
[008] \$(sadm_get_kernel_version)	O/S Running Kernel Version	: 3.10.0-957.1.3.el7.x86_64
[009] \$(sadm_get_kernel_bitmode)	O/S Kernel Bit Mode (32 or 64)	: 64
[010] \$(sadm_get_hostname)	Current Host Name	: holmes
[011] \$(sadm_get_host_ip)	Current Host IP Address	: 192.168.1.12
[012] \$(sadm_get_domainname)	Current Host Domain Name	: maison.ca
[013] \$(sadm_get_fqdn)	Fully Qualified Domain Host Name	: holmes.maison.ca
[014] \$(sadm_get_epoch_time)	Get Current Epoch Time	: 1547923508
[015] \$(sadm_epoch_to_date 1547923508)	Convert epoch time to date	: 2019.01.19 13:45:08
	WDATE='2019.01.19 13:45:08'	
[016] \$(sadm_date_to_epoch "\$WDATE")	Convert Date to epoch time	: 1547923508
	DATE1='2016.01.30 10:00:44'	
	DATE2='2016.01.30 10:00:03'	
[017] \$(sadm_elapse "\$DATE1" "\$DATE2")	Elapse Time between two timestamps	: 00:00:41

=====

sadmlib_std_demo.sh v3.7 - Library v2.59

SADMIN BASH SHELL SPECIFIC FUNCTIONS	Description	This System Result
[001] \$(sadm_server_type)	Host is Physical or Virtual (P/V)	: P
[002] \$(sadm_server_model)	Server model (Ex: HP ProLiant DL580)	: OptiPlex 7020

```

[003] $(sadm_server_serial)      Server serial number (Ex: 4S7GYF1) : BJSV942
[004] $(sadm_server_memory)      Server total memory in MB (Ex: 3790): 7730
[005] $(sadm_server_hardware_bitmode) CPU Hardware capable of 32/64 bits : 64
[006] $(sadm_server_nb_logical_cpu) Number of Logical CPU on server : 4
[007] $(sadm_server_nb_cpu)      Number of Physical CPU on server : 1
[008] $(sadm_server_nb_socket)   Number of socket on server : 1
[009] $(sadm_server_core_per_socket) Number of Core per Socket : 4
[010] $(sadm_server_thread_per_core) Number of Thread per Core : 1
[011] $(sadm_server_cpu_speed)   Server CPU Speed in MHz : 3366
[012] $(sadm_server_disks)       Disks list(MB) (DISKNAME|SIZE,...) : sda|512000,sdb|1024000
[013] $(sadm_server_vg)          VG list(MB) (VGNAME|SIZE|USED|FREE) : rootvg|476426|397230|79196
[014] $(sadm_server_ips)         Network IP(Name|IP|Netmask|MAC) : em1|192.168.1.12|255.255.255.0|98:90:96:b7:64:a2,em1:1|
192.168.1.20|255.255.255.0|98:90:96:b7:64:a2,em1:2|192.168.1.68|255.255.255.0|98:90:96:b7:64:a2,em1:3|192.168.1.13|255.255.255.0|
98:90:96:b7:64:a2,em1:4|192.168.1.6|255.255.255.0|98:90:96:b7:64:a2,em1:5|192.168.1.23|255.255.255.0|98:90:96:b7:64:a2,em1:6|
192.168.1.126|255.255.255.0|98:90:96:b7:64:a2,em1:7|192.168.1.28|255.255.255.0|98:90:96:b7:64:a2,em1:8|192.168.1.29|255.255.255.0|
98:90:96:b7:64:a2
[015] sadm_toupper string        Return string uppercase : STRING
[016] sadm_tolower STRING        Return string lowercase : string

```

```

=====
sadmlib_std_demo.sh v3.7 - Library v2.59
Overview of sadm_start and sadm_stop function
=====

```

Example of utilisation:

```

# sadm_start                # Init Env Dir & RC/Log File
# if [ $? -ne 0 ] ; then sadm_stop 1 ; exit 1 ;fi    # Exit if Problem
# main_process              # Main Process
# SADM_EXIT_CODE=$?         # Save Error Code
# sadm_stop $SADM_EXIT_CODE # Close SADM Tool & Upd RCH
# exit $SADM_EXIT_CODE      # Exit With Global Err (0/1)

```

sadm_start

```

Start and initialize sadm environment - Accept no Parameter
If SADMIN root directory is not /sadmin, make sure the SADMIN Env. variable is set to proper dir.
Please call this function when your script is starting
What this function will do for us :
1) Make sure all directories & sub-directories exist and have proper permissions.
2) Make sure log file exist with proper permission (/sadmin/log/holmes_sadmlib_std_demo.log)
3) Make sure Return Code History (.rch) exist and have the right permission
4) If PID file exist, show error message and abort.
   Unless user allow more than one copy to run simultaneously (SADM_MULTIPLE_EXEC='Y')
5) Add line in the [R]eturn [C]ode [H]istory file stating script is started (Code 2)
6) Write HostName - Script name and version - O/S Name and version to the Log file (SADM_LOG)

```

sadm_stop

```

Accept one parameter - Either 0 (Successfull) or non-zero (Error Encountered)
Please call this function just before your script end
What this function do.

```

- 1) If Exit Code is not zero, change it to 1.
- 2) Get Actual Time and Calculate the Execution Time.
- 3) Writing the Script Footer in the Log (Script Return code, Execution Time, ...)
- 4) Update the RCH File (Start/End/Elapse Time and the Result Code)
- 5) Trim The RCH File Based on User choice in sadmin.cfg
- 6) Write to Log the user mail alerting type choose by user (sadmin.cfg)
- 7) Trim the Log based on user selection in sadmin.cfg
- 8) Send Email to sysadmin (if user selected that option in sadmin.cfg)
- 9) Delete the PID File of the script (SADM_PID_FILE)
- 10) Delete the User 3 TMP Files (SADM_TMP_FILE1, SADM_TMP_FILE2, SADM_TMP_FILE3)

=====

sadmlib_std_demo.sh v3.7 - Library v2.59

SADMIN CONFIG FILE VARIABLES	Description	This System Result
[001] \$SADM_SERVER	SADMIN SERVER NAME (FQDN)	: holmes.maison.ca
[002] \$SADM_HOST_TYPE	SADMIN [C]lient or [S]erver	: S
[003] \$SADM_MAIL_ADDR	SADMIN Administrator Default Email	: duplessis.jacques@gmail.com
[004] \$SADM_ALERT_TYPE	0=NoMail 1=OnError 2=OnSuccess 3=All:	: 1
[005] \$SADM_ALERT_GROUP	Default Alert Group	: default
[006] \$SADM_CIE_NAME	Your Company Name	: Your Cie Name
[007] \$SADM_DOMAIN	Server Creation Default Domain	: maison.ca
[008] \$SADM_USER	SADMIN User Name	: sadmin
[009] \$SADM_GROUP	SADMIN Group Name	: sadmin
[010] \$SADM_WWW_USER	User that Run Apache Web Server	: apache
[011] \$SADM_WWW_GROUP	Group that Run Apache Web Server	: apache
[012] \$SADM_DBNAME	SADMIN Database Name	: sadmin
[013] \$SADM_DBHOST	SADMIN Database Host	: sadmin.maison.ca
[014] \$SADM_DBPORT	SADMIN Database Host TCP Port	: 3306
[015] \$SADM_RW_DBUSER	SADMIN Database Read/Write User	: sadmin
[016] \$SADM_RW_DBPWD	SADMIN Database Read/Write User Pwd	: Nimdas17!
[017] \$SADM_RO_DBUSER	SADMIN Database Read Only User	: squery
[018] \$SADM_RO_DBPWD	SADMIN Database Read Only User Pwd	: Query18!
[019] \$SADM_RRDTOOL	RRDTOOL Binary Location	: /bin/rrdtool
[020] \$SADM_SSH_PORT	SSH Port to communicate with client	: 32
[021] \$SADM_NMON_KEEPDAYS	Nb. of days to keep nmon perf. file	: 40
[022] \$SADM_RCH_KEEPDAYS	Nb. days to keep unmodified rch file:	: 35
[023] \$SADM_LOG_KEEPDAYS	Nb. days to keep unmodified log file:	: 35
[024] \$SADM_MAX_RCLINE	Trim rch file to this max. of lines	: 125
[025] \$SADM_MAX_LOGLINE	Trim log to this maximum of lines	: 2000
[026] \$SADM_NETWORK1	Network/Netmask 1 inv. IP/Name/Mac	: 192.168.1.0/24
[027] \$SADM_NETWORK2	Network/Netmask 2 inv. IP/Name/Mac	:
[028] \$SADM_NETWORK3	Network/Netmask 3 inv. IP/Name/Mac	:
[029] \$SADM_NETWORK4	Network/Netmask 4 inv. IP/Name/Mac	:
[030] \$SADM_NETWORK5	Network/Netmask 5 inv. IP/Name/Mac	:
[031] \$SADM_MKSYB_NFS_SERVER	AIX MKSYB NFS Server IP or Name	: batnfs.maison.ca
[032] \$SADM_MKSYB_NFS_MOUNT_POINT	AIX MKSYB NFS Mount Point	: /volume1/mksysb

```

[033] $$ADM_MKSYB_BACKUP_TO_KEEP      AIX MKSYB NFS Backup - Nb. to keep : 2
[034] $$ADM_REAR_NFS_SERVER            Rear NFS Server IP or Name       : batnas.maison.ca
[035] $$ADM_REAR_NFS_MOUNT_POINT       Rear NFS Mount Point           : /volume1/Linux_DR
[036] $$ADM_REAR_BACKUP_TO_KEEP        Rear NFS Backup - Nb. to keep    : 3
[037] $$ADM_BACKUP_NFS_SERVER          NFS Backup IP or Server Name     : batnas.maison.ca
[038] $$ADM_BACKUP_NFS_MOUNT_POINT     NFS Backup Mount Point          : /volume1/backup_linux
[039] $$ADM_DAILY_BACKUP_TO_KEEP        Nb. of Daily Backup to keep      : 4
[040] $$ADM_WEEKLY_BACKUP_TO_KEEP       Nb. of Weekly Backup to keep     : 4
[041] $$ADM_MONTHLY_BACKUP_TO_KEEP      Nb. of Monthly Backup to keep    : 4
[042] $$ADM_YEARLY_BACKUP_TO_KEEP       Nb. of Yearly Backup to keep     : 2
[043] $$ADM_WEEKLY_BACKUP_DAY          Weekly Backup Day (1=Mon,...,7=Sun) : 5
[044] $$ADM_MONTHLY_BACKUP_DATE         Monthly Backup Date (1-28)       : 1
[045] $$ADM_YEARLY_BACKUP_MONTH         Month to take Yearly Backup (1-12) : 12
[046] $$ADM_YEARLY_BACKUP_DATE         Date to do Yearly Backup(1-DayInMth): 31
[047] $$ADM_STORIX_NFS_SERVER          Storix NFS Server IP or Name     : batnas.maison.ca
[048] $$ADM_STORIX_NFS_MOUNT_POINT      Storix NFS Mount Point          : /volume1/storix
[049] $$ADM_STORIX_BACKUP_TO_KEEP       Storix NFS Backup - Nb. to Keep  : 3

```

```

=====
sadmlib_std_demo.sh v3.7 - Library v2.59

```

Client Directories Var. Avail.	Description	This System Result
[001] \$\$ADM_BASE_DIR	SADMIN Root Directory	: /sadmin
[002] \$\$ADM_BIN_DIR	SADMIN Scripts Directory	: /sadmin/bin
[003] \$\$ADM_TMP_DIR	SADMIN Temporary file(s) Directory	: /sadmin/tmp
[004] \$\$ADM_LIB_DIR	SADMIN Shell & Python Library Dir.	: /sadmin/lib
[005] \$\$ADM_LOG_DIR	SADMIN Script Log Directory	: /sadmin/log
[006] \$\$ADM_CFG_DIR	SADMIN Configuration Directory	: /sadmin/cfg
[007] \$\$ADM_SYS_DIR	Server Startup/Shutdown Script Dir.	: /sadmin/sys
[008] \$\$ADM_DOC_DIR	SADMIN Documentation Directory	: /sadmin/doc
[009] \$\$ADM_PKG_DIR	SADMIN Packages Directory	: /sadmin/pkg
[010] \$\$ADM_DAT_DIR	Server Data Directory	: /sadmin/dat
[011] \$\$ADM_NMON_DIR	Server NMON - Data Collected Dir.	: /sadmin/dat/nmon
[012] \$\$ADM_DR_DIR	Server Disaster Recovery Info Dir.	: /sadmin/dat/dr
[013] \$\$ADM_RCH_DIR	Server Return Code History Dir.	: /sadmin/dat/rch
[014] \$\$ADM_NET_DIR	Server Network Info Dir.	: /sadmin/dat/net
[015] \$\$ADM_RPT_DIR	SYStem MONitor Report Directory	: /sadmin/dat/rpt
[016] \$\$ADM_DBB_DIR	Database Backup Directory	: /sadmin/dat/dbb
[017] \$\$ADM_SETUP_DIR	SADMIN Installation/Update Dir.	: /sadmin/setup
[018] \$\$ADM_USR_DIR	User/System specific directory	: /sadmin/usr
[019] \$\$ADM_UBIN_DIR	User/System specific bin/script Dir.	: /sadmin/usr/bin
[020] \$\$ADM_ULIB_DIR	User/System specific library Dir.	: /sadmin/usr/lib
[021] \$\$ADM_UDOC_DIR	User/System specific documentation	: /sadmin/usr/doc
[022] \$\$ADM_UMON_DIR	User/System specific SysMon Scripts	: /sadmin/usr/mon

```

=====
sadmlib_std_demo.sh v3.7 - Library v2.59

```

Server Directories Var. Avail.	Description	This System Result
--------------------------------	-------------	--------------------

```

=====
[001] $SADM_WWW_DIR          SADMIN Web Site Root Directory      : /sadmin/www
[002] $SADM_WWW_DOC_DIR      SADMIN Web Documentation Dir.        : /sadmin/www/doc
[003] $SADM_WWW_DAT_DIR      SADMIN Web Site Systems Data Dir.    : /sadmin/www/dat
[004] $SADM_WWW_LIB_DIR      SADMIN Web Site PHP Library Dir.     : /sadmin/www/lib
[005] $SADM_WWW_TMP_DIR      SADMIN Web Temp Working Directory      : /sadmin/www/tmp
[006] $SADM_WWW_PERF_DIR     SADMIN Web Performance Graph Dir.     : /sadmin/www/tmp/perf
=====

```

```

=====
sadmlib_std_demo.sh v3.7 - Library v2.59

```

SADMIN FILES VARIABLES AVAIL.	Description	This System Result
[001] \$SADM_PID_FILE	Current script PID file	: /sadmin/tmp/sadmlib_std_demo.pid
[002] \$SADM_CFG_FILE	SADMIN Configuration File	: /sadmin/cfg/sadmin.cfg
[003] \$SADM_CFG_HIDDEN	SADMIN Initial Configuration File	: /sadmin/cfg/.sadmin.cfg
[004] \$SADM_ALERT_FILE	SADMIN Alert Group File	: /sadmin/cfg/alert_group.cfg
[005] \$SADM_ALERT_INIT	SADMIN Initial Alert Group File	: /sadmin/cfg/.alert_group.cfg
[006] \$SADM_SLACK_FILE	SADMIN Slack Channel WebHook File	: /sadmin/cfg/alert_slack.cfg
[007] \$SADM_SLACK_INIT	SADMIN Initial Slack WebHook File	: /sadmin/cfg/.alert_slack.cfg
[008] \$SADM_ALERT_HIST	SADMIN Alert History File	: /sadmin/cfg/alert_history.txt
[009] \$SADM_ALERT_HINI	SADMIN Initial Alert History File	: /sadmin/cfg/.alert_history.txt
[010] \$SADM_ALERT_SEQ	SADMIN Alert Reference Number File	: /sadmin/cfg/alert_history.seq
[011] \$SADM_TMP_FILE1	User usable Temp Work File 1	: /sadmin/tmp/sadmlib_std_demo_1.31387
[012] \$SADM_TMP_FILE2	User usable Temp Work File 2	: /sadmin/tmp/sadmlib_std_demo_2.31387
[013] \$SADM_TMP_FILE3	User usable Temp Work File 3	: /sadmin/tmp/sadmlib_std_demo_3.31387
[014] \$SADM_LOG	Script Log File	: /sadmin/log/holmes_sadmlib_std_demo.log
[015] \$SADM_RCHLOG	Script Return Code History File	: /sadmin/dat/rch/holmes_sadmlib_std_demo.rch
[016] \$DBPASSFILE	SADMIN Database User Password File	: /sadmin/cfg/.dbpass
[017] \$SADM_RPT_FILE	SYSTEM MONitor Report File	: /sadmin/dat/rpt/holmes.rpt
[018] \$SADM_BACKUP_LIST	Backup List File Name	: /sadmin/cfg/backup_list.txt
[019] \$SADM_BACKUP_LIST_INIT	Initial Backup List (Template)	: /sadmin/cfg/.backup_list.txt
[020] \$SADM_BACKUP_EXCLUDE	Backup Exclude List File Name	: /sadmin/cfg/backup_exclude.txt
[021] \$SADM_BACKUP_EXCLUDE_INIT	Initial Backup Exclude (Template)	: /sadmin/cfg/.backup_exclude.txt

```

=====
sadmlib_std_demo.sh v3.7 - Library v2.59

```

COMMAND PATH USE BY SADMIN STD. LIBR.	Description	This System Result
[001] \$SADM_LSB_RELEASE	Cmd. 'lsb_release', Get O/S Version	: /bin/lsb_release
[002] \$SADM_DMIDECODE	Cmd. 'dmidecode', Get model & type	: /sbin/dmidecode
[003] \$SADM_FACTER	Cmd. 'facter', Get System Info	: /bin/facter
[004] \$SADM_BC	Cmd. 'bc', Do some Math.	: /bin/bc
[005] \$SADM_FDISK	Cmd. 'fdisk', Get Partition Info	: /sbin/fdisk
[006] \$SADM_WHICH	Cmd. 'which', Get Command location	: /bin/which
[007] \$SADM_PERL	Cmd. 'perl', epoch time Calc.	: /bin/perl
[008] \$SADM_MAIL	Cmd. 'mail', Send SysAdmin Email	: /bin/mail
[009] \$SADM_MUTT	Cmd. 'mutt', Used to Send Email	: /bin/mutt
[010] \$SADM_CURL	Used to send alert to Slack	: /bin/curl

```

[011] $SADM_LSCPU          Cmd. 'lscpu', Socket & thread info : /bin/lscpu
[012] $SADM_NMON           Cmd. 'nmon', Collect Perf Statistic : /bin/nmon
[013] $SADM_PARTED        Cmd. 'parted', Get Disk Real Size : /sbin/parted
[014] $SADM_ETHTOOL       Cmd. 'ethtool', Get System IP Info : /sbin/ethtool
[015] $SADM_SSH           Cmd. 'ssh', SSH to SADMIN client : /bin/ssh
[016] $SADM_SSH_CMD       Cmd. 'ssh', SSH to Connect to client: /bin/ssh -qnp32

```

```
=====
sadmlib_std_demo.sh v3.7 - Library v2.59
```

```
Database Information          Description          This System Result
=====
```

```
Show SADMIN Tables:
```

```
server
server_category
server_group
server_network
```

```
Show Category Table Content:
```

2	Legacy	Legacy Unsupported Server	1	2017-11-07 00:00:00	0
3	Dev	Development Environment	1	2017-11-07 00:00:00	1
5	Poc	Proof Of Concept env.	1	2017-11-07 00:00:00	0
6	Prod	Production Environment	1	2017-11-07 00:00:00	0
11	Temporary	Temporary Server	1	2017-12-06 11:23:26	0

```
Show Group Table Content:
```

2	Cluster	Clustered Server	1	2017-11-22 11:55:50	0
3	Service	Infrastructure Service	1	2017-11-07 00:00:00	0
4	Retired	Server not in use	1	2017-11-07 00:00:00	0
5	Raspberry	Raspberry Pi	1	2017-11-07 00:00:00	0
6	Regular	Normal App. Server	1	2017-11-23 12:33:43	1
7	Temporary	Temporaly in service	1	2017-11-07 00:00:00	0
8	Laptop	Linux Laptop	1	2017-11-07 00:00:00	0

```
Show Server Table Content:
```

aixb50	Aix 5.3 Dev. Server	aix	5.3
batman	Aix 7.1 NIM Server	aix	7.1
centos6	CentOS 6 Server	centos	6.10
centos7	CentOS 7 Server	centos	7.6.1810
debian7	Debian V7 Server	debian	7.11
debian8	Debian V8 Server	debian	8.11
gandalf	CentOS V5 Server	centos	5.11
gotham	CentOS V6 Server	centos	6.10
puppet	Puppet Master/Foreman	centos	6.10
raspi0	Raspberry Zero W Rev.1.1	raspbian	8.0
raspi1	Raspberry Pi V1 B+	raspbian	9.6

raspi2	Raspberry Pi V1 B	raspbian	9.6
raspi4	Raspberry Pi V3 B	raspbian	8.0
raspi3	Raspberry Pi V2 B	raspbian	9.6
Ubuntu1404	Ubuntu 14.04 Server	ubuntu	14.04
ubuntu1604	Ubuntu 16.04 Server	ubuntu	16.04
yoda	Laptop Ubuntu 16.04	ubuntu	16.04
raspi5	Raspberry Pi V3 B+	raspbian	9.6
imac	imac system	macosx	10.13.6