untitled text 5 Page 1/3

```
jacques@holmes:/sadmin/lib$ ./sadmlib_std_test.py
  2018.03.11 22:01:29 -
  ______
 | 2018.03.11 22:01:29 - Starting sadmlib_std_test.py V2.5 - SADM Lib. V2.9
  2018.03.11 22:01:29 - Server Name: holmes.maison.ca - Type: Linux
  2018.03.11 22:01:29 - 0/S: Centos 7.4.1708 - Code Name: Core
  2018.03.11 22:01:29 -
  _____
  2018.03.11 22:01:29 -
  2018.03.11 22:01:29 - Database connection succeeded
  Library V2.9 - Script V2.5
9
  ______
  SADMIN Various Methods and Attributes
  ______
  obj.get_release()
                                      Release Number
                                                                         : 00.85
13
                                                                        : LINUX
14 obj.get_ostype()
                                      O/S Type (Always Uppercase)
15 | obj.get_osversion()
                                      Return O/S Version
                                                                        : 7.4.1708
16 | obj.get_osmajorversion()
                                      Return Major O/S Version
17 || obj.get_osminorversion()
                                      Return Minor O/S Version
                                      0/S Name
18 obj.get_osname()
                                                                         : CENTOS
  obj.get_oscodename()
                                      Return O/S Code Name
                                                                         : CORE
  obj.get_kernel_version()
                                      Return O/S Kernel Version
                                                                         : 3.10.0-693
  obj.get_kernel_bitmode()
                                      Return O/S Kernel Bit Mode
                                                                         : 64
22 obj.hostname
                                      Hostname without Domain
                                                                         : holmes
23 obj.get_host_ip()
                                      Return Hostname IP Address
                                                                         : 192.168.1.12
24 | obj.get_domainname()
                                      Return Hostname Domain Name
                                                                        : maison.ca
  obj.get_fqdn()
                                      Return FQDN Hostname
                                                                        : holmes.maison.ca
  obj.get_epoch_time()
                                      Return Current Epoch Time
                                                                        : 1520820089
                                                                        : 2018.03.11
  obj.epoch_to_date(1520820089)
                                      Return Date/Time from Epoch
27
  22:01:29
  obj.date_to_epoch(2018.03.11 22:01:29)
                                      Convert Date/Time to Epoch
                                                                        : 1520820089
  obj.elapse_time('2016.01.30 10:00:44','2016.01.30 10:00:03') Elapse vs 2 Dates : 00:00:41
30 obj.inst
                                      PN without extension
                                                                         : sadmlib_std_test
31 obj.username
                                      Current User Name
                                                                         : jacques
                                      Current Process ID.
                                                                        : 11494
32 obj.tpid
  obj.debug
                                      Current Debug Level [1-9]
33
                                      Set/Get Logtype(Both,Scr,Log)
34
  obj.log_type
                                                                        : B
  obj.multiple_exec
                                      Allow Simultanious Execution
                                                                         : N
                                      Open log in Append Mode
  obj.log_append
                                                                        : True
37
  SADM Client & Servers Directories Attribute
39
                        Root Dir. of SADMIN Tools : /sadmin
  obj.base_dir
40
                        SADMIN Temp. Directory
  obj.tmp_dir
                                                 : /sadmin/tmp
41
                        SADMIN Configuration Dir. : /sadmin/cfg
  obj.cfg_dir
42
                        SADMIN Shell & Python Lib. : /sadmin/lib
43
  obj.lib_dir
  obj.bin_dir
                        SADMIN Shell & Python Scripts : /sadmin/bin
44
                        SADMIN Log Directory : /sadmin/log
  obj.log_dir
                        Software Pkg use in SADMIN : /sadmin/pkg
Documentation Directory : /sadmin/doc
46 obj.pkg_dir
  obj.doc_dir
                        Host Scripts(Startup/Shutdown): /sadmin/sys
48 obj.sys_dir
                        Host system Info Data Dir. : /sadmin/dat
  obj.dat_dir
49
                        Host nmon performance files : /sadmin/dat/nmon
 obj.nmon_dir
50
                        Host Result Code History files: /sadmin/dat/rch
  obj.rch_dir
```

untitled text 5 Page 2/3

```
obj.dr_dir
                         Host Disaster Recovery files : /sadmin/dat/dr
                         System Activity Report files : /sadmin/dat/sar
   obj.sar_dir
53
54
   SADM Servers Only Directories Attribute
   ______
                         Web Root Dir. (On Server Only): /sadmin/www
   obj.www_dir
57
                         Web Systems Info Dir (Server): /sadmin/www/dat
   obj.www_dat_dir
58
   obj.www_lib_dir
                         Web Systems Lib Dir (Server): /sadmin/www/lib
59
   obj.www_arc_dir
                         Web Systems Arch. Dir (Server): /sadmin/www/arc
60
                         Web Systems Config Dir(Server): /sadmin/www/cfg
   obj.www_cfg_dir
61
                         Web Systems Net Data (Server): /sadmin/www/dat/holmes/net
   obj.www_net_dir
62
                         Web Documentation Dir.(Server): /sadmin/www/doc
   obj.www_doc_dir
64
   SADM Files Variables
66
                         Cur. Script Log File : /sadmin/log/holmes_sadmlib_std_test.log
   obj.log_file
67
   obj.rch_file
                         Cur. Script Result Code File : /sadmin/dat/rch/holmes_sadmlib_std_test.rch
68
   obj.cfg_file
                         SADMIN Configuration File : /sadmin/cfg/sadmin.cfg
69
                         Current Process ID. File
Crontab file for SADMIN
70
   obj.pid_file
                                                   : /sadmin/tmp/sadmlib_std_test.pid
   obj.crontab_file
                                                    : /etc/cron.d/sadmin
71
                         Cur. Script Avail Tmp File 1 : /sadmin/tmp/holmes_sadmlib_std_test_1.11494
   obj.tmp_file1
                         Cur. Script Avail Tmp File 2 : /sadmin/tmp/holmes_sadmlib_std_test_2.11494
   obj.tmp_file2
                         Cur. Script Avail Tmp File 3 : /sadmin/tmp/holmes_sadmlib_std_test_3.11494
   obj.tmp_file3
75
   SADM O/S Executable Full Path (If they exist on Host)
76
77
   ______
                         Location of the executable
                                                    : /usr/bin/which
   obj.which
78
   obj.bc
                         Location of the executable
                                                    : /usr/bin/bc
79
                         Location of the executable
   obj.lsb_release
                                                    : /usr/bin/lsb_release
80
   obj.dmidecode
                         Location of the executable
                                                    : /usr/sbin/dmidecode
   obj.fdisk
                         Location of the executable
                                                    : /usr/sbin/fdisk
   obj.facter
                         Location of the executable
                                                    : /usr/bin/facter
   obj.uname
                         Location of the executable
                                                    : /usr/bin/uname
84
                         Location of the executable
   obj.perl
                                                    : /usr/bin/lscpu
85
                         Location of the executable
                                                    : /usr/bin/ssh
   obj.ssh
86
   obj.mail
                         Location of the executable
                                                    : /usr/bin/mail
87
88
   obj.ssh_cmd
                         Cmd used to connect client : /usr/bin/ssh -qnp 32
89
   Global variables setting after reading the SADM Configuration file
   ______
   obj.cfg_mail_addr
                         Send Mail Address
                                                    : duplessis.jacques@gmail.com
   obj.cfq_cie_name
                         Your Company Name
                                                    : Batcave
93
   obj.cfg_mail_type
                         0=No 1=Error 2=Success 3=All : 1
95 obj.cfg_host_type
                         SADMIN [S]erver or [C]lient : S
   obj.cfg_server
                         SADMIN Server FQDN Name
                                                    : holmes.maison.ca
96
97
   obj.cfg_domain
                         Your Default Domain
                                                    : maison.ca
                         Super User Name (sudo)
   obj.cfg_user
                                                    : sadmin
98
   obj.cfg_group
                         Super User Group
                                                    : sadmin
   obj.cfg_www_user
                         Web Server User (apache)
                                                    : apache
100
                         Web Server Group (apache) : apache
   obj.cfg_www_group
   obj.cfg_max_logline
                         Max. Nb. of Lines in Log file: 2000
102
                         Max. Nb. of Line in .rch file : 125
103 obj.cfg_max_rchline
104 obj.cfg_nmon_keepdays
                         Nb. Days to keep .nmon files : 60
   obj.cfg_sar_keepdays
                         Nb. Days to keep .sar files
```

untitled text 5 Page 3/3

```
obj.cfg_rch_keepdays
                          Nb. Days to keep .rch files
                                                       : 60
106
                          Nb. Days to keep .log files
                                                       : 60
   obj.cfg_log_keepdays
107
   obj.cfg_dbname
                           SADMIN MySQL Database Name
                                                       : sadmin
   obj.cfg_dbhost
                          SADMIN MySQL Host Name
                                                       : sadmin.maison.ca
   obj.cfg_dbdir
                          SADMIN MySQL Data Dir.
                                                       : /var/lib/mysql
   obj.cfg_dbport
                          SADMIN MySQL TCP/IP Port
                                                       : 3306
111
112 obj.cfq_rw_dbuser
                          SADMIN MySQL Read/Write User : sadmin
113 obj.cfg_rw_dbpwd
                          SADMIN MySQL Read/Write Pwd
                                                      : Nimdas17!
   obj.cfg_ro_dbuser
                          SADMIN MySQL Read Only User
                                                       : squery
114
   obj.cfg_ro_dbpwd
                          SADMIN MySQL Read Only Pwd
                                                       : Query18!
115
                          rrdtool location
                                                       : /bin/rrdtool
   obj.cfg_rrdtool
116
   obj.cfg_ssh_port
                          SSH Port (Default 22)
                                                      : 32
                          Network 1 Scan for Info
                                                       : 192.168.1.0/24
   obj.cfq_network1
                          Network 2 Scan for Info
   obj.cfg_network2
   obj.cfg_network3
                          Network 3 Scan for Info
120
   obj.cfg_network4
                          Network 4 Scan for Info
121
   obj.cfg_network5
                          Network 5 Scan for Info
122
123
   SADMIN Backup Server Information (If Used)
124
   ______
125
   obj.cfg_backup_nfs_server
                                 Backup NFS Server Name
126
                                                            : batnas.maison.ca
   obj.cfq_backup_nfs_mount_point Backup NFS Mount Point
                                                             : /volume1/linux
   obj.cfg_backup_nfs_to_keep
                                 Nb. Of Backup to Keep
                                                            : 3
   obj.cfg_rear_nfs_server
                                 Rear NFS Backup Server
                                                             : batnas.maison.ca
129
   obj.cfg_rear_nfs_mount_point
                                 Rear NFS Mount Point
                                                             : /volume1/Linux_DR
130
131 obj.cfg_rear_backup_to_keep
                                 Rear Backup to Keep
   obj.cfg_storix_nfs_server
                                 Storix NFS Server
                                                             : batnas.maison.ca
132
   : /volume1/storix
133
                                 Storix NFS Backup to Keep
   obj.cfg_storix_backup_to_keep
                                                             : 3
134
   obj.cfg_mksysb_nfs_server
                                 Aix mksysb NFS Backup Server : batnfs.maison.ca
   obj.cfg_mksysb_nfs_mount_point Aix mksysb NFS Mount Point
                                                             : /volume1/mksysb
   obj.cfg_mksysb_backup_to_keep
                                 Aix mksysb NFS Backup to Keep: 2
   2018.03.11 22:01:29 - Closing Database connection
   2018.03.11 22:01:29 -
   2018.03.11 22:01:29 -
   _____
   2018.03.11 22:01:29 - Script return code is 0
   2018.03.11 22:01:29 - Script execution time is 00:00:00
   2018.03.11 22:01:29 - Trimming /sadmin/dat/rch/holmes_sadmlib_std_test.rch to 125 lines.
   2018.03.11 22:01:29 - Mail requested if script fail - No mail sent
   2018.03.11 22:01:29 - Trimming /sadmin/log/holmes_sadmlib_std_test.log to 2000 lines.
   2018.03.11 22:01:29 - Sun Mar 11 22:01:29 2018 - End of sadmlib_std_test.py
146
   2018.03.11 22:01:29 -
147
   _____
   2018.03.11 22:01:29 -
   jacques@holmes:/sadmin/lib$
```