

```
=====
Wed 08 Jul 2026 10:34:58 - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02
Desc: Demonstrate functions & variables available to developers using SADMIN Tools
bilbo - User: root - Umask : 0022 - Arch: x86_64
Fedora Linux v43 - Kernel 7.0.14-101.fc43.x86_64 - SADMIN(C): /opt/sadmin
=====
```

```
=====
Wed 08 Jul 2026 10:34:58 AM EDT - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02
01) Examples of functions availables to Developers
=====
```

```
[001] $(sadm_get_release)          SADMIN Release Number (XX.XX)      : 2.1.2
[002] $(sadm_get_ostype)           OS Type (Uppercase,LINUX,AIX,DARWIN): LINUX
[003] $(sadm_get_osversion)        Return O/S Version (Ex: 7.2, 6.5)    : 43
[004] $(sadm_get_osmajorversion)   Return O/S Major Version (Ex 7, 6)  : 43
[005] $(sadm_get_osminorversion)   Return O/S Minor Version (Ex 2, 3)   :
[006] $(sadm_get_osname)           O/S Name (REDHAT,CENTOS,UBUNTU,...) : FEDORA
[007] $(sadm_get_oscodename)        O/S Project Code Name              : n/a
[008] $(sadm_get_kernel_version)   O/S Running Kernel Version         : 7.0.14-101.fc43.x86_64
[009] $(sadm_get_kernel_bitmode)   O/S Kernel Bit Mode (32 or 64)    : 64
[010] $(sadm_get_hostname)         Current Host Name                  : bilbo
[011] $(sadm_get_host_ip)          Current Host IP Address             : 192.168.1.23
[012] $(sadm_get_domainname)       Current Host Domain Name           : maison.ca
[013] $(sadm_get_fqdn)             Fully Qualified Domain Host Name   : bilbo
[014] $(sadm_server_serial)        Server serial number (Ex: 4S7GYF1)  : E537F839
[015] $(sadm_get_epoch_time)       Get Current Epoch Time              : 1783521298
[016] $(sadm_epoch_to_date 1783521298) Convert epoch time to date      : 2026.07.8 10:34:58
      WDATE='2026.07.8 10:34:58'
[017] $(sadm_date_to_epoch "$WDAT") Convert Date to epoch time          : 1783521298
      DATE1='2016.01.30 10:00:44'
      DATE2='2016.01.30 10:00:03'
[018] $(sadm_elapse "$DATE1" "$DATE2") Elapse Time between two timestamps : 00:00:41
[019] $(sadm_get_packagetype)      Get package type (rpm,deb,aix,dmg)   : rpm
[020] $(sadm_server_arch)          System Architecture                 : x86_64
[021] sadm_lock_system "hostname"  Lock the specified hostname         : 0=Lock 1=Error not lock
[022] sadm_lock_status "hostname"  Check if specified hostname is lock : 0=Not Lock - 1=System Locked
[023] sadm_unlock_system "hostname" Unlock the specified hostname       : 0=Unlocked 1=Error could not unlock
[024] sadm_writelog "message"      Deprecated use 'sadm_write_log'      : message
[025] sadm_write_log "message"     Write message to Screen, Log or Both: message
[026] sadm_write_err "message"     Write message to error log + std log: message
[027] sadm_sendmail(mail,sub,body,att) Send email with attachment        : 0=Success 1=Error
[028] sadm_show_version            Cmdline -v option show script info. :
[029] sadm_sleep "60" "15"        Sleep 60sec. at interval of 15sec.  : 60...45...30...15...0
[030] sadm_trimfile "filename" 35  Keep the last 35 lines of filename. : 0=Success 1=Error
```

=====

Wed 08 Jul 2026 10:34:58 AM EDT - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02

02) User Variables that affect SADMIN Library behavior, set them prior to calling start() function

=====

[001]	\$SADM_VER	Script Version Number	: 03.30.01
[002]	\$SADM_PN	Script Name	: sadmlib_std_demo.sh
[003]	\$SADM_PDESC	Script Description	:
[004]	\$SADM_INST	Script Name Without Extension	: sadmlib_std_demo
[005]	\$SADM_USERNAME	Current User Name	: root
[006]	\$SADM_TPID	Current Process ID	: 1207724
[007]	\$SADM_MULTIPLE_EXEC	Allow running multiple copy [Y/N]	: Y
[008]	\$SADM_USE_RCH	Generate entry in '*.rch' file	: N
[009]	\$SADM_LOG_TYPE	Set Output to [S]creen [L]og [B]oth	: B
[010]	\$SADM_LOG_APPEND	Y=Append to Log, N=Create new log	: N
[011]	\$SADM_LOG_HEADER	Generate Header in log [Y,N]	: Y
[012]	\$SADM_LOG_FOOTER	Generate Footer in log [Y/N]	: Y
[013]	\$SADM_EXIT_CODE	Current value of script exit code	: 0
[014]	\$SADM_ROOT_ONLY	Only run by 'root' user [Y/N]	: N
[015]	\$SADM_SERVER_ONLY	Only run on SADMIN server [Y/N]	: N

=====

Wed 08 Jul 2026 10:34:58 AM EDT - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02

3) Overview of the 'sa.start' and 'sa.stop' functions in Bash Library

=====

=====Bash Library Function

'start()' Bash Library Function

The 'start()' function basically initialize the SADMIN environment.\n

When you call 'sadm_start()', it will only come back to caller if everything went OK.

Otherwise it will advise the user of the error and exit(1).

Here is a summary of the different things it does :

- 1) Make sure all \$SADMIN directories & sub-dir. exist and have proper permissions.
- 2) If \$SADM_LOG_APPEND='N', create new log & error log, else append to actual log.
- 3) If \$SADM_LOG_HEADER='Y', write the log header.
- 4) if \$SADM_ROOT_ONLY='Y', and current user is not root, show error message and exit(1).
- 5) If \$SADM_SERVER_ONLY='Y', and not on the SADMIN server, show error message and exit(1).
- 6) If \$SADM_SADMGRP_ONLY='Y', and the user is not part of the SADM_GROUP (unless 'root'), show error message and exit(1).
- 7) If \$SADM_USE_DB='Y' but not on SADMIN Server, show error message and exit(1).
- 8) If \$SADM_USE_RCH='Y', write starting time to the RCH file (With a code 2=Running).
- 9) If system is lock (and running on the SADMIN), issue message and exit(1)
- 10) If PID file '\$SADM_PID_FILE' exist and '\$SADM_MULTIPLE_EXEC='Y'', continue normal execution
If PID file exist and execution time (sec) is less than the '\$SADM_PID_TIMEOUT', show error message and exit(1).
If PID file exist and execution time (sec) exceed the '\$SADM_PID_TIMEOUT' a new '\$SADM_PID_FILE' is created and execution is resume.

*** If any unrecoverable error occurs while executing this function the program is aborted exit(1). ***

```
'stop(exit_code)' Bash Library Function
- exit_code (0=Success, 1=Error): Variable defined in SADMIN section.
```

This should be the one of the last function called at the end of your program.

What this function does:

- 1) Calculate execution Time.
- 2) If N='Y', update the rch file (End Time & Elapse Time ...).
- 3) Validate the alert group,
- 4) If Y='Y', write the log footer.
- 5) If the error log file is empty, then delete it.
- 6) Delete the PID file (/opt/sadmin/tmp/sadmlib_std_demo.1207724) of the program.
- 7) Close log and error log files.
- 8) If 500 is not zero, trim the log according to user choice in '500'.
- 9) If is not zero, trim the 'rch' according to user choice in 'SADM_MAX_RCLINE'.
- 10) Set permission and owner/group to log and rch files.
- 11) If on the SADMIN server, then rch and log are immediatly web central directory.

=====

Wed 08 Jul 2026 10:34:58 AM EDT - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02

4) Function Available from the SADMIN Bash Library.

=====

[001]	\$(sadm_server_type)	Host is Physical or Virtual (P/V)	:	P
[002]	\$(sadm_server_model)	Server model (Ex: HP ProLiant DL580)	:	ThinkPad
[003]	\$(sadm_server_memory)	Server total memory in MB (Ex: 3790)	:	31963
[004]	\$(sadm_server_hardware_bitmode)	CPU Hardware capable of 32/64 bits	:	64
[005]	\$(sadm_server_nb_logical_cpu)	Number of Logical CPU on system	:	4
[006]	\$(sadm_server_nb_cpu)	Number of Physical CPU on system	:	1
[007]	\$(sadm_server_nb_socket)	Number of socket on system	:	1
[008]	\$(sadm_server_core_per_socket)	Number of Core per Socket	:	2
[009]	\$(sadm_server_thread_per_core)	Number of Thread per Core	:	2
[010]	\$(sadm_server_cpu_speed)	Server CPU Speed in MHz	:	3000
[011]	\$(sadm_server_disks)	Disks list(MB) (DISKNAME SIZE,...)	:	nvme0n1 524288
[012]	\$(sadm_server_vg)	VG list(MB) (VGNAME SIZE USED FREE)	:	
[013]	\$(sadm_server_ips)	Network IP (Name IP Netmask MAC)	:	enp0s31f6 192.168.1.23 255.255.255.0 54:e1:ad:75:8e:0e,virbr0 192.168.124.1 255.255.255.0 52:54:00:0c:03:dd
[014]	sadm_toupper string	Return string uppercase	:	STRING
[015]	sadm_tolower STRING	Return string lowercase	:	string
[016]	sadm_capitalize STRING	Return string capitalize	:	String
[017]	sadm_ask "Question"	Show message & wait for [Y/y/N/n]	:	sadm_ask "Question"

=====

Wed 08 Jul 2026 10:34:59 AM EDT - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02

5) Variables Available reflecting values from SADMIN configuration file.

=====

[001]	\$SADM_SERVER	SADMIN SERVER NAME (FQDN)	: batserver1.batcave.com
[002]	\$SADM_HOST_TYPE	SADMIN HOST TYPE	: C
[003]	\$SADM_MAIL_ADDR	SADMIN Administrator Default Email	: batman@batcave.com
[004]	\$SADM_ALERT_TYPE	0=NoMail 1=OnError 2=OnSuccess 3=All	: 1
[005]	\$SADM_ALERT_GROUP	Default Alert Group	: default
[006]	\$SADM_ALERT_REPEAT	Seconds to wait before repeat alert	: 0
[007]	\$SADM_DAYS_HISTORY	Days to keep alert in History file	: 100
[008]	\$SADM_DAYS_ARCHIVE	Days to keep alert in Archive file	:
[009]	\$SADM_MAX_ARC_LINE	Max lines to keep in alert Archive	: 1000
[010]	\$SADM_TEXTBELT_KEY	TextBelt.com API Key	: 967e5a9315cd22dddd8ffakeb645ab0a855900f042NFZ
PGjack1JnCr35UWzO8tIB			
[011]	\$SADM_NTFY_EMAIL	NTFY Email Address	: duplessis.jacques@gmail.com
[012]	\$SADM_NTFY_PWD	NTFY Password	: 5ne46yJFqmQS24rU8e9
[013]	\$SADM_NTFY_TOKEN	NTFY Token	: tk_2a511lu2o46k5hdglt64h5u55wt0
[014]	\$SADM_NTFY_TOPIC	NTFY Topic	: sadmdev
[015]	\$SADM_NTFY_URL	NTFY URL	: https://ntfy.sh
[016]	\$SADM_NTFY_USER	NTFY User	: duplessis.jacques@gmail.com
[017]	\$SADM_TEXTBELT_URL	TextBelt.com API URL	: https://textbelt.com/text
[018]	\$SADM_CIE_NAME	Your Company Name	: TheBatcave
[019]	\$SADM_DOMAIN	Server Creation Default Domain	: maison.ca
[020]	\$SADM_USER	SADMIN User Name	: sadmin
[021]	\$SADM_GROUP	SADMIN Group Name	: sadmin
[022]	\$SADM_PWD_RANDOM	Auto generation of 'sadmin' password	: Y
[023]	\$SADM_WWW_USER	User that Run Apache Web Server	: apache
[024]	\$SADM_WWW_GROUP	Group that Run Apache Web Server	: apache
[025]	\$SADM_DBNAME	SADMIN Database Name	: sadmin
[026]	\$SADM_DBHOST	SADMIN Database Host	: localhost
[027]	\$SADM_DBPORT	SADMIN Database Host TCP Port	: 3306
[028]	\$SADM_RW_DBUSER	SADMIN Database Read/Write User	: sadmin
[029]	\$SADM_RW_DBPWD	SADMIN Database Read/Write User Pwd	: *Hidden*
[030]	\$SADM_RO_DBUSER	SADMIN Database Read Only User	: squery
[031]	\$SADM_RO_DBPWD	SADMIN Database Read Only User Pwd	: *Hidden*
[032]	\$SADM_SMTP_SERVER	Your Internet SMTP Server Name	: smtp.gmail.com
[033]	\$SADM_SMTP_PORT	Your Internet SMTP Server Port	: 587
[034]	\$SADM_SMTP_SENDER	Your Internet Sender Email	: batmonitor@gmail.com
[035]	\$SADM_GMPW	Your Internet Sender Password	: wtuapkxdxtuaidon
[036]	\$SADM_SSH_PORT	SSH Port to communicate with client	: 22
[037]	\$SADM_MONITOR_UPDATE_INTERVAL	Monitor page update interval in sec.	: 60
[038]	\$SADM_MONITOR_RECENT_COUNT	Monitor page nb. recent scripts	: 5
[039]	\$SADM_MONITOR_RECENT_EXCLUDE	Scripts excluded from SysMon Recent	: sadm_nmon_watcher,sysmon_script_test
[040]	\$SADM_NMON_KEEPPAYS	Nb. of days to keep nmon perf. file	: 10
[041]	\$SADM_RCH_KEEPPAYS	Nb. days to keep unmodified rch file	: 35

[042]	\$SADM_LOG_KEEPPDAYS	Nb. days to keep unmodified log file:	35
[043]	\$SADM_MAX_RCHLINE	Trim rch file to this max. of lines :	
[044]	\$SADM_MAX_LOGLINE	Trim log to this maximum of lines :	500
[045]	\$SADM_PID_TIMEOUT	PID File Time To Live default in sec:	14400
[046]	\$SADM_LOCK_TIMEOUT	Maximum of sec. a system can be lock:	7200
[047]	\$SADM_NETWORK1	Network/Netmask 1 inv. IP/Name/Mac :	192.168.1.0/24
[048]	\$SADM_NETWORK2	Network/Netmask 2 inv. IP/Name/Mac :	
[049]	\$SADM_NETWORK3	Network/Netmask 3 inv. IP/Name/Mac :	
[050]	\$SADM_NETWORK4	Network/Netmask 4 inv. IP/Name/Mac :	
[051]	\$SADM_NETWORK5	Network/Netmask 5 inv. IP/Name/Mac :	
[052]	\$SADM_REAR_NFS_SERVER	Rear NFS Server IP or Name :	lestrade.maison.ca
[053]	\$SADM_REAR_NFS_MOUNT_POINT	Rear NFS Mount Point :	/backup/backup_rear
[054]	\$SADM_REAR_BACKUP_TO_KEEP	Rear NFS Backup - Nb. to keep :	2
[055]	\$SADM_REAR_BACKUP_DIF	Rear NFS Backup - Size Difference :	25
[056]	\$SADM_REAR_BACKUP_INTERVAL	Rear alert if Backup older than :	14 days
[057]	\$SADM_REAR_DEL_FAILED_BACKUP	Del backup that failed integrity check:	Y
[058]	\$SADM_REAR_BATCH_MODE	Run script in batch mode (Y/N) :	N
[059]	\$SADM_REAR_BATCH_START_TIME	Start time for launch batch backup :	00:05
[060]	\$SADM_REAR_CONCURRENT	Concurrent backup processes :	1
[061]	\$SADM_REAR_BATCH_DAY2RUN	0=Any Day, 1=Su, 2=Mo, 3=Tu, 4=We, 5=Th, 6=Fr, 7=Sa:	2, 7
[062]	\$SADM_REAR_BATCH_MTH2RUN	0=Any Month, [1,2,...12] Month to run:	0
[063]	\$SADM_REAR_BATCH_DATE2RUN	0=AnyDateDate to run [1,2...27,28] :	0
[064]	\$SADM_BACKUP_NFS_SERVER	NFS Backup IP or Server Name :	batnas.maison.ca
[065]	\$SADM_BACKUP_NFS_MOUNT_POINT	NFS Backup Mount Point :	/volume1/backup/backup_sadmin
[066]	\$SADM_BACKUP_DIF	Alert if size differ more than :	40%
[067]	\$SADM_BACKUP_INTERVAL	Alert if Backup older than X days :	1 days
[068]	\$SADM_DAILY_BACKUP_TO_KEEP	Nb. of Daily Backup to keep :	2
[069]	\$SADM_WEEKLY_BACKUP_TO_KEEP	Nb. of Weekly Backup to keep :	1
[070]	\$SADM_MONTHLY_BACKUP_TO_KEEP	Nb. of Monthly Backup to keep :	1
[071]	\$SADM_YEARLY_BACKUP_TO_KEEP	Nb. of Yearly Backup to keep :	1
[072]	\$SADM_WEEKLY_BACKUP_DAY	Weekly Backup Day (1=Mon,..., 7=Sun) :	5
[073]	\$SADM_MONTHLY_BACKUP_DATE	Monthly Backup Date (1-28) :	1
[074]	\$SADM_YEARLY_BACKUP_MONTH	Month to take Yearly Backup (1-12) :	12
[075]	\$SADM_YEARLY_BACKUP_DATE	Date to do Yearly Backup(1-DayInMth):	31
[076]	\$SADM_BACKUP_DIF	Alert if size differ more than :	40%
[077]	\$SADM_BACKUP_BATCH_MODE	Run backup script in batch mode (Y/N):	N
[078]	\$SADM_BACKUP_BATCH_START_TIME	Start time for launch batch backup :	00:05
[079]	\$SADM_BACKUP_CONCURRENT	Concurrent backup processes :	1
[080]	\$SADM_BACKUP_BATCH_DAY2RUN	Days to run batch backup :	2, 7
[081]	\$SADM_BACKUP_BATCH_MTH2RUN	Month to run batch backup :	0
[082]	\$SADM_BACKUP_BATCH_DATE2RUN	Date to run batch backup :	0
[083]	\$SADM_VM_EXPORT_NFS_SERVER	NFS Export Server :	batnas.maison.ca
[084]	\$SADM_VM_EXPORT_MOUNT_POINT	NFS Export Mount Point :	/volume1/backup/backup_vm/virtualbox_exports
[085]	\$SADM_VM_EXPORT_TO_KEEP	Nb. of export to keep :	2
[086]	\$SADM_VM_EXPORT_INTERVAL	Sec. between each export :	21
[087]	\$SADM_VM_EXPORT_ALERT	Issue an alert if interval reached :	Y
[088]	\$SADM_VM_USER	User part of 'vboxusers' user group :	jacques
[089]	\$SADM_VM_STOP_TIMEOUT	Max. seconds given for acpi shutdown:	60

```

[090] $$ADM_VM_START_INTERVAL      Sec. to sleep between each VM start : 30
[091] $$ADM_VM_EXPORT_DIF           When Size 25% greater                : 25%
[092] $$ADM_VM_EXPORT_SCRIPT        Default path to export script         : sadm_vm_export.sh
[093] $$ADM_VM_EXPORT_BATCH_MODE     Run backup script in batch mode (Y/N): N
[094] $$ADM_VM_EXPORT_BATCH_START_TIME Start time for launch batch backup : 00:05
[095] $$ADM_VM_EXPORT_CONCURRENT     Concurrent backup processes           : 1
[096] $$ADM_VM_EXPORT_BATCH_DAY2RUN  Days to run batch backup             : 2,7
[097] $$ADM_VM_EXPORT_BATCH_MTH2RUN  Month to run batch backup          : 0
[098] $$ADM_VM_EXPORT_BATCH_DATE2RUN Date to run batch backup             : 0
[099] $$ADM_OSUPDATE_INTERVAL         Threshold between o/s update in days: 15
[100] $$ADM_OSUPDATE_SCRIPT           Name of O/S update script             : sadm_osupdate.sh
[101] $$ADM_OSUPDATE_AUTOREMOVE        Remove unused package after update  : N
[102] $$ADM_OSUPDATE_FLATPAK          Also Update the Flatpak package,if any: N
[103] $$ADM_OSUPDATE_SNAP             Also Update the Snap package (if any): N
[104] $$ADM_OSUPDATE_REBOOT_NEEDED    If reboot is needed after O/S update: N
[105] $$ADM_OSUPDATE_REBOOT_TIME      Seconds to wait for starting Apps.  : 240
[106] $$ADM_OSUPDATE_LOCK             Lock system during O/S update Y/N   : Y
[107] $$ADM_OSUPDATE_BATCH_MODE       Run script in batch mode (Y/N)      : N
[108] $$ADM_OSUPDATE_BATCH_START_TIME Start time for launch batch backup : 00:05
[109] $$ADM_OSUPDATE_CONCURRENT       Concurrent backup processes         : 1
[110] $$ADM_OSUPDATE_BATCH_DAY2RUN    Days to run batch backup             : 2,7
[111] $$ADM_OSUPDATE_BATCH_MTH2RUN    Month to run batch backup          : 0
[112] $$ADM_OSUPDATE_BATCH_DATE2RUN  Date to run batch backup             : 0

```

=====

Wed 08 Jul 2026 10:34:59 AM EDT - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02

6) Print Directories Variables Available to Users

```

=====
[001] $$ADM_BASE_DIR               SADMIN Root Directory                : /opt/sadmin
[002] $$ADM_BIN_DIR                SADMIN Scripts Directory             : /opt/sadmin/bin
[003] $$ADM_TMP_DIR                SADMIN Temporary file(s) Directory : /opt/sadmin/tmp
[004] $$ADM_LIB_DIR                SADMIN Shell & Python Library Dir.   : /opt/sadmin/lib
[005] $$ADM_LOG_DIR                SADMIN Script Log Directory          : /opt/sadmin/log
[006] $$ADM_CFG_DIR                SADMIN Configuration Directory       : /opt/sadmin/cfg
[007] $$ADM_SYS_DIR                Server Startup/Shutdown Script Dir. : /opt/sadmin/sys
[008] $$ADM_DOC_DIR                SADMIN Documentation Directory        : /opt/sadmin/doc
[009] $$ADM_PKG_DIR                SADMIN Packages Directory             : /opt/sadmin/pkg
[010] $$ADM_DAT_DIR                Server Data Directory                : /opt/sadmin/dat
[011] $$ADM_NMON_DIR               Server NMON - Data Collected Dir.   : /opt/sadmin/dat/nmon
[012] $$ADM_DR_DIR                Server Disaster Recovery Info Dir.  : /opt/sadmin/dat/dr
[013] $$ADM_RCH_DIR               Server Return Code History Dir.   : /opt/sadmin/dat/rch
[014] $$ADM_NET_DIR               Server Network Info Dir.          : /opt/sadmin/dat/net
[015] $$ADM_RPT_DIR               SYStem MONitor Report Directory       : /opt/sadmin/dat/rpt
[016] $$ADM_DBB_DIR               Database Backup Directory           : /opt/sadmin/dat/dbb
[017] $$ADM_SETUP_DIR             SADMIN Installation/Update Dir.    : /opt/sadmin/setup
[018] $$ADM_USR_DIR               User/System specific directory     : /opt/sadmin/usr
[019] $$ADM_UBIN_DIR              User/System specific bin/script Dir.: /opt/sadmin/usr/bin

```

[020]	\$SADM_ULIB_DIR	User/System specific library Dir.	: /opt/sadmin/usr/lib
[021]	\$SADM_UDOC_DIR	User/System specific documentation	: /opt/sadmin/usr/doc
[022]	\$SADM_UMON_DIR	User/System specific SysMon Scripts	: /opt/sadmin/usr/mon
[023]	\$SADM_WWW_DIR	SADMIN Web Site Root Directory	: /opt/sadmin/www
[024]	\$SADM_WWW_DOC_DIR	SADMIN Web Documentation Dir.	: /opt/sadmin/www/doc
[025]	\$SADM_WWW_DAT_DIR	SADMIN Web Site Systems Data Dir.	: /opt/sadmin/www/dat
[026]	\$SADM_WWW_LIB_DIR	SADMIN Web Site PHP Library Dir.	: /opt/sadmin/www/lib
[027]	\$SADM_WWW_TMP_DIR	SADMIN Web Temp Working Directory	: /opt/sadmin/www/tmp
[028]	\$SADM_WWW_PERF_DIR	SADMIN Web Performance Graph Dir.	: /opt/sadmin/www/tmp/perf

=====

Wed 08 Jul 2026 10:34:59 AM EDT - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02

7) Print Files Variables Available to Users

[001]	\$SADM_LOG_FILE	SADMIN Script Log File	:
[002]	\$SADM_ERR_FILE	SADMIN Script Error Log File	:
[003]	\$SADM_RCH_FILE	SADMIN Script Return Code History File:	/opt/sadmin/dat/rch/bilbo_sadmlib_std_demo.rch
[004]	\$SADM_PID_FILE	SADMIN Script PID Lock File	: /opt/sadmin/tmp/sadmlib_std_demo.1207724
[005]	\$SADM_TMP_FILE1	Temporary File 1 (used by script)	: /opt/sadmin/tmp/sadmlib_std_demo1_4mg
[006]	\$SADM_TMP_FILE2	Temporary File 2 (used by script)	: /opt/sadmin/tmp/sadmlib_std_demo2_gWR
[007]	\$SADM_TMP_FILE3	Temporary File 3 (used by script)	: /opt/sadmin/tmp/sadmlib_std_demo3_Gxi
[008]	\$SADM_CFG_FILE	SADMIN Configuration File	: /opt/sadmin/cfg/sadmin.cfg
[009]	\$SADM_CFG_HIDDEN	SADMIN Initial Configuration File	: /opt/sadmin/cfg/.sadmin.cfg
[010]	\$SADM_ALERT_FILE	SADMIN Alert Group File	: /opt/sadmin/cfg/alert_group.cfg
[011]	\$SADM_ALERT_INIT	SADMIN Initial Alert Group File	: /opt/sadmin/cfg/.alert_group.cfg
[012]	\$SADM_ALERT_HIST	SADMIN Alert History File	: /opt/sadmin/cfg/alert_history.txt
[013]	\$SADM_ALERT_HINI	SADMIN Initial Alert History File	: /opt/sadmin/cfg/.alert_history.txt
[014]	\$SADM_ALERT_ARCH	SADMIN Alert Archive File	:
[015]	\$DBPASSFILE	SADMIN Database User Password File	: *Hidden*
[016]	\$SADM_RPT_FILE	System Monitor Report File	: /opt/sadmin/dat/rpt/bilbo_sadmlib_std_demo.rpt
[017]	\$SADM_BACKUP_LIST	Backup List File Name	: /opt/sadmin/cfg/backup_list.txt
[018]	\$SADM_BACKUP_LIST_INIT	Initial Backup List (Template)	: /opt/sadmin/cfg/.backup_list.txt
[019]	\$SADM_BACKUP_EXCLUDE	Backup Exclude List File Name	: /opt/sadmin/cfg/backup_exclude.txt
[020]	\$SADM_BACKUP_EXCLUDE_INIT	Initial Backup Exclude (Template)	: /opt/sadmin/cfg/.backup_exclude.txt

=====

Wed 08 Jul 2026 10:34:59 AM EDT - sadmlib_std_demo.sh v03.30.01 - Library v04.91.02

8) Print Command Path Variables available to users

[001]	\$SADM_LSB_RELEASE	'lsb_release' cmd (get dist. info)	: /usr/bin/lsb_release
[002]	\$SADM_DMIDECODE	'dmidecode' use to get model & type	: /usr/sbin/dmidecode
[003]	\$SADM_BC	'bc' use to do some Math.	: /usr/bin/bc
[004]	\$SADM_FDISK	'fdisk' use to get partition info	: /usr/sbin/fdisk
[005]	\$SADM_WHICH	'which' use to get command path	: /usr/bin/which

[006]	\$SADM_PERL	'perl' epoch time Math on AIX	: /usr/bin/perl
[007]	\$SADM_MUTT	'mutt' use to send email	: /usr/bin/mutt
[008]	\$SADM_CURL	'curl' Use to send alert to Slack	: /usr/bin/curl
[009]	\$SADM_LSCPU	'lscpu' To get Socket/Thread info	: /usr/bin/lscpu
[010]	\$SADM_NMON	'nmon' Collect Performance Stat.	: /usr/bin/nmon
[011]	\$SADM_PARTED	'parted' use to get disk real size	: /usr/sbin/parted
[012]	\$SADM_ETHTOOL	'ethtool' use to get system IP	: /usr/sbin/ethtool
[013]	\$SADM_SSH	'ssh' use to SSH on SADMIN client	: /usr/bin/ssh
[014]	\$SADM_SSH_CMD	'ssh' SSH cmd to Connect to client	: /usr/bin/ssh -qnp 22
[015]	\$SADM_RRDTOOL	'rrdtool' binary location	: /usr/bin/rrdtool
[016]	\$SADM_INXI	'inxi' binary location	: /usr/bin/inxi
[017]	\$SADM_MYSQL	'mysql' binary location	: /usr/bin/mysql
[018]	\$SADM_SED	'sed' binary location	: /usr/bin/sed

Script exit code is 0 (Success) and execution time was 00:00:02.
Script is set to only send an alert when it terminate with error.
Script succeeded, no alert will be send (\$SADM_ALERT_TYPE=1).
New log created '\$SADMIN/log/bilbo_sadmlib_std_demo.log'.
End of sadmlib_std_demo.sh - Wed 08 Jul 2026 10:34:59 AM EDT