

```
=====
Fri 17 Jul 2026 16:36:25 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05
Desc: Describe what your program is doing.
sherlock.maison.ca - User: root - Umask : 0002 - Arch: x86_64
Redhat Linux v9.8 - Kernel 5.14.0-687.24.1.el9_8.x86_64 - SADMIN(S): /opt/sadmin
=====
```

```
=====
Fri Jul 17 04:36:25 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05
01) Examples of functions availables to Developers
=====
```

```
[001] $(sadm_get_release)          SADMIN Release Number (XX.XX)      : 2.1.2
[002] $(sadm_get_ostype)           OS Type (Uppercase,LINUX,AIX,DARWIN): LINUX
[003] $(sadm_get_osversion)        Return O/S Version (Ex: 7.2, 6.5)    : 9.8
[004] $(sadm_get_osmajorversion)   Return O/S Major Version (Ex 7, 6)  : 9
[005] $(sadm_get_osminorversion)   Return O/S Minor Version (Ex 2, 3)  : 8
[006] $(sadm_get_osname)           O/S Name (REDHAT,CENTOS,UBUNTU,...) : REDHAT
[007] $(sadm_get_oscodename)       O/S Project Code Name              : n/a
[008] $(sadm_get_username)         Current User Name                  : root
[009] $(sadm_get_kernel_version)   O/S Running Kernel Version        : 5.14.0-687.24.1.el9_8.x86_64
[010] $(sadm_get_kernel_bitmode)   O/S Kernel Bit Mode (32 or 64)     : 64
[011] $(sadm_get_hostname)         Current Host Name                  : sherlock
[012] $(sadm_get_host_ip)          Current Host IP Address            : 192.168.1.48
[013] $(sadm_get_domainname)       Current Host Domain Name           : maison.ca
[014] $(sadm_get_fqdn)             Fully Qualified Domain Host Name   : sherlock.maison.ca
[015] $(sadm_server_serial)        Server serial number (Ex: 4S7GYF1)  :
[016] $(sadm_get_epoch_time)       Get Current Epoch Time             : 1784320585
[017] $(sadm_epoch_to_date 1784320585) Convert epoch time to date      : 2026.07.17 16:36:25
      WDATE='2026.07.17 16:36:25'
[018] $(sadm_date_to_epoch "$WDAT") Convert Date to epoch time          : 1784320585
      DATE1='2016.01.30 10:00:44'
      DATE2='2016.01.30 10:00:03'
[019] $(sadm_elapse "$DATE1" "$DATE2") Elapse Time between two timestamps : 00:00:41
[020] $(sadm_get_packagetype)      Get package type (rpm,deb,aix,dmg)  : rpm
[021] $(sadm_server_arch)          System Architecture                : x86_64
[022] sadm_lock_system "hostname"  Lock the specified hostname         : 0=Lock 1=Could not lock
[023] sadm_lock_status "hostname"  Check if specified hostname is lock : 0=Not Lock - 1=System Locked
[024] sadm_unlock_system "hostname" Unlock the specified hostname       : 0=Unlocked 1=Error could not unlock
[025] sadm_write_log "message"     Write message to Screen, Log or Both: message
[026] sadm_write_err "message"     Write message to error log + std log: message
[027] sadm_sendmail(mail,sub,body,att) Send email (attachment optional)   : 0=Sent 1=Could not send
[028] sadm_show_version            Cmdline '-v' this func. is called      :
[029] sadm_sleep "60" "15"         Sleep 60sec. at interval of 15sec.  : 60...45...30...15...0
[030] sadm_trimfile "filename" 35   Keep the last 35 lines of filename. : 0=Success 1=Error
[031] $(sadm_server_nb_cpu)        Number of Physical CPU on system    : 1
[032] $(sadm_server_core_per_socket) Number of Core per Socket          : 2
[033] $(sadm_server_thread_per_core) Number of Thread per Core          : 1
[034] $(sadm_server_nb_socket)     Number of socket on system         : 1
[035] $(sadm_silentremove 'filename') Delete a file silently             : 0
[036] $(sadm_server_cpu_speed)     Server CPU Speed in MHz              : 3292 MHz
```

```
=====
Fri Jul 17 04:36:25 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05
```

```
02) User Variables that affect SADMIN Library behavior, set them prior to calling start() function
=====
```

```
[001] $$SADM_VER           Program Version Number           : 03.31.01
[002] $$SADM_DESC          Program Description             : Describe what your program is doing.
[003] $$SADM_PN            Program Name With Extension      : sadmlib_std_demo.sh
[004] $$SADM_INST          Program Name Without Extension     : sadmlib_std_demo
[005] $$SADM_ROOT_ONLY     Can only be run by 'root' user [Y/N]: N
[006] $$SADM_SERVER_ONLY   Can only run on SADMIN server [Y/N] : N
[007] $$SADMGRP_ONLY       Run only by user part of 'sadmin'   : N
[008] $$SADM_MULTIPLE_EXEC Run only one instance of Pgm. [Y/N] : N
[009] $$SADM_QUIET         Y=HideMsg & Err# N=Show Msg & Err# : N
[010] $$SADM_LOG_TYPE      Set Output to [S]creen [L]og [B]oth : B
[011] $$SADM_LOG_APPEND    Y=Append to Log, N=Create new log   : N
[012] $$SADM_LOG_HEADER    Generate Header in log [Y,N]       : Y
[013] $$SADM_LOG_FOOTER    Generate Footer in log [Y/N]       : Y
[014] $$SADM_USE_RCH       Generate entry in '*.rch' file       : Y
[015] $$SADM_DEBUG         Debug Level (0-9), 0 = NoDebug      : 0
[016] $$SADM_USERNAME      Current User Name                 : root
[017] $$SADM_TPID          Current Process ID                 : 3238101
[018] $$SADM_EXIT_CODE      Current value of script exit code  : 0
[019] $$SADM_ERRNO         0=OK, Error# returned by function   : 0
[020] $$SADM_ERRMSG        Error Msg returned by function     :
[021] $$SADM_HOSTNAME      Current system hostname           : sherlock
[022] $$SADM_PID_TIMEOUT   Stop Pgm. if running more than x sec: 14400 Sec.
[023] $$SADM_LOCK_TIMEOUT  Remove the system lock after X sec. : 7200 Sec.
```

```
## Override the default from sadmin.cfg in this program.
```

```
[024] $$SADM_ALERT_TYPE    0=NoAlert 1=OnError 2=OnOK 3=Always : 1
[025] $$SADM_ALERT_GROUP   Default Error Group Name         : default
[026] $$SADM_WARNING_GROUP Warning Alert group Name         : default
[027] $$SADM_INFO_GROUP    Infor Alert Group Name            : default
[028] $$SADM_ALERT_REPEAT  0=NoAlertRepeat, Repeat every sec. : 0 Sec.
[029] $$SADM_MAIL_ADDR     Email Address of SADMIN SysAdmin   : brucetalbot95@gmail.com
[030] $$SADM_MAX_LOGLINE   Nb of Lines to trim (0=NoTrim)     : 500
[031] $$SADM_MAX_RCHLINE   Nb of Lines to trim (0=NoTrim)     : 30
[032] $$SADM_EMAIL_STARTUP Send or Not email on startup (Y/N) : Y
[033] $$SADM_EMAIL_SHUTDOWN Send or Not email on shutdown (Y/N) : Y
[034] $$SADM_SSH_CMD        SSH command to access client      : /usr/bin/ssh -qnp 32
```

```
=====
Fri Jul 17 04:36:25 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05
```

```
3) Overview of the 'sa.start' and 'sa.stop' functions in Bash Library
```

```
=====Bash Library Functions
```

```
'sadm_start()' - Bash Library Function
```

```
The 'start()' function basically initialize the SADMIN environment.
```

```
When you call 'sadm_start()', it will only come back to caller if everything went OK.
```

Otherwise it will advise the user of the error and exit(1).

Summary of the parts that 'sadm_start()' perform :

- 1) Step one, make sure all \$SADMIN directories & sub-dir. exist and have proper permissions.
- 2) If \$SADM_LOG_APPEND='N', create new log & error log or append to existing log.
- 3) If \$SADM_LOG_HEADER='Y', Include or not the script header in the log [Y/N].
- 4) if \$SADM_ROOT_ONLY='Y', The script can only be run by 'root' user [Y/N].
If user is not 'root', we advise the user and exit(1).
- 5) If \$SADM_SERVER_ONLY='Y', and not on the SADMIN server, show error message and exit(1).
- 6) If \$SADM_SADMGRP_ONLY='Y', and the user is not part of the SADM_GROUP (unless 'root'),
show error message and exit(1).
- 7) If \$SADM_USE_RCH='Y', write starting time to the RCH file (With a code 2=Running).
- 8) If system is lock (and running on the SADMIN), issue message and exit(1)
- 9) If PID file '\$SADM_PID_FILE' exist and '\$SADM_MULTIPLE_EXEC='Y'', continue normal execution
If PID file exist and execution time (sec) is less than the '\$SADM_PID_TIMEOUT', show error message and exit(1).
If PID file exist and execution time (sec) exceed the '\$SADM_PID_TIMEOUT' a new '\$SADM_PID_FILE' is created
and execution is resume.

*** If any unrecoverable error occurs while executing this function the program is aborted exit(1). ***

'sadm_stop(exit_code)' Bash Library Function

- exit_code (0=Success, 1=Error): Variable defined in SADMIN section.

This should be the one of the last function called at the end of your program.

What this function does:

- 1) Calculate execution Time.
- 2) If Y='Y', update the rch file (End Time & Elapse Time ...).
- 3) Validate the alert group,
- 4) If Y='Y', write the log footer.
- 5) If the error log file is empty, then delete it.
- 6) Delete the PID file (/opt/sadmin/tmp/sadmlib_std_demo.3238101) of the program.
- 7) Close log and error log files.
- 8) If 500 is not zero, trim the log according to user choice in '500'.
- 9) If is not zero, trim the 'rch' according to user choice in 'SADM_MAX_RCLINE'.
- 10) Set permission and owner/group to log and rch files.
- 11) If on the SADMIN server, then rch and log are immediatly web central directory.

=====

Fri Jul 17 04:36:25 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05

4) Function Available from the SADMIN Bash Library.

=====

[001] \$(sadm_server_type)	Host is Physical or Virtual (P/V)	: V
[002] \$(sadm_server_model)	Server model (Ex: HP ProLiant DL580):	VIRTUALBOX
[003] \$(sadm_server_memory)	Server total memory in MB (Ex: 3790):	7681
[004] \$(sadm_server_hardware_bitmode)	CPU Hardware capable of 32/64 bits	: 64
[005] \$(sadm_server_nb_logical_cpu)	Number of Logical CPU on system	: 2
[006] \$(sadm_server_disks)	Disks list(MB) (DISKNAME SIZE,...)	: sda 549888

```

[007] $(sadm_server_vg)          VG list (MB) (VGNAME|SIZE|USED|FREE) :
[008] $(sadm_server_ips)         Network IP (Name|IP|Netmask|MAC)   : enp0s3|192.168.1.48|255.255.255.0|08:00:27:44:cf:8f,enp0s3
|192.168.1.3|255.255.255.0|08:00:27:44:cf:8f
[009] sadm_toupper string        Return string uppercase      : 'STRING'
[010] sadm_tolower STRING        Return string lowercase      : 'string'
[011] sadm_capitalize String      Return string capitalize    : String
[012] sadm_ask "Question"        Show message & wait for [Y/y/N/n] : sadm_ask "Question"

```

```

=====
Fri Jul 17 04:36:26 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05

```

```

5) Variables Available reflecting values from SADMIN configuration file.
=====

```

```

[001] $$SADM_SERVER              SADMIN SERVER NAME (FQDN)          : sherlock.maison.ca
[002] $$SADM_HOST_TYPE           SADMIN HOST TYPE                : S
[003] $$SADM_MAIL_ADDR           SADMIN Administrator Default Email : brucetalbot95@gmail.com
[004] $$SADM_ALERT_TYPE          0=NoMail 1=OnError 2=OnSuccess 3=All: 1
[005] $$SADM_ALERT_GROUP         Default Alert Group              : default
[006] $$SADM_ALERT_REPEAT        Seconds to wait before repeat alert : 0
[007] $$SADM_DAYS_HISTORY        Days to keep alert in History file  : 100
[008] $$SADM_DAYS_ARCHIVE        Days to keep alert in Archive file  :
[009] $$SADM_MAX_ARC_LINE        Max lines to keep in alert Archive  : 1000
[010] $$SADM_TEXTBELT_KEY        TextBelt.com API Key              : 967e5a9315cd22dddd8ffakeb645ab0a855900f042NFZPGjack1JnCr35
UWz08tIB
[011] $$SADM_NTIFY_EMAIL          NTFY Email Address              : duplessis.jacques@gmail.com
[012] $$SADM_NTIFY_PWD            NTFY Password                  : 5ne46yJFqmQS24rU8e9
[013] $$SADM_NTIFY_TOKEN          NTFY Token                      : tk_2a511lu2o46k5hdgl1t64h5u55wt0
[014] $$SADM_NTIFY_TOPIC          NTFY Topic                      : sadmdev
[015] $$SADM_NTIFY_URL            NTFY URL                        : https://ntfy.sh
[016] $$SADM_NTIFY_USER           NTFY User                      : duplessis.jacques@gmail.com
[017] $$SADM_TEXTBELT_URL         TextBelt.com API URL            : https://textbelt.com/text
[018] $$SADM_CIE_NAME             Your Company Name              : TheBatcave
[019] $$SADM_DOMAIN               Server Creation Default Domain    : maison.ca
[020] $$SADM_USER                 SADMIN User Name                : sadmin
[021] $$SADM_GROUP                SADMIN Group Name                 : sadmin
[022] $$SADM_PWD_RANDOM           Auto generation of 'sadmin' password: Y
[023] $$SADM_WWW_USER             User that Run Apache Web Server : apache
[024] $$SADM_WWW_GROUP            Group that Run Apache Web Server : apache
[025] $$SADM_DBNAME               SADMIN Database Name          : sadmin
[026] $$SADM_DBHOST               SADMIN Database Host             : localhost
[027] $$SADM_DBPORT               SADMIN Database Host TCP Port    : 3306
[028] $$SADM_RW_DBUSER            SADMIN Database Read/Write User : sadmin
[029] $$SADM_RW_DBPWD             SADMIN Database Read/Write User Pwd : *Hidden*
[030] $$SADM_RO_DBUSER            SADMIN Database Read Only User  : squery
[031] $$SADM_RO_DBPWD             SADMIN Database Read Only User Pwd : *Hidden*
[032] $$SADM_SMTP_SERVER           Your Internet SMTP Server Name  : smtp.gmail.com
[033] $$SADM_SMTP_PORT            Your Internet SMTP Server Port : 587
[034] $$SADM_SMTP_SENDER           Your Internet Sender Email      : brucetalbot95@gmail.com
[035] $$SADM_GMPW                  Your Internet Sender Password   : wtuapkxdxtuaidon
[036] $$SADM_SSH_PORT              SSH Port to communicate with client : 32
[037] $$SADM_MONITOR_UPDATE_INTERVAL Monitor page update interval in sec.: 60
[038] $$SADM_MONITOR_RECENT_COUNT Monitor page nb. recent scripts  : 5
[039] $$SADM_MONITOR_RECENT_EXCLUDE Scripts excluded from SysMon Recent : sadm_nmon_watcher,sysmon_script_test

```

[040]	\$\$ADM_NMON_KEEPDAYS	Nb. of days to keep nmon perf. file :	10
[041]	\$\$ADM_RCH_KEEPDAYS	Nb. days to keep unmodified rch file:	35
[042]	\$\$ADM_LOG_KEEPDAYS	Nb. days to keep unmodified log file:	35
[043]	\$\$ADM_MAX_RCHLINE	Trim rch file to this max. of lines :	
[044]	\$\$ADM_MAX_LOGLINE	Trim log to this maximum of lines	: 500
[045]	\$\$ADM_PID_TIMEOUT	PID File Time To Live default in sec:	14400
[046]	\$\$ADM_LOCK_TIMEOUT	Maximum of sec. a system can be lock:	7200
[047]	\$\$ADM_NETWORK1	Network/Netmask 1 inv. IP/Name/Mac	: 192.168.1.0/24
[048]	\$\$ADM_NETWORK2	Network/Netmask 2 inv. IP/Name/Mac	:
[049]	\$\$ADM_NETWORK3	Network/Netmask 3 inv. IP/Name/Mac	:
[050]	\$\$ADM_NETWORK4	Network/Netmask 4 inv. IP/Name/Mac	:
[051]	\$\$ADM_NETWORK5	Network/Netmask 5 inv. IP/Name/Mac	:
[052]	\$\$ADM_REAR_NFS_SERVER	Rear NFS Server IP or Name	: lestrade.maison.ca
[053]	\$\$ADM_REAR_NFS_MOUNT_POINT	Rear NFS Mount Point	: /backup/backup_rear
[054]	\$\$ADM_REAR_BACKUP_TO_KEEP	Rear NFS Backup - Nb. to keep	: 2
[055]	\$\$ADM_REAR_BACKUP_DIF	Rear NFS Backup - Size Difference	: 25
[056]	\$\$ADM_REAR_BACKUP_INTERVAL	Rear alert if Backup older than	: 14 days
[057]	\$\$ADM_REAR_DEL_FAILED_BACKUP	Del backup that failed integrity check:	Y
[058]	\$\$ADM_REAR_BATCH_MODE	Run script in batch mode (Y/N)	: N
[059]	\$\$ADM_REAR_BATCH_START_TIME	Start time for launch batch backup	: 00:05
[060]	\$\$ADM_REAR_CONCURRENT	Concurrent backup processes	: 1
[061]	\$\$ADM_REAR_BATCH_DAY2RUN	0=Any Day, 1=Su, 2=Mo, 3=Tu, 4=We, 5=Th, 6=Fr, 7=Sa:	2, 7
[062]	\$\$ADM_REAR_BATCH_MTH2RUN	0=Any Month, [1,2,...12] Month to run:	0
[063]	\$\$ADM_REAR_BATCH_DATE2RUN	0=AnyDateDate to run [1,2...27,28]	: 0
[064]	\$\$ADM_BACKUP_NFS_SERVER	NFS Backup IP or Server Name	: batnas.maison.ca
[065]	\$\$ADM_BACKUP_NFS_MOUNT_POINT	NFS Backup Mount Point	: /volume1/backup/backup_sadmin
[066]	\$\$ADM_BACKUP_DIF	Alert if size differ more than	: 40%
[067]	\$\$ADM_BACKUP_INTERVAL	Alert if Backup older than X days	: 1 days
[068]	\$\$ADM_DAILY_BACKUP_TO_KEEP	Nb. of Daily Backup to keep	: 2
[069]	\$\$ADM_WEEKLY_BACKUP_TO_KEEP	Nb. of Weekly Backup to keep	: 1
[070]	\$\$ADM_MONTHLY_BACKUP_TO_KEEP	Nb. of Monthly Backup to keep	: 1
[071]	\$\$ADM_YEARLY_BACKUP_TO_KEEP	Nb. of Yearly Backup to keep	: 1
[072]	\$\$ADM_WEEKLY_BACKUP_DAY	Weekly Backup Day (1=Mon,..., 7=Sun)	: 5
[073]	\$\$ADM_MONTHLY_BACKUP_DATE	Monthly Backup Date (1-28)	: 1
[074]	\$\$ADM_YEARLY_BACKUP_MONTH	Month to take Yearly Backup (1-12)	: 12
[075]	\$\$ADM_YEARLY_BACKUP_DATE	Date to do Yearly Backup(1-DayInMth):	31
[076]	\$\$ADM_BACKUP_DIF	Alert if size differ more than	: 40%
[077]	\$\$ADM_BACKUP_BATCH_MODE	Run backup script in batch mode (Y/N):	N
[078]	\$\$ADM_BACKUP_BATCH_START_TIME	Start time for launch batch backup	: 00:05
[079]	\$\$ADM_BACKUP_CONCURRENT	Concurrent backup processes	: 1
[080]	\$\$ADM_BACKUP_BATCH_DAY2RUN	Days to run batch backup	: 2, 7
[081]	\$\$ADM_BACKUP_BATCH_MTH2RUN	Month to run batch backup	: 0
[082]	\$\$ADM_BACKUP_BATCH_DATE2RUN	Date to run batch backup	: 0
[083]	\$\$ADM_VM_EXPORT_NFS_SERVER	NFS Export Server	: batnas.maison.ca
[084]	\$\$ADM_VM_EXPORT_MOUNT_POINT	NFS Export Mount Point	: /volume1/backup/backup_vm/vbox_exports
[085]	\$\$ADM_VM_EXPORT_TO_KEEP	Nb. of export to keep	: 2
[086]	\$\$ADM_VM_EXPORT_INTERVAL	Sec. between each export	: 21
[087]	\$\$ADM_VM_EXPORT_ALERT	Issue an alert if interval reached	: Y
[088]	\$\$ADM_VM_USER	User part of 'vboxusers' user group	: jacques
[089]	\$\$ADM_VM_STOP_TIMEOUT	Max. seconds given for acpi shutdown:	60
[090]	\$\$ADM_VM_START_INTERVAL	Sec. to sleep between each VM start	: 30
[091]	\$\$ADM_VM_EXPORT_DIF	When Size 25% greater	: 25%
[092]	\$\$ADM_VM_EXPORT_SCRIPT	Default path to export script	: sadm_vm_export.sh

```

[093] $$SADM_VM_EXPORT_BATCH_MODE      Run backup script in batch mode (Y/N): N
[094] $$SADM_VM_EXPORT_BATCH_START_TIME  Start time for launch batch backup   : 00:05
[095] $$SADM_VM_EXPORT_CONCURRENT        Concurrent backup processes         : 1
[096] $$SADM_VM_EXPORT_BATCH_DAY2RUN      Days to run batch backup              : 2,7
[097] $$SADM_VM_EXPORT_BATCH_MTH2RUN      Month to run batch backup           : 0
[098] $$SADM_VM_EXPORT_BATCH_DATE2RUN     Date to run batch backup              : 0
[099] $$SADM_OSUPDATE_INTERVAL            Threshold between o/s update in days: 15
[100] $$SADM_OSUPDATE_SCRIPT              Name of O/S update script             : sadm_osupdate.sh
[101] $$SADM_OSUPDATE_AUTOREMOVE           Remove unused package after update   : N
[102] $$SADM_OSUPDATE_FLATPAK             Also Update the Flatpak package,if any: N
[103] $$SADM_OSUPDATE_SNAP                Also Update the Snap package (if any): N
[104] $$SADM_OSUPDATE_REBOOT_NEEDED       If reboot is needed after O/S update: N
[105] $$SADM_OSUPDATE_REBOOT_TIME         Seconds to wait for starting Apps.    : 240
[106] $$SADM_OSUPDATE_LOCK               Lock system during O/S update Y/N    : Y
[107] $$SADM_OSUPDATE_BATCH_MODE          Run script in batch mode (Y/N)       : N
[108] $$SADM_OSUPDATE_BATCH_START_TIME    Start time for launch batch backup   : 00:05
[109] $$SADM_OSUPDATE_CONCURRENT          Concurrent backup processes         : 1
[110] $$SADM_OSUPDATE_BATCH_DAY2RUN      Days to run batch backup              : 2,7
[111] $$SADM_OSUPDATE_BATCH_MTH2RUN      Month to run batch backup           : 0
[112] $$SADM_OSUPDATE_BATCH_DATE2RUN     Date to run batch backup              : 0

```

```

=====
Fri Jul 17 04:36:26 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05

```

6) Print Directories Variables Available to Users

```

=====
[001] $$SADM_BASE_DIR                  SADMIN Root Directory                : /opt/sadmin
[002] $$SADM_BIN_DIR                   Programs Directory                   : /opt/sadmin/bin
[003] $$SADM_TMP_DIR                   Temporary file(s) Directory           : /opt/sadmin/tmp
[004] $$SADM_LIB_DIR                   Libraries Directory                  : /opt/sadmin/lib
[005] $$SADM_LOG_DIR                   SADMIN Script Log Directory          : /opt/sadmin/log
[006] $$SADM_CFG_DIR                   SADMIN Configuration Directory       : /opt/sadmin/cfg
[007] $$SADM_SYS_DIR                   Server Startup/Shutdown Script Dir.  : /opt/sadmin/sys
[008] $$SADM_DOC_DIR                   Documentation Directory               : /opt/sadmin/doc
[009] $$SADM_PKG_DIR                   Packages Directory                   : /opt/sadmin/pkg
[010] $$SADM_DAT_DIR                   Data Directory                       : /opt/sadmin/dat
[011] $$SADM_NMON_DIR                   NMON Data Collected Directory.       : /opt/sadmin/dat/nmon
[012] $$SADM_DR_DIR                   Disaster Recovery Directory           : /opt/sadmin/dat/dr
[013] $$SADM_RCH_DIR                   Server Return Code History Dir.       : /opt/sadmin/dat/rch
[014] $$SADM_NET_DIR                   Server Network Info Dir.             : /opt/sadmin/dat/net
[015] $$SADM_RPT_DIR                   SYStem MONitor Report Directory      : /opt/sadmin/dat/rpt
[016] $$SADM_DBB_DIR                   Database Backup Directory             : /opt/sadmin/dat/dbb
[017] $$SADM_SETUP_DIR                 SADMIN Installation/Update Dir.      : /opt/sadmin/setup
[018] $$SADM_USR_DIR                   User/System specific directory       : /opt/sadmin/usr
[019] $$SADM_UBIN_DIR                   User/System specific bin/script Dir. : /opt/sadmin/usr/bin
[020] $$SADM_ULIB_DIR                   User/System specific library Dir.    : /opt/sadmin/usr/lib
[021] $$SADM_UDOC_DIR                   User/System specific documentation   : /opt/sadmin/usr/doc
[022] $$SADM_UMON_DIR                   User/System specific SysMon Scripts  : /opt/sadmin/usr/mon
[023] $$SADM_WWW_DIR                   SADMIN Web Site Root Directory       : /opt/sadmin/www
[024] $$SADM_WWW_DOC_DIR               SADMIN Web Documentation Dir.        : /opt/sadmin/www/doc
[025] $$SADM_WWW_DAT_DIR               SADMIN Web Site Systems Data Dir.    : /opt/sadmin/www/dat
[026] $$SADM_WWW_LIB_DIR               SADMIN Web Site PHP Library Dir.     : /opt/sadmin/www/lib
[027] $$SADM_WWW_TMP_DIR               SADMIN Web Temp Working Directory    : /opt/sadmin/www/tmp

```

[028] \$SADM_WWW_PERF_DIR SADMIN Web Performance Graph Dir. : /opt/sadmin/www/tmp/perf

=====

Fri Jul 17 04:36:26 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05

7) Print Files Variables Available to Users

=====

[001]	\$SADM_LOG_FILE	Program Log File	:	
[002]	\$SADM_ERR_FILE	Program Error Log file.	:	
[003]	\$SADM_RCH_FILE	Pgm [R]eturn [C]ode [H]istory File	:	/opt/sadmin/dat/rch/sherlock_sadmlib_std_demo.rch
[004]	\$SADM_PID_FILE	Program PID Lock File	:	/opt/sadmin/tmp/sadmlib_std_demo.3238101
[005]	\$SADM_TMP_FILE1	Temporary File 1 (avail. to you)	:	/opt/sadmin/tmp/sadm_tmp1_FxS
[006]	\$SADM_TMP_FILE2	Temporary File 2 (avail. to you)	:	/opt/sadmin/tmp/sadm_tmp2_Ew5
[007]	\$SADM_TMP_FILE3	Temporary File 3 (avail. to you)	:	/opt/sadmin/tmp/sadm_tmp3_aAS
[008]	\$SADM_CFG_FILE	Main Configuration File	:	/opt/sadmin/cfg/sadmin.cfg
[009]	\$SADM_CFG_HIDDEN	Template of Main Configuration File	:	/opt/sadmin/cfg/.sadmin.cfg
[010]	\$SADM_ALERT_FILE	Alert Group File	:	/opt/sadmin/cfg/alert_group.cfg
[011]	\$SADM_ALERT_INIT	Template of Alert Group File	:	/opt/sadmin/cfg/.alert_group.cfg
[012]	\$SADM_ALERT_HIST	Alert History File	:	/opt/sadmin/cfg/alert_history.txt
[013]	\$SADM_ALERT_HINI	Template of Alert History File	:	/opt/sadmin/cfg/.alert_history.txt
[014]	\$SADM_ALERT_ARCH	SADMIN Alert Archive File	:	
[015]	\$DBPASSFILE	SADMIN Database User Password File	:	*Hidden*
[016]	\$SADM_RPT_FILE	System Monitor Report File	:	/opt/sadmin/dat/rpt/sherlock_sadmlib_std_demo.rpt
[017]	\$SADM_BACKUP_LIST	Backup List File Name	:	/opt/sadmin/cfg/backup_list.txt
[018]	\$SADM_BACKUP_LIST_INIT	Template of Backup List	:	/opt/sadmin/cfg/.backup_list.txt
[019]	\$SADM_BACKUP_EXCLUDE	Backup Exclude List File Name	:	/opt/sadmin/cfg/backup_exclude.txt
[020]	\$SADM_BACKUP_EXCLUDE_INIT	Template Backup Exclude	:	/opt/sadmin/cfg/.backup_exclude.txt

=====

Fri Jul 17 04:36:26 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.05

8) Command Path Variable Available

=====

[001]	\$SADM_LSB_RELEASE	'lsb_release' cmd (get dist. info)	:	/usr/bin/lsb_release
[002]	\$SADM_DMIDECODE	'dmidecode' use to get model & type	:	/usr/sbin/dmidecode
[003]	\$SADM_BC	'bc' use to do some Math.	:	/usr/bin/bc
[004]	\$SADM_FDISK	'fdisk' use to get partition info	:	/usr/sbin/fdisk
[005]	\$SADM_WHICH	'which' use to get command path	:	/usr/bin/which
[006]	\$SADM_PERL	'perl' epoch time Math on AIX	:	/usr/bin/perl
[007]	\$SADM_MUTT	'mutt' use to send email	:	/usr/bin/mutt
[008]	\$SADM_CURL	'curl' Use to send alert to Slack	:	/usr/bin/curl
[009]	\$SADM_LSCPU	'lscpu' To get Socket/Thread info	:	/usr/bin/lscpu
[010]	\$SADM_NMON	'nmon' Collect Performance Stat.	:	/usr/bin/nmon
[011]	\$SADM_PARTED	'parted' use to get disk real size	:	/usr/sbin/parted
[012]	\$SADM_ETHTOOL	'ethtool' use to get system IP	:	/usr/sbin/ethtool
[013]	\$SADM_SSH	'ssh' use to SSH on SADMIN client	:	/usr/bin/ssh
[014]	\$SADM_RRDTOOL	'rrdtool' binary location	:	/usr/bin/rrdtool
[015]	\$SADM_INXI	'inxi' binary location	:	/usr/bin/inxi
[016]	\$SADM_MYSQL	'mysql' binary location	:	/usr/bin/mysql
[017]	\$SADM_SED	'sed' binary location	:	/usr/bin/sed

=====

Show SADMIN Tables:

pma__bookmark
pma__central_columns
pma__column_info
pma__designer_settings
pma__export_templates
pma__favorite
pma__history
pma__navigationhiding
pma__pdf_pages
pma__recent
pma__relation
pma__savedsearches
pma__table_coords
pma__table_info
pma__table_uiprefs
pma__tracking
pma__userconfig
pma__usergroups
pma__users
script
script_rch
server
server_category
server_group
server_network

Category Table:

cat_id	int(11)	NO	PRI	NULL	auto_increment
cat_code	varchar(10)	NO	UNI	NULL	
cat_desc	varchar(25)	NO		NULL	
cat_active	tinyint(1)	NO		1	
cat_date	timestamp	NO		0000-00-00 00:00:00	on update current_timestamp()
cat_default	tinyint(1)	NO		0	

13	Laptop	Laptop Workstation	1	2023-10-26 12:58:43	0
15	SBC	Raspberry Pi SBC	1	2023-10-21 11:25:49	0
17	Desktop	Workstation	1	2023-10-21 11:23:25	0
25	VM	Virtualize Systems	1	2023-12-31 11:21:58	0
28	Dell	Dell Systems	1	2023-10-26 12:59:19	0
29	HP	HP Systems	1	2023-10-26 12:59:38	0
30	IBM	IBM Systems	1	2023-10-26 12:59:05	0
31	Lenovo	Lenovo Systems	1	2023-10-26 12:59:54	0
32	Server	Home Server	1	2023-12-31 11:21:35	1

server_category	0	PRIMARY	1	cat_id	A	8	NULL	NULL	BTREE		
server_category	0	key_cat_code	1	cat_code	A	8	NULL	NULL	BTREE		

Group Table:

grp_id	int(11)	NO	PRI	NULL	auto_increment
grp_code	varchar(10)	NO	UNI	NULL	
grp_desc	varchar(25)	NO		NULL	
grp_active	tinyint(1)	NO		1	
grp_date	timestamp	NO		current_timestamp()	on update current_timestamp()
grp_default	tinyint(1)	NO		0	

4	Retired	System not in use	1	2023-04-05 11:26:50	0
6	Regular	Application system	1	2023-10-21 11:15:00	0
9	Dev	Development Systems Group	1	2023-10-21 11:16:20	0
10	Prod	Production Systems Group	1	2023-10-21 11:16:34	1
13	Int	Integration Systems Group	1	2023-10-21 11:20:19	0
16	Acc	Acceptance Systems Group	1	2023-10-22 16:38:23	0
17	Poc	Proof of concept Systems	1	2023-10-21 15:06:48	0
19	PreProd	Pre-Production Group	1	2023-10-22 16:39:19	0
20	Temp	Temporary Systems Group	1	2023-10-26 11:44:28	0

server_group	0	PRIMARY	1	grp_id	A	9	NULL	NULL	BTREE		
server_group	0	idx_grp_code	1	grp_code	A	9	NULL	NULL	BTREE		

Server Table:

srv_id	int(11)	NO	PRI	NULL	auto_increment
srv_name	varchar(15)	NO	UNI	NULL	
srv_domain	varchar(30)	NO		NULL	
srv_desc	varchar(30)	NO		NULL	
srv_tag	varchar(15)	YES		NULL	
srv_note	varchar(30)	YES		NULL	
srv_active	tinyint(1)	NO		1	
srv_sporadic	tinyint(1)	NO		0	
srv_monitor	tinyint(1)	NO		1	
srv_alert_group	varchar(15)	NO		default	
srv_graph	tinyint(1)	NO		1	
srv_cat	varchar(10)	NO		NULL	
srv_group	varchar(10)	NO		NULL	
srv_vm	tinyint(1)	NO		0	
srv_osname	varchar(15)	YES		NULL	
srv_ostype	varchar(10)	NO		linux	
srv_oscodename	varchar(15)	YES		NULL	
srv_osversion	varchar(12)	YES		NULL	

[illegible]

[illegible]

scr_alert_type	smallint(6)	NO	1	
scr_sysadm_email	varchar(50)	NO	NULL	
scr_multiple_exec	tinyint(1)	NO	0	
scr_use_rch	tinyint(1)	NO	1	
scr_log_type	varchar(1)	NO	B	
scr_log_append	tinyint(1)	NO	0	
scr_log_header	tinyint(1)	NO	1	
scr_log_footer	tinyint(1)	NO	1	
scr_active	tinyint(1)	NO	1	
scr_max_logline	int(11)	NO	500	
scr_max_rchline	int(11)	NO	35	
scr_pid_timeout	int(11)	NO	7200	
src_max_inactive_days	int(3)	NO	31	
scr_root_exec	tinyint(4)	NO	0	
scr_run_sadmin	tinyint(4)	NO	0	
scr_os	varchar(10)	NO	any	
scr_last_activity	datetime	NO	current_timestamp()	
scr_severity	smallint(6)	NO	1	
scr_exclude	set('0','1')	NO	0	
scr_log_keepdays	smallint(6)	NO	0	
scr_rch_keepdays	smallint(6)	NO	0	
scr_avg_exec	int(11)	YES	0	
scr_debug	tinyint(1)	NO	0	
scr_grp_warning	varchar(15)	NO	NULL	
scr_grp_info	varchar(15)	NO	NULL	
scr_grp_error	varchar(15)	NO	NULL	
scr_lock_timeout	int(11)	NO	3600	

script	0	PRIMARY	1	scr_id	A	0	NULL	NULL	BTREE		
script	0	scr_name_key	1	scr_name	A	0	NULL	NULL	YES	BTREE	

Script Details:

scrdet_host	varchar(15)	NO	PRI	NULL	
scrdet_name	varchar(40)	NO	PRI	NULL	
srcdet_start	timestamp	NO	PRI	0000-00-00 00:00:00	
srcdet_end	timestamp	YES		NULL	
scrdet_status	tinyint(2)	NO		0	
scrdet_active	int(1)	NO		1	
srcdet_elapse	time	YES		NULL	
scrdet_alertcode	tinyint(3) unsigned	YES		NULL	
scrdet_alertgroup	varchar(30)	YES		NULL	

script_rch	0	PRIMARY	1	scrdet_host	A	0	NULL	NULL	BTREE		
script_rch	0	PRIMARY	2	scrdet_name	A	0	NULL	NULL	BTREE		
script_rch	0	PRIMARY	3	srcdet_start	A	0	NULL	NULL	BTREE		

=====

Script exit code is 0 (Success) and execution time was 00:00:02.
Script is set to only send an alert when it terminate with error.
Script succeeded, no alert will be send (\$SADM_ALERT_TYPE=1).
New log created '\$SADMIN/log/sherlock_sadmlib_std_demo.log'.
End of sadmlib_std_demo.sh - Fri Jul 17 04:36:26 PM EDT 2026

=====