

```

1  def chown_recursive(path, user, group):
2  def date_to_epoch(wdate : str) -> int:
3  def db_close(db_conn,db_cur):
4  def db_connect(db_name="sadmin",quiet=False):
5  def elapse_time(wdate1 : str ,wdate2 : str) -> str:
6  def epoch_to_date(wepoch : int):
7  def freshen_directories_structure() :
8  def get_arch():
9  def get_domainname():
10 def get_epoch_time():
11 def get_fqdn():
12 def get_host_ip():
13 def get_hostname():
14 def get_ip_addresses(family):
15 def get_kernel_bitmode():
16 def get_kernel_version():
17 def get_mac_address(ip_address : str) -> str:
18 def get_nb_core_per_socket():
19 def get_nb_cpu():
20 def get_nb_socket():
21 def get_nb_thread_per_core():
22 def get_oscodename() :
23 def get_osmajorversion() :
24 def get_osminorversion() :
25 def get_osname():
26 def get_ostype():
27 def get_osversion() :
28 def get_packagetype():
29 def get_release() :
30 def get_serial():
31 def get_server_cpu_speed() :
32 def getUmask():
33 def get_username() -> str:
34 def load_alert_file():
35 def load_cmd_path():
36 def load_config_file(cfg_file):
37 def load_sadmin_config(cfg_file=f"{dir_cfg}/sadmin.cfg") :
38 def lock_status(fname, errmsg=True):
39 def lock_system(fname, errmsg=True ) :
40 def oscommand (command : str) :
41 def print_dict_alert():
42 def print_dict_config(cfg_dict):
43 def recursive_chmod(path):
44 def sendmail(waddr, wsub, wbody, wattach="") :
45 def show_version(ver):
46 def silentremove(filename : str):
47 def sleep(sleep_time=60, sleep_interval=15):
48 def start(db_name="sadmin") :
49 def stop(pexit_code : int) -> None:
50 def touch_file (filename : str) :
51 def trimfile(filename,nlines=500) :
52 def unlock_system(fname ,errmsg=True):
53 def user_in_group(user_name,group_name):
54 def write_err (wline, lf=True ):
55 def write_log (wline, lf=True ):

```