

```
=====
Mon 13 Jul 2026 05:50:03 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04
Desc: Describe what your program is doing.
bilbo.maison.ca - User: root - Umask : 0022 - Arch: x86_64
Fedora Linux v43 - Kernel 7.1.3-100.fc43.x86_64 - SADMIN(C): /opt/sadmin
=====
```

```
=====
Mon 13 Jul 2026 05:50:03 AM EDT - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04
01) Examples of functions availables to Developers
=====
```

```
[001] $(sadm_get_release)          SADMIN Release Number (XX.XX)      : 2.1.2
[002] $(sadm_get_ostype)           OS Type (Uppercase,LINUX,AIX,DARWIN): LINUX
[003] $(sadm_get_osversion)        Return O/S Version (Ex: 7.2, 6.5)    : 43
[004] $(sadm_get_osmajorversion)   Return O/S Major Version (Ex 7, 6)  : 43
[005] $(sadm_get_osminorversion)   Return O/S Minor Version (Ex 2, 3)   :
[006] $(sadm_get_osname)           O/S Name (REDHAT,CENTOS,UBUNTU,...) : FEDORA
[007] $(sadm_get_oscodename)       O/S Project Code Name              : n/a
[008] $(sadm_get_username)         Current User Name                  : root
[009] $(sadm_get_kernel_version)   O/S Running Kernel Version        : 7.1.3-100.fc43.x86_64
[010] $(sadm_get_kernel_bitmode)   O/S Kernel Bit Mode (32 or 64)    : 64
[011] $(sadm_get_hostname)         Current Host Name                  : bilbo
[012] $(sadm_get_host_ip)          Current Host IP Address             : 192.168.1.23
[013] $(sadm_get_domainname)       Current Host Domain Name           : maison.ca
[014] $(sadm_get_fqdn)             Fully Qualified Domain Host Name   : bilbo.maison.ca
[015] $(sadm_server_serial)        Server serial number (Ex: 4S7GYF1)  : E537F839
[016] $(sadm_get_epoch_time)       Get Current Epoch Time             : 1783936203
[017] $(sadm_epoch_to_date 1783936203) Convert epoch time to date      : 2026.07.13 05:50:03
      WDATE='2026.07.13 05:50:03'
[018] $(sadm_date_to_epoch "$WDATE") Convert Date to epoch time        : 1783936203
      DATE1='2016.01.30 10:00:44'
      DATE2='2016.01.30 10:00:03'
[019] $(sadm_elapse "$DATE1" "$DATE2") Elapse Time between two timestamps : 00:00:41
[020] $(sadm_get_packagetype)      Get package type (rpm,deb,aix,dmg)  : rpm
[021] $(sadm_server_arch)          System Architecture                : x86_64
[022] sadm_lock_system "hostname"  Lock the specified hostname         : 0=Lock 1=Could not lock
[023] sadm_lock_status "hostname"  Check if specified hostname is lock : 0=Not Lock - 1=System Locked
[024] sadm_unlock_system "hostname" Unlock the specified hostname       : 0=Unlocked 1=Error could not unlock
[025] sadm_write_log "message"     Write message to Screen, Log or Both: message
[026] sadm_write_err "message"     Write message to error log + std log: message
[027] sadm_sendmail(mail,sub,body,att) Send email (attachment optional)   : 0=Sent 1=Could not send
[028] sadm_show_version            Cmdline '-v' this func. is called      :
[029] sadm_sleep "60" "15"         Sleep 60sec. at interval of 15sec.  : 60...45...30...15...0
[030] sadm_trimfile "filename" 35   Keep the last 35 lines of filename. : 0=Success 1=Error
[031] $(sadm_server_nb_cpu)        Number of Physical CPU on system    : 1
```

```

[032] $(sadm_server_core_per_socket)    Number of Core per Socket      : 2
[033] $(sadm_server_thread_per_core)    Number of Thread per Core     : 2
[034] $(sadm_server_nb_socket)          Number of socket on system    : 1
[035] $(sadm_silentremove 'filename')   Delete a file silently        : 0
[036] $(sadm_server_cpu_speed)          Server CPU Speed in MHz      : 3000 MHz

```

```

=====
Mon 13 Jul 2026 05:50:03 AM EDT - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04

```

```

02) User Variables that affect SADMIN Library behavior, set them prior to calling start() function
=====

```

```

[001] $SADM_VER                Program Version Number      : 03.31.01
[002] $SADM_DESC               Program Description         : Describe what your program is doing.
[003] $SADM_PN                 Program Name With Extension : sadmlib_std_demo.sh
[004] $SADM_INST               Program Name Without Extension : sadmlib_std_demo
[005] $SADM_ROOT_ONLY          Can only be run by 'root' user [Y/N]: N
[006] $SADM_SERVER_ONLY        Can only run on SADMIN server [Y/N]: N
[007] $SADMGRP_ONLY            Run only by user part of 'sadmin' : N
[008] $SADM_MULTIPLE_EXEC      Run only one instance of Pgm. [Y/N]: N
[009] $SADM_QUIET              Y=HideMsg & Err#  N=Show Msg & Err# : N
[010] $SADM_LOG_TYPE           Set Output to [S]creen [L]og [B]oth : B
[011] $SADM_LOG_APPEND         Y=Append to Log, N=Create new log  : N
[012] $SADM_LOG_HEADER         Generate Header in log [Y,N]       : Y
[013] $SADM_LOG_FOOTER         Generate Footer in log [Y/N]       : Y
[014] $SADM_USE_RCH            Generate entry in '*.rch' file      : Y
[015] $SADM_DEBUG              Debug Level (0-9), 0 = NoDebug     : 0
[016] $SADM_USERNAME           Current User Name                 : root
[017] $SADM_TPID               Current Process ID                 : 1368885
[018] $SADM_EXIT_CODE          Current value of script exit code  : 0
[019] $SADM_ERRNO              0=OK, Error# returned by function  : 0
[020] $SADM_ERRMSG             Error Msg returned by function     :
[021] $SADM_HOSTNAME           Current system hostname           : bilbo
[022] $SADM_PID_TIMEOUT        Stop Pgm. if running more than x sec: 14400 Sec.
[023] $SADM_LOCK_TIMEOUT       Remove the system lock after X sec. : 7200 Sec.

```

```

## Override the default from sadmin.cfg in this program.

```

```

[024] $SADM_ALERT_TYPE         0=NoAlert 1=OnError 2=OnOK 3=Always : 1
[025] $SADM_ALERT_GROUP        Default Error Group Name         : default
[026] $SADM_WARNING_GROUP      Warning Alert group Name         : default
[027] $SADM_INFO_GROUP         Infor Alert Group Name           : default
[028] $SADM_ALERT_REPEAT       0=NoAlertRepeat, Repeat every sec. : 0 Sec.
[029] $SADM_MAIL_ADDR          Email Address of SADMIN SysAdmin  : brucetalbot95@gmail.com
[030] $SADM_MAX_LOGLINE        Nb of Lines to trim (0=NoTrim)    : 500
[031] $SADM_MAX_RCHLINE        Nb of Lines to trim (0=NoTrim)    : 30
[032] $SADM_EMAIL_STARTUP      Send or Not email on startup (Y/N) : Y
[033] $SADM_EMAIL_SHUTDOWN     Send or Not email on shutdown (Y/N): Y
[034] $SADM_SSH_CMD            SSH command to access client      : /bin/ssh -qnp 32

```

=====

Mon 13 Jul 2026 05:50:03 AM EDT - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04

3) Overview of the 'sa.start' and 'sa.stop' functions in Bash Library

=====

=====Bash Library Functions

'sadm_start()' - Bash Library Function

The 'start()' function basically initialize the SADMIN environment.

When you call 'sadm_start()', it will only come back to caller if everything went OK.

Otherwise it will advise the user of the error and exit(1).

Summary of the parts that 'sadm_start()' perform :

- 1) Step one, make sure all \$SADMIN directories & sub-dir. exist and have proper permissions.
- 2) If \$SADM_LOG_APPEND='N', create new log & error log or append to existing log.
- 3) If \$SADM_LOG_HEADER='Y', Include or not the script header in the log [Y/N].
- 4) if \$SADM_ROOT_ONLY='Y', The script can only be run by 'root' user [Y/N].
If user is not 'root', we advise the user and exit(1).
- 5) If \$SADM_SERVER_ONLY='Y', and not on the SADMIN server, show error message and exit(1).
- 6) If \$SADM_SADMGRP_ONLY='Y', and the user is not part of the SADM_GROUP (unless 'root'),
show error message and exit(1).
- 7) If \$SADM_USE_RCH='Y', write starting time to the RCH file (With a code 2=Running).
- 8) If system is lock (and running on the SADMIN), issue message and exit(1)
- 9) If PID file '\$SADM_PID_FILE' exist and '\$SADM_MULTIPLE_EXEC='Y'', continue normal execution
If PID file exist and execution time (sec) is less than the '\$SADM_PID_TIMEOUT', show error message and exit(1).
If PID file exist and execution time (sec) exceed the '\$SADM_PID_TIMEOUT' a new '\$SADM_PID_FILE' is created
and execution is resume.

*** If any unrecoverable error occurs while executing this function the program is aborted exit(1). ***

'sadm_stop(exit_code)' Bash Library Function

- exit_code (0=Success, 1=Error): Variable defined in SADMIN section.

This should be the one of the last function called at the end of your program.

What this function does:

- 1) Calculate execution Time.
- 2) If Y='Y', update the rch file (End Time & Elapse Time ...).
- 3) Validate the alert group,
- 4) If Y='Y', write the log footer.
- 5) If the error log file is empty, then delete it.
- 6) Delete the PID file (/opt/sadmin/tmp/sadmlib_std_demo.1368885) of the program.
- 7) Close log and error log files.
- 8) If 500 is not zero, trim the log according to user choice in '500'.
- 9) If is not zero, trim the 'rch' according to user choice in 'SADM_MAX_RCLINE'.
- 10) Set permission and owner/group to log and rch files.

11) If on the SADMIN server, then rch and log are immediatly web central directory.

```
=====
Mon 13 Jul 2026 05:50:03 AM EDT - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04
```

4) Function Available from the SADMIN Bash Library.

```
=====
[001] $(sadm_server_type)           Host is Physical or Virtual (P/V)      : P
[002] $(sadm_server_model)          Server model (Ex: HP ProLiant DL580): ThinkPad
[003] $(sadm_server_memory)         Server total memory in MB (Ex: 3790): 31963
[004] $(sadm_server_hardware_bitmode) CPU Hardware capable of 32/64 bits : 64
[005] $(sadm_server_nb_logical_cpu) Number of Logical CPU on system      : 4
[006] $(sadm_server_disks)          Disks list (MB) (DISKNAME|SIZE,...) : nvme0n1|524288
[007] $(sadm_server_vg)             VG list (MB) (VGNAME|SIZE|USED|FREE) :
[008] $(sadm_server_ips)            Network IP (Name|IP|Netmask|MAC)      : enp0s31f6|192.168.1.23|255.255.255.0|54:e1:ad
:75:8e:0e:virbr0|192.168.124.1|255.255.255.0|52:54:00:0c:03:dd
[009] sadm_toupper string           Return string uppercase           : 'STRING'
[010] sadm_tolower STRING           Return string lowercase           : 'string'
[011] sadm_capitalize String         Return string capitalize           : String
[012] sadm_ask "Question"           Show message & wait for [Y/y/N/n] : sadm_ask "Question"
=====
```

```
=====
Mon 13 Jul 2026 05:50:04 AM EDT - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04
```

5) Variables Available reflecting values from SADMIN configuration file.

```
=====
[001] $SADM_SERVER                 SADMIN SERVER NAME (FQDN)           : sherlock.maison.ca
[002] $SADM_HOST_TYPE              SADMIN HOST TYPE                     : C
[003] $SADM_MAIL_ADDR              SADMIN Administrator Default Email : brucetalbot95@gmail.com
[004] $SADM_ALERT_TYPE             0=NoMail 1=OnError 2=OnSuccess 3=All: 1
[005] $SADM_ALERT_GROUP            Default Alert Group                     : default
[006] $SADM_ALERT_REPEAT           Seconds to wait before repeat alert : 0
[007] $SADM_DAYS_HISTORY           Days to keep alert in History file   : 100
[008] $SADM_DAYS_ARCHIVE           Days to keep alert in Archive file   :
[009] $SADM_MAX_ARC_LINE           Max lines to keep in alert Archive : 1000
[010] $SADM_TEXTBELT_KEY           TextBelt.com API Key                 : 967e5a9315cd22dddd8ffakeb645ab0a855900f042NFZ
PGjacklJnCr35UWzO8tIB
[011] $SADM_NOTIFY_EMAIL           NTFY Email Address                     : duplessis.jacques@gmail.com
[012] $SADM_NOTIFY_PWD             NTFY Password                       : 5ne46yJFqmQS24rU8e9
[013] $SADM_NOTIFY_TOKEN           NTFY Token                          : tk_2a511lu2o46k5hdg1t64h5u55wt0
[014] $SADM_NOTIFY_TOPIC           NTFY Topic                          : sadmdev
[015] $SADM_NOTIFY_URL             NTFY URL                          : https://ntfy.sh
[016] $SADM_NOTIFY_USER            NTFY User                          : duplessis.jacques@gmail.com
[017] $SADM_TEXTBELT_URL           TextBelt.com API URL                  : https://textbelt.com/text
[018] $SADM_CIE_NAME               Your Company Name                    : TheBatcave
[019] $SADM_DOMAIN                 Server Creation Default Domain       : maison.ca
=====
```

[020]	\$SADM_USER	SADMIN User Name	: sadmin
[021]	\$SADM_GROUP	SADMIN Group Name	: sadmin
[022]	\$SADM_PWD_RANDOM	Auto generation of 'sadmin' password:	Y
[023]	\$SADM_WWW_USER	User that Run Apache Web Server	: apache
[024]	\$SADM_WWW_GROUP	Group that Run Apache Web Server	: apache
[025]	\$SADM_DBNAME	SADMIN Database Name	: sadmin
[026]	\$SADM_DBHOST	SADMIN Database Host	: localhost
[027]	\$SADM_DBPORT	SADMIN Database Host TCP Port	: 3306
[028]	\$SADM_RW_DBUSER	SADMIN Database Read/Write User	: sadmin
[029]	\$SADM_RW_DBPWD	SADMIN Database Read/Write User Pwd	: *Hidden*
[030]	\$SADM_RO_DBUSER	SADMIN Database Read Only User	: squery
[031]	\$SADM_RO_DBPWD	SADMIN Database Read Only User Pwd	: *Hidden*
[032]	\$SADM_SMTP_SERVER	Your Internet SMTP Server Name	: smtp.gmail.com
[033]	\$SADM_SMTP_PORT	Your Internet SMTP Server Port	: 587
[034]	\$SADM_SMTP_SENDER	Your Internet Sender Email	: brucetalbot95@gmail.com
[035]	\$SADM_GMPW	Your Internet Sender Password	: wtuapkxdxtuaidon
[036]	\$SADM_SSH_PORT	SSH Port to communicate with client	: 32
[037]	\$SADM_MONITOR_UPDATE_INTERVAL	Monitor page update interval in sec.:	60
[038]	\$SADM_MONITOR_RECENT_COUNT	Monitor page nb. recent scripts	: 5
[039]	\$SADM_MONITOR_RECENT_EXCLUDE	Scripts excluded from SysMon Recent	: sadm_nmon_watcher,sysmon_script_test
[040]	\$SADM_NMON_KEEPPAYS	Nb. of days to keep nmon perf. file	: 10
[041]	\$SADM_RCH_KEEPPAYS	Nb. days to keep unmodified rch file:	35
[042]	\$SADM_LOG_KEEPPAYS	Nb. days to keep unmodified log file:	35
[043]	\$SADM_MAX_RCHLINE	Trim rch file to this max. of lines	:
[044]	\$SADM_MAX_LOGLINE	Trim log to this maximum of lines	: 500
[045]	\$SADM_PID_TIMEOUT	PID File Time To Live default in sec:	14400
[046]	\$SADM_LOCK_TIMEOUT	Maximum of sec. a system can be lock:	7200
[047]	\$SADM_NETWORK1	Network/Netmask 1 inv. IP/Name/Mac	: 192.168.1.0/24
[048]	\$SADM_NETWORK2	Network/Netmask 2 inv. IP/Name/Mac	:
[049]	\$SADM_NETWORK3	Network/Netmask 3 inv. IP/Name/Mac	:
[050]	\$SADM_NETWORK4	Network/Netmask 4 inv. IP/Name/Mac	:
[051]	\$SADM_NETWORK5	Network/Netmask 5 inv. IP/Name/Mac	:
[052]	\$SADM_REAR_NFS_SERVER	Rear NFS Server IP or Name	: lestrade.maison.ca
[053]	\$SADM_REAR_NFS_MOUNT_POINT	Rear NFS Mount Point	: /backup/backup_rear
[054]	\$SADM_REAR_BACKUP_TO_KEEP	Rear NFS Backup - Nb. to keep	: 2
[055]	\$SADM_REAR_BACKUP_DIF	Rear NFS Backup - Size Difference	: 25
[056]	\$SADM_REAR_BACKUP_INTERVAL	Rear alert if Backup older than	: 14 days
[057]	\$SADM_REAR_DEL_FAILED_BACKUP	Del backup that failed integrity check:	Y
[058]	\$SADM_REAR_BATCH_MODE	Run script in batch mode (Y/N)	: N
[059]	\$SADM_REAR_BATCH_START_TIME	Start time for launch batch backup	: 00:05
[060]	\$SADM_REAR_CONCURRENT	Concurrent backup processes	: 1
[061]	\$SADM_REAR_BATCH_DAY2RUN	0=Any Day,1=Su,2=Mo,3=Tu,4=We,5=Th,6=Fr,7=Sa:	2,7
[062]	\$SADM_REAR_BATCH_MTH2RUN	0=Any Month, [1,2,...12] Month to run:	0
[063]	\$SADM_REAR_BATCH_DATE2RUN	0=AnyDateDate to run [1,2...27,28]	: 0
[064]	\$SADM_BACKUP_NFS_SERVER	NFS Backup IP or Server Name	: batnas.maison.ca
[065]	\$SADM_BACKUP_NFS_MOUNT_POINT	NFS Backup Mount Point	: /volumel/backup/backup_sadmin
[066]	\$SADM_BACKUP_DIF	Alert if size differ more than	: 40%
[067]	\$SADM_BACKUP_INTERVAL	Alert if Backup older than X days	: 1 days

[068]	\$SADM_DAILY_BACKUP_TO_KEEP	Nb. of Daily Backup to keep	: 2
[069]	\$SADM_WEEKLY_BACKUP_TO_KEEP	Nb. of Weekly Backup to keep	: 1
[070]	\$SADM_MONTHLY_BACKUP_TO_KEEP	Nb. of Monthly Backup to keep	: 1
[071]	\$SADM_YEARLY_BACKUP_TO_KEEP	Nb. of Yearly Backup to keep	: 1
[072]	\$SADM_WEEKLY_BACKUP_DAY	Weekly Backup Day (1=Mon,...,7=Sun)	: 5
[073]	\$SADM_MONTHLY_BACKUP_DATE	Monthly Backup Date (1-28)	: 1
[074]	\$SADM_YEARLY_BACKUP_MONTH	Month to take Yearly Backup (1-12)	: 12
[075]	\$SADM_YEARLY_BACKUP_DATE	Date to do Yearly Backup(1-DayInMth)	: 31
[076]	\$SADM_BACKUP_DIF	Alert if size differ more than	: 40%
[077]	\$SADM_BACKUP_BATCH_MODE	Run backup script in batch mode (Y/N)	: N
[078]	\$SADM_BACKUP_BATCH_START_TIME	Start time for launch batch backup	: 00:05
[079]	\$SADM_BACKUP_CONCURRENT	Concurrent backup processes	: 1
[080]	\$SADM_BACKUP_BATCH_DAY2RUN	Days to run batch backup	: 2,7
[081]	\$SADM_BACKUP_BATCH_MTH2RUN	Month to run batch backup	: 0
[082]	\$SADM_BACKUP_BATCH_DATE2RUN	Date to run batch backup	: 0
[083]	\$SADM_VM_EXPORT_NFS_SERVER	NFS Export Server	: batnas.maison.ca
[084]	\$SADM_VM_EXPORT_MOUNT_POINT	NFS Export Mount Point	: /volumel/backup/backup_vm/virtualbox_exports
[085]	\$SADM_VM_EXPORT_TO_KEEP	Nb. of export to keep	: 2
[086]	\$SADM_VM_EXPORT_INTERVAL	Sec. between each export	: 21
[087]	\$SADM_VM_EXPORT_ALERT	Issue an alert if interval reached	: Y
[088]	\$SADM_VM_USER	User part of 'vboxusers' user group	: jacques
[089]	\$SADM_VM_STOP_TIMEOUT	Max. seconds given for acpi shutdown	: 60
[090]	\$SADM_VM_START_INTERVAL	Sec. to sleep between each VM start	: 30
[091]	\$SADM_VM_EXPORT_DIF	When Size 25% greater	: 25%
[092]	\$SADM_VM_EXPORT_SCRIPT	Default path to export script	: sadm_vm_export.sh
[093]	\$SADM_VM_EXPORT_BATCH_MODE	Run backup script in batch mode (Y/N)	: N
[094]	\$SADM_VM_EXPORT_BATCH_START_TIME	Start time for launch batch backup	: 00:05
[095]	\$SADM_VM_EXPORT_CONCURRENT	Concurrent backup processes	: 1
[096]	\$SADM_VM_EXPORT_BATCH_DAY2RUN	Days to run batch backup	: 2,7
[097]	\$SADM_VM_EXPORT_BATCH_MTH2RUN	Month to run batch backup	: 0
[098]	\$SADM_VM_EXPORT_BATCH_DATE2RUN	Date to run batch backup	: 0
[099]	\$SADM_OSUPDATE_INTERVAL	Threshold between o/s update in days	: 15
[100]	\$SADM_OSUPDATE_SCRIPT	Name of O/S update script	: sadm_osupdate.sh
[101]	\$SADM_OSUPDATE_AUTOREMOVE	Remove unused package after update	: N
[102]	\$SADM_OSUPDATE_FLATPAK	Also Update the Flatpak package,if any	: N
[103]	\$SADM_OSUPDATE_SNAP	Also Update the Snap package (if any)	: N
[104]	\$SADM_OSUPDATE_REBOOT_NEEDED	If reboot is needed after O/S update	: N
[105]	\$SADM_OSUPDATE_REBOOT_TIME	Seconds to wait for starting Apps.	: 240
[106]	\$SADM_OSUPDATE_LOCK	Lock system during O/S update Y/N	: Y
[107]	\$SADM_OSUPDATE_BATCH_MODE	Run script in batch mode (Y/N)	: N
[108]	\$SADM_OSUPDATE_BATCH_START_TIME	Start time for launch batch backup	: 00:05
[109]	\$SADM_OSUPDATE_CONCURRENT	Concurrent backup processes	: 1
[110]	\$SADM_OSUPDATE_BATCH_DAY2RUN	Days to run batch backup	: 2,7
[111]	\$SADM_OSUPDATE_BATCH_MTH2RUN	Month to run batch backup	: 0
[112]	\$SADM_OSUPDATE_BATCH_DATE2RUN	Date to run batch backup	: 0

=====

Mon 13 Jul 2026 05:50:04 AM EDT - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04

6) Print Directories Variables Available to Users

```
=====
[001] $SADM_BASE_DIR          SADMIN Root Directory          : /opt/sadmin
[002] $SADM_BIN_DIR           Programs Directory              : /opt/sadmin/bin
[003] $SADM_TMP_DIR           Temporary file(s) Directory       : /opt/sadmin/tmp
[004] $SADM_LIB_DIR           Libraries Directory                : /opt/sadmin/lib
[005] $SADM_LOG_DIR           SADMIN Script Log Directory        : /opt/sadmin/log
[006] $SADM_CFG_DIR           SADMIN Configuration Directory     : /opt/sadmin/cfg
[007] $SADM_SYS_DIR           Server Startup/Shutdown Script Dir. : /opt/sadmin/sys
[008] $SADM_DOC_DIR           Documentation Directory             : /opt/sadmin/doc
[009] $SADM_PKG_DIR           Packages Directory                 : /opt/sadmin/pkg
[010] $SADM_DAT_DIR           Data Directory                     : /opt/sadmin/dat
[011] $SADM_NMON_DIR          NMON Data Collected Directory.    : /opt/sadmin/dat/nmon
[012] $SADM_DR_DIR           Disaster Recovery Directory         : /opt/sadmin/dat/dr
[013] $SADM_RCH_DIR          Server Return Code History Dir.    : /opt/sadmin/dat/rch
[014] $SADM_NET_DIR          Server Network Info Dir.           : /opt/sadmin/dat/net
[015] $SADM_RPT_DIR          SYStem MONitor Report Directory     : /opt/sadmin/dat/rpt
[016] $SADM_DBB_DIR          Database Backup Directory           : /opt/sadmin/dat/dbb
[017] $SADM_SETUP_DIR        SADMIN Installation/Update Dir.    : /opt/sadmin/setup
[018] $SADM_USR_DIR          User/System specific directory      : /opt/sadmin/usr
[019] $SADM_UBIN_DIR         User/System specific bin/script Dir.: /opt/sadmin/usr/bin
[020] $SADM_ULIB_DIR         User/System specific library Dir.   : /opt/sadmin/usr/lib
[021] $SADM_UDOC_DIR         User/System specific documentation  : /opt/sadmin/usr/doc
[022] $SADM_UMON_DIR         User/System specific SysMon Scripts : /opt/sadmin/usr/mon
[023] $SADM_WWW_DIR          SADMIN Web Site Root Directory      : /opt/sadmin/www
[024] $SADM_WWW_DOC_DIR      SADMIN Web Documentation Dir.      : /opt/sadmin/www/doc
[025] $SADM_WWW_DAT_DIR      SADMIN Web Site Systems Data Dir.  : /opt/sadmin/www/dat
[026] $SADM_WWW_LIB_DIR      SADMIN Web Site PHP Library Dir.   : /opt/sadmin/www/lib
[027] $SADM_WWW_TMP_DIR      SADMIN Web Temp Working Directory   : /opt/sadmin/www/tmp
[028] $SADM_WWW_PERF_DIR     SADMIN Web Performance Graph Dir.   : /opt/sadmin/www/tmp/perf
=====
```

Mon 13 Jul 2026 05:50:04 AM EDT - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04

7) Print Files Variables Available to Users

```
=====
[001] $SADM_LOG_FILE         Program Log File                  :
[002] $SADM_ERR_FILE         Program Error Log file.           :
[003] $SADM_RCH_FILE         Pgm [R]eturn [C]ode [H]istory File : /opt/sadmin/dat/rch/bilbo_sadmlib_std_demo.rc
h
[004] $SADM_PID_FILE         Program PID Lock File              : /opt/sadmin/tmp/sadmlib_std_demo.1368885
[005] $SADM_TMP_FILE1        Temporary File 1 (avail. to you)   : /opt/sadmin/tmp/sadm_tmp1_p2g
[006] $SADM_TMP_FILE2        Temporary File 2 (avail. to you)   : /opt/sadmin/tmp/sadm_tmp2_vmy
[007] $SADM_TMP_FILE3        Temporary File 3 (avail. to you)   : /opt/sadmin/tmp/sadm_tmp3_tVH
[008] $SADM_CFG_FILE         Main Configuration File            : /opt/sadmin/cfg/sadmin.cfg
[009] $SADM_CFG_HIDDEN       Template of Main Configuration File : /opt/sadmin/cfg/.sadmin.cfg
[010] $SADM_ALERT_FILE       Alert Group File                   : /opt/sadmin/cfg/alert_group.cfg
=====
```

[011]	\$SADM_ALERT_INIT	Template of Alert Group File	: /opt/sadmin/cfg/.alert_group.cfg
[012]	\$SADM_ALERT_HIST	Alert History File	: /opt/sadmin/cfg/alert_history.txt
[013]	\$SADM_ALERT_HINI	Template of Alert History File	: /opt/sadmin/cfg/.alert_history.txt
[014]	\$SADM_ALERT_ARCH	SADMIN Alert Archive File	:
[015]	\$DBPASSFILE	SADMIN Database User Password File	: *Hidden*
[016]	\$SADM_RPT_FILE	System Monitor Report File	: /opt/sadmin/dat/rpt/bilbo_sadmlib_std_demo.rpt
[017]	\$SADM_BACKUP_LIST	Backup List File Name	: /opt/sadmin/cfg/backup_list.txt
[018]	\$SADM_BACKUP_LIST_INIT	Template of Backup List	: /opt/sadmin/cfg/.backup_list.txt
[019]	\$SADM_BACKUP_EXCLUDE	Backup Exclude List File Name	: /opt/sadmin/cfg/backup_exclude.txt
[020]	\$SADM_BACKUP_EXCLUDE_INIT	Template Backup Exclude	: /opt/sadmin/cfg/.backup_exclude.txt

=====

Mon 13 Jul 2026 05:50:04 AM EDT - sadmlib_std_demo.sh v03.31.01 - Library v04.92.04

8) Command Path Variable Available

[001]	\$SADM_LSB_RELEASE	'lsb_release' cmd (get dist. info)	: /bin/lsb_release
[002]	\$SADM_DMIDECODE	'dmidecode' use to get model & type	: /bin/dmidecode
[003]	\$SADM_BC	'bc' use to do some Math.	: /bin/bc
[004]	\$SADM_FDISK	'fdisk' use to get partition info	: /bin/fdisk
[005]	\$SADM_WHICH	'which' use to get command path	: /usr/bin/which
[006]	\$SADM_PERL	'perl' epoch time Math on AIX	: /bin/perl
[007]	\$SADM_MUTT	'mutt' use to send email	: /bin/mutt
[008]	\$SADM_CURL	'curl' Use to send alert to Slack	: /bin/curl
[009]	\$SADM_LSCPU	'lscpu' To get Socket/Thread info	: /bin/lscpu
[010]	\$SADM_NMON	'nmon' Collect Performance Stat.	: /bin/nmon
[011]	\$SADM_PARTED	'parted' use to get disk real size	: /bin/parted
[012]	\$SADM_ETHTOOL	'ethtool' use to get system IP	: /bin/ethtool
[013]	\$SADM_SSH	'ssh' use to SSH on SADMIN client	: /bin/ssh
[014]	\$SADM_RRDTOOL	'rrdtool' binary location	: /bin/rrdtool
[015]	\$SADM_INXI	'inxi' binary location	: /bin/inxi
[016]	\$SADM_MYSQL	'mysql' binary location	: /bin/mysql
[017]	\$SADM_SED	'sed' binary location	: /bin/sed

=====

Script exit code is 0 (Success) and execution time was 00:00:02.
Script is set to only send an alert when it terminate with error.
Script succeeded, no alert will be send (\$SADM_ALERT_TYPE=1).
New log created '\$SADMIN/log/bilbo_sadmlib_std_demo.log'.
End of sadmlib_std_demo.sh - Mon 13 Jul 2026 05:50:04 AM EDT

=====