

```
=====
Fri 10 Jul 2026 20:08:28 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03
Desc: Demonstrate functions & variables available to developers using SADMIN Tools
sherlock.maison.ca - User: root - Umask : 0002 - Arch: x86_64
Redhat Linux v9.8 - Kernel 5.14.0-687.20.1.el9_8.x86_64 - SADMIN(S): /opt/sadmin
=====
```

```
=====
Fri Jul 10 08:08:28 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03
01) Examples of functions availables to Developers
=====
```

```
[001] $(sadm_get_release)          SADMIN Release Number (XX.XX)      : 2.1.2
[002] $(sadm_get_ostype)           OS Type (Uppercase,LINUX,AIX,DARWIN): LINUX
[003] $(sadm_get_osversion)        Return O/S Version (Ex: 7.2, 6.5)    : 9.8
[004] $(sadm_get_osmajorversion)   Return O/S Major Version (Ex 7, 6)  : 9
[005] $(sadm_get_osminorversion)   Return O/S Minor Version (Ex 2, 3)  : 8
[006] $(sadm_get_osname)           O/S Name (REDHAT,CENTOS,UBUNTU,...) : REDHAT
[007] $(sadm_get_oscodename)       O/S Project Code Name             : n/a
[008] $(sadm_get_kernel_version)   O/S Running Kernel Version        : 5.14.0-687.20.1.el9_8.x86_64
[009] $(sadm_get_kernel_bitmode)   O/S Kernel Bit Mode (32 or 64)    : 64
[010] $(sadm_get_hostname)         Current Host Name                 : sherlock
[011] $(sadm_get_host_ip)          Current Host IP Address           : 192.168.1.48
[012] $(sadm_get_domainname)       Current Host Domain Name          : maison.ca
[013] $(sadm_get_fqdn)             Fully Qualified Domain Host Name   : sherlock.maison.ca
[014] $(sadm_server_serial)        Server serial number (Ex: 4S7GYF1)  :
[015] $(sadm_get_epoch_time)       Get Current Epoch Time            : 1783728508
[016] $(sadm_epoch_to_date 1783728508) Convert epoch time to date      : 2026.07.10 20:08:28
      WDATE='2026.07.10 20:08:28'
[017] $(sadm_date_to_epoch "$WDAT") Convert Date to epoch time          : 1783728508
      DATE1='2016.01.30 10:00:44'
      DATE2='2016.01.30 10:00:03'
[018] $(sadm_elapse "$DATE1" "$DATE2") Elapse Time between two timestamps : 00:00:41
[019] $(sadm_get_packagetype)      Get package type (rpm,deb,aix,dmg)  : rpm
[020] $(sadm_server_arch)          System Architecture                 : x86_64
[021] sadm_lock_system "hostname"  Lock the specified hostname         : 0=Lock 1=Error not lock
[022] sadm_lock_status "hostname"  Check if specified hostname is lock : 0=Not Lock - 1=System Locked
[023] sadm_unlock_system "hostname" Unlock the specified hostname       : 0=Unlocked 1=Error could not unlock
[024] sadm_writelog "message"      Depreciated use 'sadm_write_log'    : message
[025] sadm_write_log "message"     Write message to Screen, Log or Both: message
[026] sadm_write_err "message"     Write message to error log + std log: message
[027] sadm_sendmail(mail,sub,body,att) Send email with attachment        : 0=Success 1=Error
[028] sadm_show_version            Cmdline -v option show script info. :
[029] sadm_sleep "60" "15"        Sleep 60sec. at interval of 15sec.  : 60...45...30...15...0
[030] sadm_trimfile "filename" 35  Keep the last 35 lines of filename. : 0=Success 1=Error
```

=====

Fri Jul 10 08:08:28 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03

02) User Variables that affect SADMIN Library behavior, set them prior to calling start() function

=====

[001]	\$SADM_VER	Script Version Number	: 03.31.01
[002]	\$SADM_PN	Script Name	: sadmlib_std_demo.sh
[003]	\$SADM_PDESC	Script Description	:
[004]	\$SADM_INST	Script Name Without Extension	: sadmlib_std_demo
[005]	\$SADM_USERNAME	Current User Name	: root
[006]	\$SADM_TPID	Current Process ID	: 2730294
[007]	\$SADM_MULTIPLE_EXEC	Allow running multiple copy [Y/N]	: Y
[008]	\$SADM_USE_RCH	Generate entry in '*.rch' file	: N
[009]	\$SADM_LOG_TYPE	Set Output to [S]creen [L]og [B]oth	: B
[010]	\$SADM_LOG_APPEND	Y=Append to Log, N=Create new log	: N
[011]	\$SADM_LOG_HEADER	Generate Header in log [Y,N]	: Y
[012]	\$SADM_LOG_FOOTER	Generate Footer in log [Y/N]	: Y
[013]	\$SADM_EXIT_CODE	Current value of script exit code	: 0
[014]	\$SADM_ROOT_ONLY	Only run by 'root' user [Y/N]	: N
[015]	\$SADM_SERVER_ONLY	Only run on SADMIN server [Y/N]	: N

=====

Fri Jul 10 08:08:28 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03

3) Overview of the 'sa.start' and 'sa.stop' functions in Bash Library

=====

=====Bash Library Function

'start()' Bash Library Function

The 'start()' function basically initialize the SADMIN environment.\n

When you call 'sadm_start()', it will only come back to caller if everything went OK.

Otherwise it will advise the user of the error and exit(1).

Here is a summary of the different things it does :

- 1) Make sure all \$SADMIN directories & sub-dir. exist and have proper permissions.
- 2) If \$SADM_LOG_APPEND='N', create new log & error log, else append to actual log.
- 3) If \$SADM_LOG_HEADER='Y', write the log header.
- 4) If \$SADM_ROOT_ONLY='Y', and current user is not root, show error message and exit(1).
- 5) If \$SADM_SERVER_ONLY='Y', and not on the SADMIN server, show error message and exit(1).
- 6) If \$SADM_SADMGRP_ONLY='Y', and the user is not part of the SADM_GROUP (unless 'root'), show error message and exit(1).
- 7) If \$SADM_USE_DB='Y' but not on SADMIN Server, show error message and exit(1).
- 8) If \$SADM_USE_RCH='Y', write starting time to the RCH file (With a code 2=Running).
- 9) If system is lock (and running on the SADMIN), issue message and exit(1)
- 10) If PID file '\$SADM_PID_FILE' exist and '\$SADM_MULTIPLE_EXEC='Y'', continue normal execution
If PID file exist and execution time (sec) is less than the '\$SADM_PID_TIMEOUT', show error message and exit(1).
If PID file exist and execution time (sec) exceed the '\$SADM_PID_TIMEOUT' a new '\$SADM_PID_FILE' is created and execution is resume.

*** If any unrecoverable error occurs while executing this function the program is aborted exit(1). ***

```
'stop(exit_code)' Bash Library Function
- exit_code (0=Success, 1=Error): Variable defined in SADMIN section.
```

This should be the one of the last function called at the end of your program.

What this function does:

- 1) Calculate execution Time.
- 2) If N='Y', update the rch file (End Time & Elapse Time ...).
- 3) Validate the alert group,
- 4) If Y='Y', write the log footer.
- 5) If the error log file is empty, then delete it.
- 6) Delete the PID file (/opt/sadmin/tmp/sadmlib_std_demo.2730294) of the program.
- 7) Close log and error log files.
- 8) If 500 is not zero, trim the log according to user choice in '500'.
- 9) If is not zero, trim the 'rch' according to user choice in 'SADM_MAX_RCLINE'.
- 10) Set permission and owner/group to log and rch files.
- 11) If on the SADMIN server, then rch and log are immediatly web central directory.

=====

Fri Jul 10 08:08:28 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03

4) Function Available from the SADMIN Bash Library.

=====

[001] \$(sadm_server_type)	Host is Physical or Virtual (P/V)	: V
[002] \$(sadm_server_model)	Server model (Ex: HP ProLiant DL580)	: VIRTUALBOX
[003] \$(sadm_server_memory)	Server total memory in MB (Ex: 3790)	: 7681
[004] \$(sadm_server_hardware_bitmode)	CPU Hardware capable of 32/64 bits	: 64
[005] \$(sadm_server_nb_logical_cpu)	Number of Logical CPU on system	: 2
[006] \$(sadm_server_nb_cpu)	Number of Physical CPU on system	: 1
[007] \$(sadm_server_nb_socket)	Number of socket on system	: 1
[008] \$(sadm_server_core_per_socket)	Number of Core per Socket	: 2
[009] \$(sadm_server_thread_per_core)	Number of Thread per Core	: 1
[010] \$(sadm_server_cpu_speed)	Server CPU Speed in MHz	: 3292
[011] \$(sadm_server_disks)	Disks list (MB) (DISKNAME SIZE,...)	: sda 549888
[012] \$(sadm_server_vg)	VG list (MB) (VGNAME SIZE USED FREE)	:
[013] \$(sadm_server_ips)	Network IP (Name IP Netmask MAC)	: enp0s3 192.168.1.48 255.255.255.0 08:00:27:44:cf:8f,enp0s3 192.168.1.3 255.255.255.0 08:00:27:44:cf:8f
[014] sadm_toupper string	Return string uppercase	: STRING
[015] sadm_tolower STRING	Return string lowercase	: string
[016] sadm_capitalize STRING	Return string capitalize	: String
[017] sadm_ask "Question"	Show message & wait for [Y/y/N/n]	: sadm_ask "Question"

=====

Fri Jul 10 08:08:29 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03

5) Variables Available reflecting values from SADMIN configuration file.

=====

[001]	\$SADM_SERVER	SADMIN SERVER NAME (FQDN)	: sherlock.maison.ca
[002]	\$SADM_HOST_TYPE	SADMIN HOST TYPE	: S
[003]	\$SADM_MAIL_ADDR	SADMIN Administrator Default Email	: brucetalbot95@gmail.com
[004]	\$SADM_ALERT_TYPE	0=NoMail 1=OnError 2=OnSuccess 3=All	: 1
[005]	\$SADM_ALERT_GROUP	Default Alert Group	: default
[006]	\$SADM_ALERT_REPEAT	Seconds to wait before repeat alert	: 0
[007]	\$SADM_DAYS_HISTORY	Days to keep alert in History file	: 100
[008]	\$SADM_DAYS_ARCHIVE	Days to keep alert in Archive file	:
[009]	\$SADM_MAX_ARC_LINE	Max lines to keep in alert Archive	: 1000
[010]	\$SADM_TEXTBELT_KEY	TextBelt.com API Key	: 967e5a9315cd22dddd8ffakeb645ab0a855900f042NFZ
PGjack1JnCr35UWzO8tIB			
[011]	\$SADM_NTFY_EMAIL	NTFY Email Address	: duplessis.jacques@gmail.com
[012]	\$SADM_NTFY_PWD	NTFY Password	: 5ne46yJFqmQS24rU8e9
[013]	\$SADM_NTFY_TOKEN	NTFY Token	: tk_2a511lu2o46k5hdglt64h5u55wt0
[014]	\$SADM_NTFY_TOPIC	NTFY Topic	: sadmdev
[015]	\$SADM_NTFY_URL	NTFY URL	: https://ntfy.sh
[016]	\$SADM_NTFY_USER	NTFY User	: duplessis.jacques@gmail.com
[017]	\$SADM_TEXTBELT_URL	TextBelt.com API URL	: https://textbelt.com/text
[018]	\$SADM_CIE_NAME	Your Company Name	: TheBatcave
[019]	\$SADM_DOMAIN	Server Creation Default Domain	: maison.ca
[020]	\$SADM_USER	SADMIN User Name	: sadmin
[021]	\$SADM_GROUP	SADMIN Group Name	: sadmin
[022]	\$SADM_PWD_RANDOM	Auto generation of 'sadmin' password	: Y
[023]	\$SADM_WWW_USER	User that Run Apache Web Server	: apache
[024]	\$SADM_WWW_GROUP	Group that Run Apache Web Server	: apache
[025]	\$SADM_DBNAME	SADMIN Database Name	: sadmin
[026]	\$SADM_DBHOST	SADMIN Database Host	: localhost
[027]	\$SADM_DBPORT	SADMIN Database Host TCP Port	: 3306
[028]	\$SADM_RW_DBUSER	SADMIN Database Read/Write User	: sadmin
[029]	\$SADM_RW_DBPWD	SADMIN Database Read/Write User Pwd	: *Hidden*
[030]	\$SADM_RO_DBUSER	SADMIN Database Read Only User	: squery
[031]	\$SADM_RO_DBPWD	SADMIN Database Read Only User Pwd	: *Hidden*
[032]	\$SADM_SMTP_SERVER	Your Internet SMTP Server Name	: smtp.gmail.com
[033]	\$SADM_SMTP_PORT	Your Internet SMTP Server Port	: 587
[034]	\$SADM_SMTP_SENDER	Your Internet Sender Email	: brucetalbot95@gmail.com
[035]	\$SADM_GMPW	Your Internet Sender Password	: wtuapkxdxtuaidon
[036]	\$SADM_SSH_PORT	SSH Port to communicate with client	: 32
[037]	\$SADM_MONITOR_UPDATE_INTERVAL	Monitor page update interval in sec.	: 60
[038]	\$SADM_MONITOR_RECENT_COUNT	Monitor page nb. recent scripts	: 5
[039]	\$SADM_MONITOR_RECENT_EXCLUDE	Scripts excluded from SysMon Recent	: sadm_nmon_watcher,sysmon_script_test
[040]	\$SADM_NMON_KEEPPAYS	Nb. of days to keep nmon perf. file	: 10
[041]	\$SADM_RCH_KEEPPAYS	Nb. days to keep unmodified rch file	: 35

[042]	\$SADM_LOG_KEEPPDAYS	Nb. days to keep unmodified log file:	35
[043]	\$SADM_MAX_RCHLINE	Trim rch file to this max. of lines :	
[044]	\$SADM_MAX_LOGLINE	Trim log to this maximum of lines :	500
[045]	\$SADM_PID_TIMEOUT	PID File Time To Live default in sec:	14400
[046]	\$SADM_LOCK_TIMEOUT	Maximum of sec. a system can be lock:	7200
[047]	\$SADM_NETWORK1	Network/Netmask 1 inv. IP/Name/Mac :	192.168.1.0/24
[048]	\$SADM_NETWORK2	Network/Netmask 2 inv. IP/Name/Mac :	
[049]	\$SADM_NETWORK3	Network/Netmask 3 inv. IP/Name/Mac :	
[050]	\$SADM_NETWORK4	Network/Netmask 4 inv. IP/Name/Mac :	
[051]	\$SADM_NETWORK5	Network/Netmask 5 inv. IP/Name/Mac :	
[052]	\$SADM_REAR_NFS_SERVER	Rear NFS Server IP or Name :	lestrade.maison.ca
[053]	\$SADM_REAR_NFS_MOUNT_POINT	Rear NFS Mount Point :	/backup/backup_rear
[054]	\$SADM_REAR_BACKUP_TO_KEEP	Rear NFS Backup - Nb. to keep :	2
[055]	\$SADM_REAR_BACKUP_DIF	Rear NFS Backup - Size Difference :	25
[056]	\$SADM_REAR_BACKUP_INTERVAL	Rear alert if Backup older than :	14 days
[057]	\$SADM_REAR_DEL_FAILED_BACKUP	Del backup that failed integrity check:	Y
[058]	\$SADM_REAR_BATCH_MODE	Run script in batch mode (Y/N) :	N
[059]	\$SADM_REAR_BATCH_START_TIME	Start time for launch batch backup :	00:05
[060]	\$SADM_REAR_CONCURRENT	Concurrent backup processes :	1
[061]	\$SADM_REAR_BATCH_DAY2RUN	0=Any Day, 1=Su, 2=Mo, 3=Tu, 4=We, 5=Th, 6=Fr, 7=Sa:	2, 7
[062]	\$SADM_REAR_BATCH_MTH2RUN	0=Any Month, [1,2,...12] Month to run:	0
[063]	\$SADM_REAR_BATCH_DATE2RUN	0=AnyDateDate to run [1,2...27,28] :	0
[064]	\$SADM_BACKUP_NFS_SERVER	NFS Backup IP or Server Name :	batnas.maison.ca
[065]	\$SADM_BACKUP_NFS_MOUNT_POINT	NFS Backup Mount Point :	/volume1/backup/backup_sadmin
[066]	\$SADM_BACKUP_DIF	Alert if size differ more than :	40%
[067]	\$SADM_BACKUP_INTERVAL	Alert if Backup older than X days :	1 days
[068]	\$SADM_DAILY_BACKUP_TO_KEEP	Nb. of Daily Backup to keep :	2
[069]	\$SADM_WEEKLY_BACKUP_TO_KEEP	Nb. of Weekly Backup to keep :	1
[070]	\$SADM_MONTHLY_BACKUP_TO_KEEP	Nb. of Monthly Backup to keep :	1
[071]	\$SADM_YEARLY_BACKUP_TO_KEEP	Nb. of Yearly Backup to keep :	1
[072]	\$SADM_WEEKLY_BACKUP_DAY	Weekly Backup Day (1=Mon,..., 7=Sun) :	5
[073]	\$SADM_MONTHLY_BACKUP_DATE	Monthly Backup Date (1-28) :	1
[074]	\$SADM_YEARLY_BACKUP_MONTH	Month to take Yearly Backup (1-12) :	12
[075]	\$SADM_YEARLY_BACKUP_DATE	Date to do Yearly Backup(1-DayInMth):	31
[076]	\$SADM_BACKUP_DIF	Alert if size differ more than :	40%
[077]	\$SADM_BACKUP_BATCH_MODE	Run backup script in batch mode (Y/N):	N
[078]	\$SADM_BACKUP_BATCH_START_TIME	Start time for launch batch backup :	00:05
[079]	\$SADM_BACKUP_CONCURRENT	Concurrent backup processes :	1
[080]	\$SADM_BACKUP_BATCH_DAY2RUN	Days to run batch backup :	2, 7
[081]	\$SADM_BACKUP_BATCH_MTH2RUN	Month to run batch backup :	0
[082]	\$SADM_BACKUP_BATCH_DATE2RUN	Date to run batch backup :	0
[083]	\$SADM_VM_EXPORT_NFS_SERVER	NFS Export Server :	batnas.maison.ca
[084]	\$SADM_VM_EXPORT_MOUNT_POINT	NFS Export Mount Point :	/volume1/backup/backup_vm/virtualbox_exports
[085]	\$SADM_VM_EXPORT_TO_KEEP	Nb. of export to keep :	2
[086]	\$SADM_VM_EXPORT_INTERVAL	Sec. between each export :	21
[087]	\$SADM_VM_EXPORT_ALERT	Issue an alert if interval reached :	Y
[088]	\$SADM_VM_USER	User part of 'vboxusers' user group :	jacques
[089]	\$SADM_VM_STOP_TIMEOUT	Max. seconds given for acpi shutdown:	60

[090]	\$SADM_VM_START_INTERVAL	Sec. to sleep between each VM start	: 30
[091]	\$SADM_VM_EXPORT_DIF	When Size 25% greater	: 25%
[092]	\$SADM_VM_EXPORT_SCRIPT	Default path to export script	: sadm_vm_export.sh
[093]	\$SADM_VM_EXPORT_BATCH_MODE	Run backup script in batch mode (Y/N)	: N
[094]	\$SADM_VM_EXPORT_BATCH_START_TIME	Start time for launch batch backup	: 00:05
[095]	\$SADM_VM_EXPORT_CONCURRENT	Concurrent backup processes	: 1
[096]	\$SADM_VM_EXPORT_BATCH_DAY2RUN	Days to run batch backup	: 2,7
[097]	\$SADM_VM_EXPORT_BATCH_MTH2RUN	Month to run batch backup	: 0
[098]	\$SADM_VM_EXPORT_BATCH_DATE2RUN	Date to run batch backup	: 0
[099]	\$SADM_OSUPDATE_INTERVAL	Threshold between o/s update in days	: 15
[100]	\$SADM_OSUPDATE_SCRIPT	Name of O/S update script	: sadm_osupdate.sh
[101]	\$SADM_OSUPDATE_AUTOREMOVE	Remove unused package after update	: N
[102]	\$SADM_OSUPDATE_FLATPAK	Also Update the Flatpak package, if any	: N
[103]	\$SADM_OSUPDATE_SNAP	Also Update the Snap package (if any)	: N
[104]	\$SADM_OSUPDATE_REBOOT_NEEDED	If reboot is needed after O/S update	: N
[105]	\$SADM_OSUPDATE_REBOOT_TIME	Seconds to wait for starting Apps.	: 240
[106]	\$SADM_OSUPDATE_LOCK	Lock system during O/S update Y/N	: Y
[107]	\$SADM_OSUPDATE_BATCH_MODE	Run script in batch mode (Y/N)	: N
[108]	\$SADM_OSUPDATE_BATCH_START_TIME	Start time for launch batch backup	: 00:05
[109]	\$SADM_OSUPDATE_CONCURRENT	Concurrent backup processes	: 1
[110]	\$SADM_OSUPDATE_BATCH_DAY2RUN	Days to run batch backup	: 2,7
[111]	\$SADM_OSUPDATE_BATCH_MTH2RUN	Month to run batch backup	: 0
[112]	\$SADM_OSUPDATE_BATCH_DATE2RUN	Date to run batch backup	: 0

=====

Fri Jul 10 08:08:29 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03

6) Print Directories Variables Available to Users

[001]	\$SADM_BASE_DIR	SADMIN Root Directory	: /opt/sadmin
[002]	\$SADM_BIN_DIR	SADMIN Scripts Directory	: /opt/sadmin/bin
[003]	\$SADM_TMP_DIR	SADMIN Temporary file(s) Directory	: /opt/sadmin/tmp
[004]	\$SADM_LIB_DIR	SADMIN Shell & Python Library Dir.	: /opt/sadmin/lib
[005]	\$SADM_LOG_DIR	SADMIN Script Log Directory	: /opt/sadmin/log
[006]	\$SADM_CFG_DIR	SADMIN Configuration Directory	: /opt/sadmin/cfg
[007]	\$SADM_SYS_DIR	Server Startup/Shutdown Script Dir.	: /opt/sadmin/sys
[008]	\$SADM_DOC_DIR	SADMIN Documentation Directory	: /opt/sadmin/doc
[009]	\$SADM_PKG_DIR	SADMIN Packages Directory	: /opt/sadmin/pkg
[010]	\$SADM_DAT_DIR	Server Data Directory	: /opt/sadmin/dat
[011]	\$SADM_NMON_DIR	Server NMON - Data Collected Dir.	: /opt/sadmin/dat/nmon
[012]	\$SADM_DR_DIR	Server Disaster Recovery Info Dir.	: /opt/sadmin/dat/dr
[013]	\$SADM_RCH_DIR	Server Return Code History Dir.	: /opt/sadmin/dat/rch
[014]	\$SADM_NET_DIR	Server Network Info Dir.	: /opt/sadmin/dat/net
[015]	\$SADM_RPT_DIR	SYStem MONitor Report Directory	: /opt/sadmin/dat/rpt
[016]	\$SADM_DBB_DIR	Database Backup Directory	: /opt/sadmin/dat/dbb
[017]	\$SADM_SETUP_DIR	SADMIN Installation/Update Dir.	: /opt/sadmin/setup
[018]	\$SADM_USR_DIR	User/System specific directory	: /opt/sadmin/usr
[019]	\$SADM_UBIN_DIR	User/System specific bin/script Dir.	: /opt/sadmin/usr/bin

```

[020] $SADM_ULIB_DIR      User/System specific library Dir.      : /opt/sadmin/usr/lib
[021] $SADM_UDOC_DIR      User/System specific documentation : /opt/sadmin/usr/doc
[022] $SADM_UMON_DIR      User/System specific SysMon Scripts : /opt/sadmin/usr/mon
[023] $SADM_WWW_DIR       SADMIN Web Site Root Directory    : /opt/sadmin/www
[024] $SADM_WWW_DOC_DIR   SADMIN Web Documentation Dir.     : /opt/sadmin/www/doc
[025] $SADM_WWW_DAT_DIR   SADMIN Web Site Systems Data Dir. : /opt/sadmin/www/dat
[026] $SADM_WWW_LIB_DIR   SADMIN Web Site PHP Library Dir.  : /opt/sadmin/www/lib
[027] $SADM_WWW_TMP_DIR   SADMIN Web Temp Working Directory  : /opt/sadmin/www/tmp
[028] $SADM_WWW_PERF_DIR  SADMIN Web Performance Graph Dir. : /opt/sadmin/www/tmp/perf

```

```

=====
Fri Jul 10 08:08:29 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03

```

7) Print Files Variables Available to Users

```

=====
[001] $SADM_LOG_FILE      SADMIN Script Log File           :
[002] $SADM_ERR_FILE      SADMIN Script Error Log File      :
[003] $SADM_RCH_FILE      SADMIN Script Return Code History File: /opt/sadmin/dat/rch/sherlock_sadmlib_std_de
mo.rch
[004] $SADM_PID_FILE      SADMIN Script PID Lock File        : /opt/sadmin/tmp/sadmlib_std_demo.2730294
[005] $SADM_TMP_FILE1     Temporary File 1 (used by script) : /opt/sadmin/tmp/sadmlib_std_demo1_bqR
[006] $SADM_TMP_FILE2     Temporary File 2 (used by script) : /opt/sadmin/tmp/sadmlib_std_demo2_W0K
[007] $SADM_TMP_FILE3     Temporary File 3 (used by script) : /opt/sadmin/tmp/sadmlib_std_demo3_rsK
[008] $SADM_CFG_FILE      SADMIN Configuration File          : /opt/sadmin/cfg/sadmin.cfg
[009] $SADM_CFG_HIDDEN    SADMIN Initial Configuration File  : /opt/sadmin/cfg/.sadmin.cfg
[010] $SADM_ALERT_FILE    SADMIN Alert Group File            : /opt/sadmin/cfg/alert_group.cfg
[011] $SADM_ALERT_INIT    SADMIN Initial Alert Group File    : /opt/sadmin/cfg/.alert_group.cfg
[012] $SADM_ALERT_HIST    SADMIN Alert History File           : /opt/sadmin/cfg/alert_history.txt
[013] $SADM_ALERT_HINI    SADMIN Initial Alert History File   : /opt/sadmin/cfg/.alert_history.txt
[014] $SADM_ALERT_ARCH    SADMIN Alert Archive File           :
[015] $DBPASSFILE         SADMIN Database User Password File : *Hidden*
[016] $SADM_RPT_FILE      System Monitor Report File         : /opt/sadmin/dat/rpt/sherlock_sadmlib_std_demo
.rpt
[017] $SADM_BACKUP_LIST    Backup List File Name             : /opt/sadmin/cfg/backup_list.txt
[018] $SADM_BACKUP_LIST_INIT Initial Backup List (Template) : /opt/sadmin/cfg/.backup_list.txt
[019] $SADM_BACKUP_EXCLUDE Backup Exclude List File Name     : /opt/sadmin/cfg/backup_exclude.txt
[020] $SADM_BACKUP_EXCLUDE_INIT Initial Backup Exclude (Template) : /opt/sadmin/cfg/.backup_exclude.txt

```

```

=====
Fri Jul 10 08:08:29 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03

```

8) Print Command Path Variables available to users

```

=====
[001] $SADM_LSB_RELEASE    'lsb_release' cmd (get dist. info) : /usr/bin/lsb_release
[002] $SADM_DMIDECODE      'dmidecode' use to get model & type : /usr/sbin/dmidecode
[003] $SADM_BC             'bc' use to do some Math.           : /usr/bin/bc
[004] $SADM_FDISK          'fdisk' use to get partition info   : /usr/sbin/fdisk
[005] $SADM_WHICH           'which' use to get command path      : /usr/bin/which

```

```

[006] $$ADM_PERL          'perl' epoch time Math on AIX      : /usr/bin/perl
[007] $$ADM_MUTT           'mutt' use to send email           : /usr/bin/mutt
[008] $$ADM_CURL            'curl' Use to send alert to Slack  : /usr/bin/curl
[009] $$ADM_LSCPU           'lscpu' To get Socket/Thread info : /usr/bin/lscpu
[010] $$ADM_NMON             'nmon' Collect Performance Stat.  : /usr/bin/nmon
[011] $$ADM_PARTED          'parted' use to get disk real size : /usr/sbin/parted
[012] $$ADM_ETHTOOL        'ethtool' use to get system IP     : /usr/sbin/ethtool
[013] $$ADM_SSH             'ssh' use to SSH on SADMIN client  : /usr/bin/ssh
[014] $$ADM_SSH_CMD        'ssh' SSH cmd to Connect to client : /usr/bin/ssh -qnp 32
[015] $$ADM_RRDTOOL        'rrdtool' binary location          : /usr/bin/rrdtool
[016] $$ADM_INXI            'inxi' binary location             : /usr/bin/inxi
[017] $$ADM_MYSQL           'mysql' binary location            : /usr/bin/mysql
[018] $$ADM_SED              'sed' binary location              : /usr/bin/sed

```

```

=====
Fri Jul 10 08:08:29 PM EDT 2026 - sadmlib_std_demo.sh v03.31.01 - Library v04.92.03
Database Information
=====

```

Show SADMIN Tables:

```

+-----+
| pma__bookmark |
| pma__central_columns |
| pma__column_info |
| pma__designer_settings |
| pma__export_templates |
| pma__favorite |
| pma__history |
| pma__navigationhiding |
| pma__pdf_pages |
| pma__recent |
| pma__relation |
| pma__savedsearches |
| pma__table_coords |
| pma__table_info |
| pma__table_uiprefs |
| pma__tracking |
| pma__userconfig |
| pma__usergroups |
| pma__users |
| script |
| script_rch |
| server |
| server_category |
| server_group |
| server_network |
+-----+

```


Category Table:

cat_id	int(11)	NO	PRI	NULL	auto_increment
cat_code	varchar(10)	NO	UNI	NULL	
cat_desc	varchar(25)	NO		NULL	
cat_active	tinyint(1)	NO		1	
cat_date	timestamp	NO		0000-00-00 00:00:00	on update current_timestamp()
cat_default	tinyint(1)	NO		0	

13	Laptop	Laptop Workstation	1	2023-10-26 12:58:43	0
15	SBC	Raspberry Pi SBC	1	2023-10-21 11:25:49	0
17	Desktop	Workstation	1	2023-10-21 11:23:25	0
25	VM	Virtualize Systems	1	2023-12-31 11:21:58	0
28	Dell	Dell Systems	1	2023-10-26 12:59:19	0
29	HP	HP Systems	1	2023-10-26 12:59:38	0
30	IBM	IBM Systems	1	2023-10-26 12:59:05	0
31	Lenovo	Lenovo Systems	1	2023-10-26 12:59:54	0
32	Server	Home Server	1	2023-12-31 11:21:35	1

server_category	0	PRIMARY	1	cat_id	A	8	NULL	NULL	BTREE		
server_category	0	key_cat_code	1	cat_code	A	8	NULL	NULL	BTREE		

Group Table:

grp_id	int(11)	NO	PRI	NULL	auto_increment
grp_code	varchar(10)	NO	UNI	NULL	
grp_desc	varchar(25)	NO		NULL	
grp_active	tinyint(1)	NO		1	
grp_date	timestamp	NO		current_timestamp()	on update current_timestamp()
grp_default	tinyint(1)	NO		0	

4	Retired	System not in use	1	2023-04-05 11:26:50	0
6	Regular	Application system	1	2023-10-21 11:15:00	0
9	Dev	Development Systems Group	1	2023-10-21 11:16:20	0
10	Prod	Production Systems Group	1	2023-10-21 11:16:34	1
13	Int	Integration Systems Group	1	2023-10-21 11:20:19	0
16	Acc	Acceptance Systems Group	1	2023-10-22 16:38:23	0
17	Poc	Proof of concept Systems	1	2023-10-21 15:06:48	0
19	PreProd	Pre-Production Group	1	2023-10-22 16:39:19	0
20	Temp	Temporary Systems Group	1	2023-10-26 11:44:28	0

server_group	0	PRIMARY	1	grp_id	A	9	NULL	NULL	BTREE		
server_group	0	idx_grp_code	1	grp_code	A	9	NULL	NULL	BTREE		

Server Table:

srv_id	int(11)	NO	PRI	NULL	auto_increment
srv_name	varchar(15)	NO	UNI	NULL	
srv_domain	varchar(30)	NO		NULL	
srv_desc	varchar(30)	NO		NULL	
srv_tag	varchar(15)	YES		NULL	
srv_note	varchar(30)	YES		NULL	
srv_active	tinyint(1)	NO		1	
srv_sporadic	tinyint(1)	NO		0	
srv_monitor	tinyint(1)	NO		1	
srv_alert_group	varchar(15)	NO		default	
srv_graph	tinyint(1)	NO		1	
srv_cat	varchar(10)	NO		NULL	
srv_group	varchar(10)	NO		NULL	
srv_vm	tinyint(1)	NO		0	
srv_osname	varchar(15)	YES		NULL	
srv_ostype	varchar(10)	NO		linux	
srv_oscodename	varchar(15)	YES		NULL	
srv_osversion	varchar(12)	YES		NULL	
srv_osver_major	varchar(10)	YES		NULL	
srv_date_creation	datetime	YES		0000-00-00 00:00:00	
srv_date_edit	datetime	YES		0000-00-00 00:00:00	
srv_date_update	datetime	YES		0000-00-00 00:00:00	
srv_date_osupdate	datetime	YES		0000-00-00 00:00:00	
srv_kernel_version	varchar(40)	YES		NULL	
srv_kernel_bitmode	smallint(11)	NO		64	
srv_hwd_bitmode	smallint(11)	NO		64	
srv_model	varchar(40)	YES		NULL	
srv_serial	varchar(25)	YES		NULL	
srv_memory	int(11)	YES		NULL	
srv_nb_cpu	smallint(6)	NO		1	
srv_cpu_speed	int(11)	YES		NULL	
srv_nb_socket	smallint(6)	NO		1	
srv_core_per_socket	smallint(6)	NO		1	
srv_thread_per_core	smallint(6)	NO		0	
srv_ip	varchar(15)	YES		NULL	
srv_ips_info	varchar(1024)	YES		NULL	
srv_disks_info	varchar(1024)	YES		NULL	
srv_vgs_info	varchar(1024)	YES		NULL	
srv_backup	tinyint(1)	NO		0	
srv_backup_compress	tinyint(1)	NO		1	

[illegible]

srv_update_date	date	NO	current_timestamp()
srv_update_autorm	tinyint(1)	NO	0
srv_update_flatpak	tinyint(1)	NO	0
srv_update_snap	tinyint(1)	NO	0
srv_update_seq	mediumint(9)	NO	0
srv_update_maxdays	smallint(6)	YES	0
srv_update_block	varchar(1)	NO	N
srv_backup_date	date	YES	NULL
srv_backup_nostat	tinyint(1)	NO	0
srv_backup_seq	int(9)	NO	0
srv_backup_block	varchar(1)	NO	N
srv_export_seq	mediumint(9)	NO	0
srv_export_block	varchar(1)	NO	N
srv_export_compaq	tinyint(1)	NO	0
srv_img_seq	mediumint(9)	NO	0
srv_img_rmfail	tinyint(1)	NO	0
srv_img_block	varchar(1)	NO	N
srv_system_lock	tinyint(4)	NO	0
srv_warning_group	varchar(15)	NO	default
srv_info_group	varchar(15)	NO	default

server	0	PRIMARY	1	srv_id	A	28	NULL	NULL	BTREE
server	0	idx_srv_name	1	srv_name	A	28	NULL	NULL	BTREE

Script Table:

scr_id	mediumint(8) unsigned	NO	PRI	NULL	auto_increment
scr_name	varchar(40)	YES	UNI	NULL	
scr_desc	varchar(80)	YES		NULL	
scr_version	varchar(10)	NO		NULL	
scr_alert_grp	varchar(15)	YES		NULL	
scr_alert_type	smallint(6)	NO		1	
scr_sysadm_email	varchar(50)	NO		NULL	
scr_multiple_exec	tinyint(1)	NO		0	
scr_use_rch	tinyint(1)	NO		1	
scr_log_type	varchar(1)	NO		B	
scr_log_append	tinyint(1)	NO		0	
scr_log_header	tinyint(1)	NO		1	
scr_log_footer	tinyint(1)	NO		1	
scr_active	tinyint(1)	NO		1	
scr_max_logline	int(11)	NO		500	
scr_max_rchline	int(11)	NO		35	
scr_pid_timeout	int(11)	NO		7200	
scr_max_inactive_days	int(3)	NO		31	
scr_root_exec	tinyint(4)	NO		0	

scr_run_sadmin	tinyint(4)	NO		0									
scr_os	varchar(10)	NO		any									
scr_last_activity	datetime	NO		current_timestamp()									
scr_severity	smallint(6)	NO		1									
scr_exclude	set('0','1')	NO		0									
scr_log_keepdays	smallint(6)	NO		0									
scr_rch_keepdays	smallint(6)	NO		0									
scr_avg_exec	int(11)	YES		0									
scr_debug	tinyint(1)	NO		0									
scr_grp_warning	varchar(15)	NO		NULL									
scr_grp_info	varchar(15)	NO		NULL									
scr_grp_error	varchar(15)	NO		NULL									
scr_lock_timeout	int(11)	NO		3600									

script	0	PRIMARY	1	scr_id	A	0	NULL	NULL		BTREE			
script	0	scr_name_key	1	scr_name	A	0	NULL	NULL	YES	BTREE			

Script Details:

scrdet_host	varchar(15)	NO	PRI	NULL									
scrdet_name	varchar(40)	NO	PRI	NULL									
srcdet_start	timestamp	NO	PRI	0000-00-00 00:00:00									
srcdet_end	timestamp	YES		NULL									
scrdet_status	tinyint(2)	NO		0									
scrdet_active	int(1)	NO		1									
srcdet_elapse	time	YES		NULL									
scrdet_alertcode	tinyint(3) unsigned	YES		NULL									
scrdet_alertgroup	varchar(30)	YES		NULL									

script_rch	0	PRIMARY	1	scrdet_host	A	0	NULL	NULL		BTREE			
script_rch	0	PRIMARY	2	scrdet_name	A	0	NULL	NULL		BTREE			
script_rch	0	PRIMARY	3	srcdet_start	A	0	NULL	NULL		BTREE			

Script exit code is 0 (Success) and execution time was 00:00:02.
Script is set to only send an alert when it terminate with error.
Script succeeded, no alert will be send (\$SADM_ALERT_TYPE=1).
New log created '\$SADMIN/log/herlock_sadmlib_std_demo.log'.
End of sadmlib_std_demo.sh - Fri Jul 10 08:08:29 PM EDT 2026