

AL YAMAMAH UNIVERSITY

College of Engineering and Architecture

Bachelor of Science in Software and Network Engineering

Jadwal: An Elegant, iOS-based Calendar Manager

Graduation Project

Student Names	Student IDs	
YAZED ALKHALAF	202211123	
SAIMAN TAKLAS	202021400	
AFFAN MOHAMMAD	202211086	
ALI BA WAZIR	202211018	
Submission Date: 19 Sep 2024		

ABSTRACT

ACKNOWLEDGMENT

Contents

Ab	bstract	i
Ac	cknowledgment	ii
Lis	st of Abbreviations	1
1	Introduction	2
	1.1 Background of the Study	2
	1.2 Problem Statement	2
	1.3 Objectives of the Project	2
	1.4 Scope of the Study	3
	1.5 Significance of the Project	3
	1.6 Limitations of the Study	3
	1.7 Organization of the Senior Project	4
2	Literature Review	5
3	System Analysis and Design	6
	3.1 Functional Requirements	6
	3.2 Non-Functional Requirements	6
	3.3 System use-cases	6
	Use Case 1: Continue with Email	8
	Use Case 2: Continue with Google	10
	Use Case 3: Send Welcome Email	12
	Use Case 4: Log out	14
	Use Case 5: Connect Calendar	15
	Use Case 6: Create Calendar	17
	Use Case 7: Connect WhatsApp	19
	Use Case 8: Extract Events from WhatsApp	21
	Use Case 9: Suggest Conflict Resolutions	23
	Use Case 10: Manage Scheduling Conflicts	25
	Use Case 11: Add Event Manually	27
	Use Case 12: View Integrated Calendar	29
	Use Case 13: Configure Daily Routine	31
	Use Case 14: Schedule Prayer Times	33
	Use Case 15: Receive Event Notifications	35
Bi	ibliography	37

List of Figures

1.1	Project Gantt Chart	4
2.1	Feature Comparison Table	
3.1	Use Case Diagram of Jadwal	,

List of Tables

LIST OF ABBREVIATIONS

1 INTRODUCTION

1.1 Background of the Study

Calendars have been around a long time now, and they are a handy tool for humans. Both who are busy and who want to plan their days. People throughout history have used paper for calendars, but now with technology, things have changed. Calendars are digital now, and they can even be shared with others!

As the world is becoming one big village with globalization, people tend to squeeze every last minute of their days since competition is higher. Calendars help in that since they allow people to plan their days easily and keep track of when to meet people and do other activies.

1.2 Problem Statement

Keeping your calendar up to date with information is challenging, especially with the rise of many informal communication channels like WhatsApp. People nowadays discuss when and where they will meet using those informal communication tools. This leads to calendars being out of sync from real life events you are committed to and might harm relations. The problem lies in the cumberness of adding events to a calendar manually, and sometimes out of busyness, you just forget that you didn't add the event to your calendar. Our Jadwal app aims to solve this issue for users in an elegant way that makes it seamless to manage your time confidently.

1.3 Objectives of the Project

The main objectives of Jadwal are:

- To develop an intelligent calendar management system that automatically extracts events from the informal communication channels like WhatsApp and adds them to the user's main calendar.
- To create a user friendly interface that allows users to easily add events to the calendar.
- To implement smart resolution system that notifies users of scheduling conflicts and provides easy options for resolution.
- To integrate all the calendars into Jadwal's single calendar view to make viewing and managing all the events easy.
- To prioritize and automatically schedule daily routines such as waking time, sleeping time and prayer time.
- To significantly reduce the time users spend on manual calendar management.

1.4 Scope of the Study

Jadwal is not just another calendar application; it's a comprehensive time management tool designed to aggregate and optimize your existing calendars and data sources. The scope of the project includes:

- Development of an iOS application as the primary platform.
- Integration with calendars using CalDAV.
- WhatsApp message parsing for event extraction (subject to technical feasibility).
- Target audience: Busy professionals, students, and anyone juggling multiple schedules.
- User testing phase to ensure ease of use and effectiveness. Our testing methods will include:
- Beta testing with a diverse group of users.
- Analytics to track user behavior and app performance.

1.5 Significance of the Project

Jadwal's significance can be summarized in the following points:

- 1. **Time is Money**: Since time is the only asset you can't get more of, Jadwal tries to make it less painful and less time consuming to have a good calendar throughout your day by parsing events from your informal communication channels like WhatsApp automatically.
- 2. **Prayer First Calendar**: Prayer times come first, then your daily scheduled items.
- 3. **Streamlined Time Management**: By automatically extracting events from various communication channels, Jadwal significantly reduces the time and effort required for manual calendar management, allowing users to focus on more productive tasks.
- 4. **Reduced Human Error**: Automated event extraction and addition to calendars minimize the risk of missing important events or appointments due to manual input errors or forgetfulness.
- 5. **Conflict Resolution**: The smart resolution system helps users identify and resolve scheduling conflicts efficiently, reducing stress and improving overall time management.
- 6. **Holistic View of Commitments**: By integrating multiple calendars into a single view, Jadwal provides users with a comprehensive overview of their commitments across various aspects of life, facilitating better decision-making and work-life balance.

1.6 Limitations of the Study

Nothing is perfect, and our project is not an outlier. The limitations we have figured out about it are as follows:

- WhatsApp integration allows the app to read the users messages, so it would be hard to prove privacy hasn't been breached.
- WhatsApp integration might not always be there, they are a third-party.
- Learning new technologies for iOS development might require more time than anticipated.

- Accuracy of our algorithms to detect keywords indicating an event agreement has happened, especially for languages other than English.
- Time and manpower constraints may limit the number of features we can implement.
- Dependency on third-party calendar APIs and their limitations.

1.7 Organization of the Senior Project

Our project plan can be illustrated in the following gantt chart, **Figure 1.1**.




Figure 1.1: Project Gantt Chart

2 LITERATURE REVIEW

In developing Jadwal, we have drawn inspiration from and built upon existing research and products in the field of intelligent calendar management. Some key references include:

- Clockwise (https://www.getclockwise.com/): A smart calendar assistant that optimizes schedules and manages team coordination [Clockwise, 2024]. Clockwise's approach to intelligent time blocking and meeting optimization provides valuable insights for Jadwal's automated scheduling features.
- Motion (https://www.usemotion.com/): Motion's Intelligent Calendar takes your meetings, your tasks, your to-do list, your activities, and creates one perfect, optimized schedule to get it all done [Motion, 2024].
- **Reclaim AI (https://reclaim.ai/):** An intelligent time management tool that helps optimize schedules and automate tasks [Reclaim, 2024].
- Calendi (https://calendi.ai/): Calendi describes itself as: "Calendi is an AI calendar system. Use it for scheduling tasks, automating meetings, and witness the future of calendar." [Calendi, 2024]
- An Exploratory Study of Calendar Use: "Prospective remembering is the use of memory for remembering to do things in the future, as different from retrospective memory functions such as recalling past events." [Tungare et al., 2008]
- WhatsApp Integration: Our research indicates that direct WhatsApp integration for event extraction has not been widely implemented in existing calendar applications, making this a unique feature of Jadwal.

Feature	Jadwal	Clockwise	Motion	Reclaim Al	Calendi
Open Source		×	×	×	×
WhatsApp Integration		×	×	×	×
CalDAV Support	V	V	V	V	?
Conflict Resolution		V	V	V	?
Prioritize Prayer Times	V	×	×	×	×
iOS Application		V	V	V	?

Figure 2.1: Feature Comparison Table

3 SYSTEM ANALYSIS AND DESIGN

3.1 Functional Requirements

- The user shall be able to access their account using either Google OAuth or magic link via Email. For new users, a new accout is created, and for existing users, they are given access to their account directly
- The system shall send a welcome email to new users.
- The user should be able to connect a calendar using CalDAV.
- The user should be able to connect their WhatsApp account.
- The user should be able to add events manually and set priorities optionally.
- The user should be able to view integrated calendar.
- The user should be able to configure daily routines.
- The user should be able to manage scheduling conflicts.
- The user should be able to schedule prayer times.
- The system shall send event notifications to the user.
- The system shall personalize the experience based on answers provided by the users.
- The system shall add the WhatsApp extracted events to the calendar. If a conflict occurs, the user shall get a notification to resolve the conflict with suggestions.
- The system shall synchronize calendar data across multiple devices.

3.2 Non-Functional Requirements

- **Platform Compatibility:** The app shall be compatible with iOS devices running iOS 14.0 or later.
- **Performance:** The app shall load the main calendar view within 3 seconds on 5G with speeds above 200mpbs.
- User Experience: The user interface shall follow iOS Human Interface Guidelines for consistency and ease of use.
- **Security:** All data transmissions between the app and servers shall be encrypted using HTTPS.
- Localization: The app shall support localization in Arabic and English.
- **Data Privacy:** The app shall comply with the data protection regulations and laws in Saudi Arabia.

3.3 System use-cases

Figure 3.1 shows the use case diagram for the system of Jadwal.




Figure 3.1: Use Case Diagram of Jadwal

Continue with Email

Basic Information

ID Number: 1 **Priority:** HIGH **Type:** Regular

Short Description

This UC allows users to login or create an account using their email.

Trigger

This UC starts when the user enters their email to the system.

Actors

Primary: User **Secondary:** None

Preconditions

User must have an email

Relationships

Extends: Send Welcome Email Includes: N/A Generalization/Specialization:

N/A

Major Inputs

- Email (Source: User)
- Magic Link (from email) (Source: User)

Major Outputs

- Magic link email (Destination: User)
- Confirmation messages (Destination: User Interface)

Main Flow

1. The user enters their email.

Information: System displays an email input field.

2. System generates and sends magic link.

Information: System sends email and displays "Check your email" message

3. The user clicks the magic link.

Information: The app is opened on the device of the user

4. The app sends the token to the system to log the user in

Information: System verifies token and logs user in.

Alternate Flows

1. If the user has no account, the system creates a user.

Exceptions

- Invalid email format.
- Email not registered (if login only).
- Magic link token expired or invalid.

Conclusion

This UC ends when the user is logged in.

Post-conditions

The system generates a JWT.

Special Requirements

An email server must be present to send magic link email.

Continue with Google

Basic Information

ID Number: 2 **Priority:** HIGH **Type:** Regular

Short Description

This UC allows users to login or sign up with their Google account.

Trigger

This UC starts when the user clicks "Continue with Google" button in the app.

Actors

Primary: User Secondary: Google

Preconditions

The user must have an active Google account.

Relationships

Extends: Send Welcome Email Includes: N/A Generalization/Specialization:

N/A

Major Inputs

• Google access token (Source: User)

Major Outputs

• Authentication response (Destina-

tion: User)

Main Flow

1. The user click continue with Google.

Information: App uses OAuth to authenticate with Google

2. App sends Google access token to the system.

Information: System verifies the token is issued for us and then issues JWT for usage within the app.

Alternate Flows

• The user cancels the authentication request.

Exceptions

• Network issue

Conclusion

This UC ends when the user is logged in.

Post-conditions

The system generates a JWT.

Send Welcome Email

Basic Information

ID Number: 3 **Priority:** HIGH **Type:** Regular

Short Description

This UC welcomes the user to the platform.

Trigger

This UC starts when the user account is created.

Actors

Primary: User Secondary: None

Preconditions

User account must be created in the system.

Relationships

Extends: N/A Includes: N/A Generalization/Specialization: N/A

Major Inputs

- User name (Source: System)
- Welcome email template (Source: System)

Major Outputs

• Welcome email (Destination: User)

Main Flow

1. The system fetches the user information.

Information: The database is used.

2. The system fetches the send welcome email template.

Information: The template is filled with the user name.

3. The system sends the email with the template.

Information: The email makes the user feel appreciated.

Alternate Flows

1. If the user has no account, the system creates a user.

Exceptions

• Email server down.

Conclusion

This UC ends when the user receives an email address from us.

Post-conditions

Special Requirements

An email server must be present to send welcome email.

Log out

Basic Information

ID Number: 4 **Priority:** HIGH **Type:** Regular

Short Description

This UC allows the user to logout from the app.

Trigger

This UC is triggered when logout button in settings page is clicked.

Actors

Primary: User Secondary:

Preconditions

The user must be logged in.

Relationships

Extends: N/A Includes: N/A Generalization/Specialization: N/A

Main Flow

1. The user click the logout button

Information: The app logs the user out and moves them to the get started screen.

Conclusion

The user is logged out and sign in again with any account.

Post-conditions

The user will be logged out from the system

Connect Calendar

Basic Information

ID Number: 5 **Priority:** HIGH **Type:** Regular

Short Description

This UC allows the user to connect their external calendars to our system.

Trigger

This UC is triggered when the user selects the option to connect external calendars.

Actors

Primary: User **Secondary:** CalDAV

Preconditions

User must be logged in

Relationships

Extends: N/A Includes: N/A Generalization/Specialization: N/A

Major Inputs

• CalDAV login credentials (Source: User)

Major Outputs

• Calendar data sync status (Destination: System)

Main Flow

- 1. The user clicks the "Connect Calendar" option in the app.
 - *Information*: The app asks the user to enter their CalDAV credentials.
- 2. The system syncs the external calendar with the user's main calendar.

Information: User is able to see his calendars in the app all together.

Alternate Flows

• **Sync Failure:** If syncing fails due to network issues, the system prompts the user to try again or manually refresh.

Conclusion

The UC ends when the user successfully connects and syncs their external calendar with the system.

Post-conditions

The system has access to the user's external calendar, and events are synced and displayed in the user's main calendar.

Special Requirements

The system must handle multiple calendars efficiently.

Create Calendar

Basic Information

ID Number: 6 **Priority:** HIGH **Type:** Regular

Short Description

This UC allows the user to create a calendar in our system.

Trigger

This UC is triggered when the user clicks "Create Calendar" in the app.

Actors

Primary: User **Secondary:** None

Preconditions

User must be logged in

Relationships

Extends: N/A Includes: N/A Generalization/Specialization: N/A

Major Inputs

- Calendar name (Source: User)
- Calendar color (Source: User)

Major Outputs

- Calendar (Destination: System)
- Calendar creation status (Destination: App)

Main Flow

- 1. The user clicks the "Create Calendar" button in the app.
 - *Information:* The app asks the user to enter the calendar name and choose a calendar color.
- 2. The user submits the form for calendar information.
 - Information: The system creates a calendar for the user in the system.

Alternate Flows

• Calendar creation failure: If creation of a calendar fails due to network issues, the system prompts the user to try again.

Conclusion

The UC ends when the user has a new calendar created successfully.

Post-conditions

The user has a new calendar in the list of calendars in the app.

Connect WhatsApp

Basic Information

ID Number: 7 **Priority:** HIGH **Type:** Regular

Short Description

This UC allows the user to connect their WhatsApp account to the system.

Trigger

This UC is triggered when the user clicks on "Connect WhatsApp" button in the app.

Actors

Primary: User **Secondary:** WhatsApp

Preconditions

User must be logged in

Relationships

Extends: N/A Includes: N/A Generalization/Specialization: N/A

Major Inputs

- WhatsApp phone number (Source: User)
- WhatsApp linking code (Source: User)

Major Outputs

• WhatsApp auth credentials (Destination: System)

Main Flow

1. The user clicks "Connect WhatsApp" button.

Information: The system asks for the user's WhatsApp phone number.

2. The user enters their WhatsApp phone number.

Information: WhatsApp shows the linking code in their app.

3. The user enters the linking code in our app.

Information: The app shows a success screen if connection was successful.

Alternate Flows

1. If the WhatsApp connection fails, the user must redo the steps and try again.

Exceptions

- Wrong linking code: If the user enters a wrong linking code, the connection of the WhatsApp account will fail unless they enter the correct code.
- **Network issue:** A network issue interrupting the communication between the app, the server, and WhatsApp.

Conclusion

The UC ends when the user has a connected WhatsApp account in the system.

Post-conditions

The system has access to the user's WhatsApp account.

Special Requirements

None

Extract Events from WhatsApp

Basic Information

ID Number: 8 **Priority:** HIGH **Type:** Regular

Short Description

Allows users to extract event details shared in WhatsApp messages and save them to their calendar.

Trigger

User selects a message containing event details in WhatsApp.

Actors

Primary: User **Secondary:** WhatsApp

Preconditions

User must have WhatsApp installed and linked to the system.

Relationships

Extends: N/A **Includes:** Event Management **Generalization/Specialization:**

N/A

Major Inputs

 User-selected WhatsApp message containing event details. (Source: User)

Major Outputs

• Extracted event details saved to the calendar. (Destination: User)

Main Flow

1. User opens WhatsApp and selects a message with event details.

Information: Display of the selected message.

2. User taps on the "Extract Event" option.

Information: System processes the message to identify event details.

3. System extracts event details from the message.

Information: Date, time, and location are parsed from the text.

Alternate Flows

- If the message does not contain valid event details, display an error message.
- Notify the user about invalid format.

Exceptions

- If there is a system error during extraction, display a relevant error message.
- Log error for troubleshooting.

Conclusion

User successfully extracts event details from WhatsApp and saves them to the calendar.

Post-conditions

The event is added to the user's calendar, and the user can view it in their schedule.

Business Rules

• Only messages with recognized event formats can be extracted.

Special Requirements

The system must have permissions to access WhatsApp messages and extract relevant information.

Suggest Conflict Resolutions

Basic Information

ID Number: 9 **Priority:** HIGH **Type:** Regular

Short Description

This UC gives the user all the conflicts and possible ways to resolve it.

Trigger

The UC is triggered when a conflict is detected between any overlapping event

Actors

Primary: User Secondary: Calendar System, WhatsApp

Preconditions

The calendar must have events

Relationships

Extends: None Includes: Manage Scheduling Conflicts Generalization/Spe-

cialization: None

Major Inputs

- Overlapping events (Source: User or WhatsApp extraction)
- User suggested resolution (Source: User)

Major Outputs

- Resolution options (Destination: User Interface)
- Updated calendar schedule (Destination: Calendar)

Main Flow

1. Conflict Detection

Information: The system detects overlapping of events either added manually or extracted from WhatsApp.

2. Offer Resolutions

Information: The system provides the user with the list of resolution options.

- By moving the overlapping event to another time slot.
- Keep both events with a conflict warning.
- 3. User Selection

Information: The user moves the overlapping event to another time slot by the list provided by the system

4. Implement Resolution

Information: The system makes the changes in the calendar respectively

Alternate Flows

1. N/A

Exceptions

- If the system doesn't get any possible way to resolve the conflict then the system would mark both the event as conflicting or displays to delete one of the event.
- If the user doesn't choose any option to resolve the conflict then both the events are maked as conflicting.

Conclusion

The UC ends when the user gives it's input for resolution weather if it's to reschedule the event, delete it or leave it without resolving and it is reflected in on the calendar.

Post-conditions

The conflicting events in the calendar are either resolved or marked as conflicting

Special Requirements

The system give feasible conflict resolution options

Manage Scheduling Conflicts

Basic Information

ID Number: 10 **Priority:** HIGH **Type:** Regular

Short Description

This UC allows the user to manage scheduling conflicts by suggesting resolutions when overlapping events are detected, including events extracted from WhatsApp.

Trigger

This UC is triggered when the user adds, modifies, or extracts an event (e.g., from WhatsApp) that overlaps with an existing event.

Actors

Primary: User **Secondary:** Calendar System, WhatsApp

Preconditions

The user is logged into the application, and WhatsApp events are synchronized with the calendar.

Relationships

Extends: Includes: Suggest Conflict Resolutions **Includes:** Extends: Extract Events from WhatsApp, Set Event Priorities **Generalization/Specialization:** None

Major Inputs

- Conflicting events (Source: User or WhatsApp extraction)
- **Priority decision** (Source: User)

Major Outputs

- Conflict resolution suggestion (Destination: User Interface)
- **Updated event schedules** (Destination: Calendar)

Main Flow

- 1. The user adds, modifies, or extracts an event from WhatsApp.
- 2. The system detects a conflict with an existing event.
 - *Information:* The system highlights both the new/extracted event and the existing conflicting event.
- 3. The system invokes Suggest Conflict Resolutions UC to offer solutions such as rescheduling or prioritizing.
- 4. The user selects a resolution option from the suggestions.
- 5. The system saves the updated schedule or marks the events with a conflict warning.

Alternate Flows

1. If the user manually chooses to prioritize one event, the Set Event Priorities UC is triggered.

Exceptions

- **No resolution selected:** If the user doesn't choose a resolution, both events remain scheduled but marked as conflicting.
- No available time slots: If the system cannot find suitable time slots for rescheduling.

Conclusion

The UC ends when the conflicting events are either resolved or marked as conflicting, based on the user's choice.

Post-conditions

The calendar reflects the user's decision regarding event conflicts, including those extracted from WhatsApp.

Special Requirements

The system should provide intuitive suggestions for resolving conflicts, including events extracted from WhatsApp.

Add Event Manually

Basic Information

ID Number: 11 **Priority:** HIGH **Type:** Regular

Short Description

This UC allows users to add events manually

Trigger

The user clicks and adds the events.

Actors

Primary: User Secondary: None

Preconditions

The user is logged into the application

Relationships

Extends: N/Al Includes: N/A Generalization/Specialization: N/A

Major Inputs

- Event Name (Source: User)
- Event Location (Source: User)
- Event Date (Start and End) (Source: User)
- Event Time (Start and End) (Source: User)
- Event Description (Source: User)
- Notifications/Reminders (Source: User)

Major Outputs

 The event is displayed on the calendar with its details and duration (Destination: Calendar)

Main Flow

1. The name of the event (e.g., "Meeting with Client")

Information: Event is saved and displayed on the user's calendar

2. The start and end time of the event.

Information: The system displays the event in the correct time slot with its duration, while checking for conflicts and scheduling notifications

3. The User optionally adds a description

Information: The system stores and displays description of the event.

4. Set reminders for the event.

Information: Notification or reminder set for the event

Alternate Flows

- 1. User clicks on a date on the calendar to bring up a popup with event fields and the date is pre-filled.
- 2. The user can add a different color for the events.

Exceptions

- Invalid date and time format
- The event's start and end times conflict with an existing event
- The user attempts to save the event without filling in mandatory fields

Conclusion

The UC ends when the event has been successfully added to the calendar, and the user sees it displayed.

Post-conditions

The event is successfully added to the calendar, visible in the correct time slot, and notifications are set as per user preferences

Special Requirements

The interface must be simple and allowing users to input events with less efforts.

View Integrated Calendar

Basic Information

ID Number: 12 **Priority:** HIGH **Type:** Regular

Short Description

Allows users to view their integrated calendar with all scheduled events and reminders.

Trigger

User selects the option to view the integrated calendar.

Actors

Primary: User Secondary:

Preconditions

User must be logged into the system.

Relationships

Extends: N/A **Includes:** Event Management **Generalization/Specialization:**

N/A

Major Inputs

• User's request to view the calendar, date range. (Source: User)

Major Outputs

• Display of the integrated calendar with events and reminders. (Destination: System)

Main Flow

1. Display of the integrated calendar with events and reminders.

Information: Display of the current month with events highlighted.

2. Options to navigate through months or choose a specific date.

Information: Calendar updates to show selected date events.

3. Events are pulled from the user's account and any linked calendars.

Information: Display of events for the selected date.

4. Tooltips or pop-up modals show event details.

Information: Detailed view of selected event information.

Alternate Flows

Notify the user about the absence of events. Message indicating "No events scheduled.

Exceptions

• Log error for troubleshooting. User-friendly error message displayed.:

Conclusion

User successfully views their integrated calendar with all scheduled events.

Post-conditions

The calendar remains updated with any new events or changes.

Special Requirements

The system must support integration with external calendars (Google Calendar).

Business Rules

Events must be displayed according to user preferences (color coding, categories).

Configure Daily Routine

Basic Information

ID Number: 13 **Priority:** HIGH **Type:** Regular

Short Description

The use case starts when the user initiates the configuration or editing of their daily routine in the app.

Trigger

The user selects the "Daily Routine" feature to configure repetitive tasks like waking up, exercise, meals, and sleeping time.

Actors

Primary: User Secondary: None

Preconditions

The user is logged into the application

Relationships

Extends: N/Al Includes: N/A Generalization/Specialization: N/A

Major Inputs

- Routine tasks (e.g., wake up, jog, meals, bath time, sleep) (Source: User)
- Start and end times for each task. (Source: User)
- Recurrence pattern (daily, weekdays, weekends, etc) (Source: User)
- Notifications or reminders (e.g., alarms for specific tasks). (Source: User)

Major Outputs

• The daily routine is added to the calendar with all configured tasks displayed as recurring events. (Destination: Calendar)

Main Flow

1. The user adds Daily tasks (wake up, meals, sleep, etc.)

Information: Routine tasks are added to the calendar.

2. The start and end time of the event.

Information: The system displays the event in the correct time slot with its duration, while checking for conflicts and scheduling notifications

Alternate Flows

1. The user clicks on the calendar, the system displays the daily routine tasks.

Exceptions

Conflict with tasks

Conclusion

Configuring a daily routine enables users to block out dedicated time for recurring tasks.

Post-conditions

The daily routine is successfully configured and integrated into the calendar, with appropriate visual indicators and reminders.

Special Requirements

The interface must be simple and allowing users to have the daily routines Throughout.

Schedule Prayer Times

Basic Information

ID Number: 14 **Priority:** HIGH **Type:** Regular

Short Description

Allows users to create, edit, and manage their prayer time schedules.

Trigger

User selects the option to schedule prayer times.

Actors

Primary: User Secondary: None

Preconditions

User must be logged into the system.

Relationships

Extends: N/A Includes: N/A Generalization/Specialization: N/A

Major Inputs

- User's prayer time details (Source: user)
- (date, time)

Major Outputs

• Confirmation of scheduled prayer times, calendar entries.

Main Flow

1. User navigates to the prayer scheduling page.

Information: User is presented with a form to enter prayer times. Display of the scheduling interface.

2. User inputs prayer time details.

Information: Input fields for time, date, and prayer type. User's input is captured for validation.

3. User saves the schedule.

Information: System checks for valid input. Confirmation message displayed.

4. System confirms schedule creation.

Information: User receives a notification. Scheduled prayer times are saved in the system.

Alternate Flows

• If input is invalid, display error messages.

Exceptions

• If there's a system error, display a relevant error message.

Post-conditions

The system generates calendar entries for the scheduled prayer times.

Special Requirements

The system must support notifications for prayer times.

Conclusion

User's prayer times are successfully scheduled.

Business Rules

• Prayer times must be within valid time ranges.

Receive Event Notifications

Basic Information

ID Number: 15 **Priority:** HIGH **Type:** Regular

Short Description

Allows users to receive notifications about upcoming events.

Trigger

User subscribes to notifications for specific events.

Actors

Primary: User Secondary:

Preconditions

User must be logged into the system and subscribed to event notifications.

Relationships

Extends: N/A Includes: User Preferences Management Generalization/Spe-

cialization: N/A

Major Inputs

• User's subscription preferences, event details. (Source: User)

Major Outputs

Notifications sent users, confirmation of subscription. (Destination: System)

Main Flow

1. Notifications sent to users, confirmation of subscription.

Information: User is presented with options to manage notification preferences. Display of current subscription status and options.

2. User selects events to receive notifications for.

Information: Options for different types of events prayer times, community events. User's selections are captured for processing.

3. User saves the notification preferences.

Information: System validates user selections. Confirmation message displayed.

4. System schedules notifications based on user preferences.

Information: Notifications are set to trigger at specified times. Notifications are queued for delivery.

Alternate Flows

If user cancels the subscription, display confirmation message.

Exceptions

• If there's a system error, display a relevant error message.:

Conclusion

User successfully subscribes to event notifications.

Post-conditions

Notifications are sent to users as per their preferences.

Special Requirements

The system must support multiple notification channels (email, app notifications).

Business Rules

Notifications must be sent in accordance with user preferences.

Bibliography

[Calendi, 2024] Calendi (2024). Calendi: Ai calendar system. Accessed: 2024-09-18.

[Clockwise, 2024] Clockwise (2024). Clockwise: Smart calendar assistant. Accessed: 2024-09-18.

[Motion, 2024] Motion (2024). Motion: Intelligent calendar. Accessed: 2024-09-18.

[Reclaim, 2024] Reclaim (2024). Reclaim ai: Intelligent time management. Accessed: 2024-09-18.

[Tungare et al., 2008] Tungare, M., Perez-Quinones, M., and Sams, A. (2008). An exploratory study of calendar use.