



# nestjs simple login

## AUTHORIZATION

Bearer Token

### Token

<token>

## auth

this is a collection of endpoints for authenticating/authorizing users

### POST login

http://winddoctor.tplinkdns.com:3000/api/auth/login

a login endpoint for your registered users

if successfull a token will provided in the response which you can use as bearer token

### BODY raw

```
{
  "username": "your_username_goes_here",
  "password": "your_password_goes_here"
}
```

Example Request

success ▼



```
var raw = "{\r\n  \"username\": \"jay5\", \r\n  \"password\": \"your_password_goes_here\"\r\n}";

var requestOptions = {
  method: 'POST',
  body: raw,
```

Example Response

201 Created

Body      Header (7)

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VybmFtZSI6ImpheTUiLCJzdWIiOiI2MjA3Yzk3ND"
}
```

## POST register

```
http://winddoctor.tplinkdns.com:3000/api/auth/register
```

a login endpoint for your registered users

if successfull a token will provided in the response which you can use as bearer token

## BODY raw

```
{
  "username": "your_username_goes_here",
  "password": "your_password_goes_here"
}
```

Example Request

success



Documentation Settings ▼

Example Response

201 Created

Body

Header (5)

**No response body**

This request doesn't return a response body

# user

**AUTHORIZATION**

Bearer Token

This folder is using Bearer Token from collection nestjs simple login

**GET list**`http://winddoctor.tplinkdns.com:3000/api/user`

lists the registered users

**AUTHORIZATION**

Bearer Token

This request is using Bearer Token from collection nestjs simple login

Example Request

success



```
var requestOptions = {
  method: 'GET',
  redirect: 'follow'
};

fetch("http://winddoctor.tplinkdns.com:3000/api/user", requestOptions)
```

Example Response

200 OK

Body Header (7)

```
[
  {
    "_id": "6207dc51d02260a10951b298",
    "username": "jay3",
    "createdAt": "2022-02-12T16:12:01.812Z",
    "updatedAt": "2022-02-12T16:12:01.812Z",
    "__v": 0
  },
  {
    "_id": "6207dc3cd02260a10951b294",
```

[View More](#)

## GET retrieve

```
http://winddoctor.tplinkdns.com:3000/api/user/6207dc51d02260a10951b298
```

retrieve a single user using id

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection nestjs simple login

Example Request

success



```
var requestOptions = {
  method: 'GET',
  redirect: 'follow'
```

Example Response

200 OK

Body Header (7)

```
{
  "_id": "6207dc51d02260a10951b298",
  "username": "jay3",
  "createdAt": "2022-02-12T16:12:01.812Z",
  "updatedAt": "2022-02-12T16:12:01.812Z",
  "__v": 0
}
```

## DEL delete

```
http://winddoctor.tplinkdns.com:3000/api/user/6207dc51d02260a10951b298
```

delete a user using id

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection nestjs simple login

Example Request

success

```
var raw = "";

var requestOptions = {
  method: 'DELETE',
  body: raw,
  redirect: 'follow'
};

fetch("http://winddoctor.tplinkdns.com:3000/api/user/6207dc51d02260a10951b298", requestOptions)
```



Example Response

200 OK

Body Header (5)

### No response body

This request doesn't return a response body

## GET me

http://winddoctor.tplinkdns.com:3000/api/user/me

this is an endpoint to fetch the information about the current loggedin user.

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection nestjs simple login

Example Request

success

```
var raw = "";

var requestOptions = {
  method: 'GET',
  body: raw,
  redirect: 'follow'
};

fetch("http://winddoctor.tplinkdns.com:3000/api/user/me", requestOptions)
  .then(response => response.text())
```

[View More](#)

Example Response

200 OK



Documentation Settings ▼

```
{  
  "_id": "6207d821a81d08f5710d3223",
```