


TOP.SchDoc



Title: **TOP.SchDoc**

Engineers: *Jorge A. Estefanía*

Revision: 2

Date: 06/05/2026

Time: 13:42:24


Sheet: 1 of 12

File: C:\Users\Public\Documents\Altium\LINCE comunicacion serial\TOP.SchDoc

b105 electronic Systems Lab
ETSI Telecomunicación, B-105
Universidad Politécnica de Madrid
Avda. Complutense, 30
28040 Madrid - Spain




Power.SchDoc



RS485-Driver-485-HD.SchDoc

Driver configured as RS485 Half-Duplex Shared Bus. DE high when transmitting, else low.




Title: RS485-Driver-485-HD.SchDoc			b105 electronic Systems Lab ETSI Telecomunicación, B-105 Universidad Politécnica de Madrid Avda. Complutense, 30 28040 Madrid - Spain 
Engineers: <i>Jorge A. Estefania</i>		Revision: 2	
Date: 06/05/2026	Time: 13:42:24	Sheet: 3 of 12	
File: C:\Users\Public\Documents\Altium\LINCE comunicacion serial\RS485-Driver-485-HD.SchDoc			



RS485-Driver-422-Master-FD.SchDoc


Driver configured as RS422 Master Full-Duplex Point to Point/Multi-Drop. TX always enabled (DE).



Title: RS485-Driver-422-Master-FD.SchDoc		b105 electronic Systems Lab ETSI Telecomunicación, B-105 Universidad Politécnica de Madrid Avda. Complutense, 30 28040 Madrid - Spain	
Engineers: Jorge A. Estefanía	Revision: 2		
Date: 06/05/2026 Time: 13:42:24	Sheet: 4 of 12		
File: C:\Users\Public\Documents\Altium\LINC comunicacion serial\RS485-Driver-422-Master-FD.SchDoc			




RS485-Driver-422-Slave-FD.SchDoc

Driver configured as RS422 Slave Full-Duplex Point to Point/Multi-Drop. DE high when transmitting, else low.



Title: RS485-Driver-422-Slave-FD.SchDoc		b105 electronic Systems Lab ETSI Telecomunicación, B-105 Universidad Politécnica de Madrid Avda. Complutense, 30 28040 Madrid - Spain	
Engineers: <i>Jorge A. Estefanía</i>		Revision: 2	
Date: 06/05/2026	Time: 13:42:24	Sheet: 5 of 12	
File: C:\Users\Public\Documents\Altium\LNCE comunicacion serial\RS485-Driver-422-Slave-FD.SchDoc			

FMC.SchDoc

Title: *FMC.SchDoc*Engineers: *Jorge A. Estefanía*

Date: 06/05/2026 Time: 13:42:24

File: C:\Users\Public\Documents\Altium\LINCE comunicacion serial\FMC.SchDoc

Revision: 2


Sheet: 6 of 12

b105 electronic Systems Lab
ETSI Telecomunicación, B-105
Universidad Politécnica de Madrid
Avda. Complutense, 30
28040 Madrid - Spain




RS485-Dupont-Conector.SchDoc


Pin Header Connector for RS485



Use




Example




RS485-Micro-D-Conector.SchDoc

Micro-D Connector for RS485




RS422-Dupont-Conector.SchDoc

Pin Header Connector for RS422




RS422-Micro-D-Conector.SchDoc

Micro-D Connector for RS422




Driver-selector-0-6-485.SchDoc


Pin Header to select which driver (0/6) to connect Micro-D connectors




Use



Example 1



Example 2



Title: **Driver-selector-0-6-485.SchDoc**

Engineers: *Jorge A. Estefanía*

Revision: 2

Date: 06/05/2026

Time: 13:42:25

Sheet: 11 of 12


File: C:\Users\Public\Documents\Altium\LINCE comunicacion serial\Driver-selector-0-6-485.SchDoc

b105 electronic Systems Lab
ETSI Telecomunicación, B-105
Universidad Politécnica de Madrid
Avda. Complutense, 30
28040 Madrid - Spain




RS422-Slave-Conector.SchDoc


Pin Header Connector for RS422, alongside of Pin Header to conect such driver to common bus.



Use



Example



Title: **RS422-Slave-Conector.SchDoc**

Engineers: *Jorge A. Estefanía*

Revision: 2

Date: 06/05/2026

Time: 13:42:25

Sheet: 12 of 12

File: C:\Users\Public\Documents\Altium\LINCE comunicacion serial\RS422-Slave-Conector.SchDoc

b105 electronic Systems Lab
ETSI Telecomunicación, B-105
Universidad Politécnica de Madrid
Avda. Complutense, 30
28040 Madrid - Spain

