LABORATORY TEST REPORT

Chart No.	220422-308-374		
First Name(s)	Jae Yeon	Last Name	Kim
Date of Birth (MM/DD/YYYY)	04/06/1984	Date of Sample Collection	04/30/2022 11:05
Gender	Male	Date of Test	04/30/2022
Passport number	M09929382	Date of Report	04/30/2022 15:34
Nationality	Korea, Republic of	Date of Issue	05/01/2022

TEST ITEM	Result	Reference Value
SARS-CoV-2 RT-PCR	Negative	Negative

▣ Specimen Nasopharyngeal swab and Oropharyngeal swab
▣ Comment
▶ 2019-nCoV, a NAAT (Nucleic Acid Amplification Test) assay based on RT-PCR, has been performed as a "viral test" with Allplex SARS-CoV-2 Assay (Seegene Inc., Rep. of Korea) which was approved to detect SARS-CoV-2 by Korea Ministry of Food and Drug Safety(MFDS) as IVD (In Vitro Diagnosis) on Dec. 14, 2020 and Europe as CE-IVD on Feb. 7, 2020.
▶ COVID-19 would be confirmed by results of the Real-time RT-PCR as positive or negative. In case of COVID-19 positive, the patient will be notified to Korea Disease Control and Prevention Agency (KDCA).
▶ Novel Coronavirus (SARS-CoV-2) is tentatively categorized as the first grade infection by Korea Disease Control and Prevention Agency (KDCA).

In accordance with Article 231 of the「Criminal Act」under Korean Law, the one who counterfeits or alters this Test Result shall be punished by imprisonment for not more than five years, or a fine not exceeding ten million won.

Examined by Doctor 이선화(Sun Hwa Lee) MD 서명(인)

Seegene Medical Foundation

Seoul Testing Center

Seegene Medical Foundation, 1F, 320, Cheonho-daero, Seongdong-gu, Seoul, 04805, Republic of Korea (TEL 1533-1500)