LOOPLO SI · BRIEF

Stuck with your agents?

The pilot worked. Then it stalled. Here's why — and what to do.

Looplo

Pilots never become production.

CONTROL GROWS FASTER THAN USE

For every new use, a human has to read along.

The agents call each other, and no link can be checked against your own rules — they were never written down.

THE MODEL KNOWS THE LANGUAGE, NOT YOU

It doesn't know what a case is at your place.

It was never written down — so someone checks every time.

CONSEQUENCE

⅓+

More than one in three AI projects is shut down by 2027 (Gartner). Most lose on the coupling between agent, data and system — not on the model.

FIRST STEP

Move control from checking to construction.

Give your concepts an owner. Then pilots can become production.

LOOPLO SERVICES

The coupling gets an owner — we see to it

LAYER	WHAT THE FIELD GOVERNS	WHAT WE TAKE CARE OF	DELIVERABLE
I · Data foundations	Source of record, lineage, consent, field access	The seam between data and the systems that use it	Coupling map with a named owner at every crossing
II · Decision definitions	Semantic layer, glossary, definition register	The number that means one thing in the boardroom and another in the model	Semantic reconciliation; one definition authority
III · Output controls	Guardrails, hallucination checks, redaction, review	When an unverified output becomes an acted-on fact	Control chain from output to decision
IV · Agent governance	Allowed actions, permissions, override, kill switch	What the agent may do — vs. who answers when it does	Rights matrix bound to named owners
V · Accountable autonomy	Risk register, model cards, incident response	When scale outruns ownership	Accountability architecture and board-facing assurance
Gate · Psychological safety	—	An unowned dependency is usually one no one feels safe to raise	The enabling condition for every layer

Looplo

Looplo takes care of the coupling.

Past the wall — from pilot to production. Book a short meeting.

jacob@falkentorp.dk · looplo.si · v1.5.0