LOOPLO SI · WHITE PAPER · OCTOBER 2026 · STUCK · V1.5.0

# Stuck

You got going with the agents — but you can't move forward. Pilots never become production. Here's how to get past the wall.

**In brief.** You got going with the agents, but pilots never become production — and control grows **faster than use**. The fault isn't the model. It's the semantic layer that never got an owner.

## 01 THE PICTURE YOU KNOW

You got going. One agent writes drafts, another looks things up in your data. It worked. But now you're stuck. The pilot never became production. Every time you want to use it more broadly, a human shows up who has to read along.

## 02 CONTROL GROWS FASTER THAN USE

It sounds backwards, but it's true. One system calls another. An agent uses an agent. Every link has to be checked, and the links multiply **faster than use** alone suggests.

A language model **knows the language**. It doesn't know your reality. It doesn't know what a case is at your place, what it may lead to, when it's done. It's written nowhere — not even at your place. So every decision can only be controlled by a human.

**A well-formed answer can be wrong.**

## 03 FROM CHECKING TO CONSTRUCTION

There are two ways to control. Checking handles one answer at a time; a human reads each. The burden follows use upward. Construction removes the need for most checks: if a decision can only be expressed in **your own concepts**, most of it is right already when it's made.

The difference isn't how thoroughly you check. It's how many decisions need checking at all.

### A SYNTHETIC EXAMPLE

- → A company sets an agent to prepare cases. It writes nicely, and use rises.
- → But 'case', 'closed' and 'approved' mean fourteen things across the house.
- → So an employee reads every answer. When a second agent starts using the first, the reading doubles.

→ The fix wasn't a better model. It was one set of concepts with an owner — so the agent's answers could be checked against your own rules.

## 04 SEVEN STATES YOU'RE EITHER IN OR NOT

Goals aren't words. They're states you can read. Here are the seven that keep control down while use rises:

- You know what the agents draw on — with a named owner per source.
- Every decision can be justified — an event chain that can't be changed after the fact.
- Your concepts mean the same across the house — one set of concepts with version numbers and ownership.
- Routine passes on its own — and your people only see what falls outside.
- The answer can be retrieved in hours — even a year later, not weeks.
- Disagreement stands as open points — not as repeated meetings.
- Use rises, control hours fall, traceability stays high.

**Check: is your control growing faster than your use?**

- ☐ Does a human read every agent answer before it's used?
- ☐ Do central concepts mean the same in two departments?
- ☐ Do your agents call each other without a shared set of concepts between them?
- ☐ Can you retrieve the justification for a decision a year later — in hours?
- ☐ Does your concept set have an owner and a version number?

## 05 LOOPLO SERVICES — WHAT WE TAKE CARE OF

The domains each have an owner. The seams between them have none — those are what we take care of. The coupling is no one's table; we make sure ownership lands in the right place. Here is the full catalogue: five couplings and the gate that makes them raisable.

| LAYER | WHAT THE FIELD GOVERNS | WHAT WE TAKE CARE OF | DELIVERABLE |
|---|---|---|---|
| **I · Data foundations** | Source of record, lineage, consent, field access | The seam between data and the systems that use it | Coupling map with a named owner at every crossing |
| **II · Decision definitions** | Semantic layer, glossary, definition | The number that means one thing in the boardroom | Semantic reconciliation; one definition authority |

| LAYER | WHAT THE FIELD GOVERNS | WHAT WE TAKE CARE OF | DELIVERABLE |
|---|---|---|---|
| | register | and another in the model | |
| **III · Output controls** | Guardrails, hallucination checks, redaction, review | When an unverified output becomes an acted-on fact | Control chain from output to decision |
| **IV · Agent governance** | Allowed actions, permissions, override, kill switch | What the agent may do — vs. who answers when it does | Rights matrix bound to named owners |
| **V · Accountable autonomy** | Risk register, model cards, incident response | When scale outruns ownership | Accountability architecture and board-facing assurance |
| **Gate · Psychological safety** | — | An unowned dependency is usually one no one feels safe to raise | The enabling condition for every layer |

## 06 EFFECT AND CONSEQUENCE

More than **one in three AI projects** is expected to be shut down by 2027 (Gartner), and **91%** already run agentic AI (EY). Most don't lose on the model, but on the coupling between agent, data and system — the one **no one owns**.

**IN SHORT · LOOPLO TAKES CARE OF THE COUPLING**

Move control from checking to construction. Give your concepts an owner, so pilots can become production. — book a short meeting at cal.com/jacobfalkentorp.