LOOPLO SI · BRIEF

Want to get going?

You're already using AI — just ad hoc and scattered. Now you want to start for real.

Looplo

Scattered use never adds up.

IT'S ALREADY HAPPENING

People use AI on their own — unofficially.

No one knows who, for what, with which data.

AD HOC ISN'T FREE

Data walks out the door. Two departments, two answers.

And nothing is tied to your own concepts.

CONSEQUENCE

91%

91% already run agentic AI (EY) — much of it ad hoc, out of leadership's sight. One in three AI projects is shut down by 2027 (Gartner), often because scattered use never gets a spine.

FIRST STEP

Give the scattered use a spine: one area, your concepts, one owner.

Not a big project — a start the rest can build on.

LOOPLO SERVICES

The coupling gets an owner — we see to it

LAYER	WHAT THE FIELD GOVERNS	WHAT WE TAKE CARE OF	DELIVERABLE
I · Data foundations	Source of record, lineage, consent, field access	The seam between data and the systems that use it	Coupling map with a named owner at every crossing
II · Decision definitions	Semantic layer, glossary, definition register	The number that means one thing in the boardroom and another in the model	Semantic reconciliation; one definition authority
III · Output controls	Guardrails, hallucination checks, redaction, review	When an unverified output becomes an acted-on fact	Control chain from output to decision
IV · Agent governance	Allowed actions, permissions, override, kill switch	What the agent may do — vs. who answers when it does	Rights matrix bound to named owners
V · Accountable autonomy	Risk register, model cards, incident response	When scale outruns ownership	Accountability architecture and board-facing assurance
Gate · Psychological safety	—	An unowned dependency is usually one no one feels safe to raise	The enabling condition for every layer

Looplo takes care of the coupling.

From ad hoc to organized. Book a short meeting at cal.com/jacobfalkentorp

jacob@falkentorp.dk · looplo.si · v1.4.0