LOOPLO SI · BRIEF

Building on SI?

Want to build an AI business or department from scratch?

Concepts first. Then the agent.

THE RARE CHANCE

No legacy, no old platform.

You can draw things deliberately — before they turn into debt.

EVERYONE MAKES THE SAME MISTAKE

The agent first, the concepts after.

Then one word gets fourteen meanings, and no answer can be checked.

CONSEQUENCE

Cheapest now

Governance afterward is expensive. One in three AI projects is shut down by 2027 (Gartner). Build the coupling right from the start, and you skip most of the apparatus.

FIRST STEP

Write your concepts down — versioned, with an owner — before the first agent.

Give each coupling an owner from day one.

LOOPLO SERVICES

The coupling gets an owner — we see to it

LAYER	WHAT THE FIELD GOVERNS	WHAT WE TAKE CARE OF	DELIVERABLE
I · Data foundations	Source of record, lineage, consent, field access	The seam between data and the systems that use it	Coupling map with a named owner at every crossing
II · Decision definitions	Semantic layer, glossary, definition register	The number that means one thing in the boardroom and another in the model	Semantic reconciliation; one definition authority
III · Output controls	Guardrails, hallucination checks, redaction, review	When an unverified output becomes an acted-on fact	Control chain from output to decision
IV · Agent governance	Allowed actions, permissions, override, kill switch	What the agent may do — vs. who answers when it does	Rights matrix bound to named owners
V · Accountable autonomy	Risk register, model cards, incident response	When scale outruns ownership	Accountability architecture and board-facing assurance
Gate · Psychological safety	—	An unowned dependency is usually one no one feels safe to raise	The enabling condition for every layer

Looplo

Looplo takes care of the coupling.

We lay the ground with you, before it turns into debt. Book a short meeting.

jacob@falkentorp.dk · looplo.si · v1.4.0