



Republic of the Philippines
CEBU TECHNOLOGICAL UNIVERSITY
MAIN CAMPUS

M. J. Cuenco Avenue Cor. R. Palma Street, Cebu City, Philippines
Website: <http://www.ctu.edu.ph> E-mail: ccictdean@ctu.edu.ph
Phone: +6332 402 4060 loc. 1104



COLLEGE OF COMPUTER, INFORMATION AND COMMUNICATIONS TECHNOLOGY

CC225 AND CC225L

INFORMATION MANAGEMENT

BS Information Technology

UCLICK STUDIO

MANAGEMENT SYSTEM

2ND Semester, AY 2023-2024

Submitted by:

Maños, Jayvee F.

Gutierrez, Angelica C.

Morales, Abbegail S.

Romero, Korina Camille T.

Under the Guidance of:

Gibe S. Tirol, MIT
Faculty, CCICT



TABLE OF CONTENTS

A. DATABASE INITIAL STUDY	1
I. SITUATION	1
II. PROBLEM AND CONSTRAINTS.....	2
III. OBJECTIVES	3
IV. SCOPE AND BOUNDARIES.....	4
V. FUNCTIONALITIES	5
 B. CONCEPTUAL DESIGN	 6
I. BUSINESS RULES	6
II. ERD	7
1. EXTERNAL MODEL	7
2. CONCEPTUAL MODEL	8
III. DATA DICTIONARY	9
IV. EERD	10
V. DBMS SELECTION	11
 C. INTERNAL MODEL	 12
 D. PHYSICAL DATABASE MODEL	 14
 E. PROTOTYPE.....	 15

A. DATABASE INITIAL STUDY

I. SITUATION

Mr. Samuel John Orlanes owns one of the Uclick Self-Portrait Studio branches located at 2F City Time Square Mactan, Basak, Lapu-Lapu City. The studio offers a variety of portrait packages tailored for children, adults, and pet families, categorized as Petite and Classic, priced at 600 and 1,200 pesos respectively with additional services available at reasonable rates upon client request.

The studio's mission is to assist reluctant individuals in arranging a professional photoshoot by providing access to professional photography equipment in a setting that fosters confidence and comfort, enabling them to freely express their creativity and boost their poise.

Technically, due to the studio being reputable, they have attracted a large number of clients who want their special moments captured and preserved, which frequently results in double or multiple booking appointment conflicts, causing delays and client dismay.

II. PROBLEM AND CONSTRAINTS

Capturing and remembering moments through photographs is a powerful way to hold onto memories. The expressions in the photo—whether smiling, laughing, frowning, or serious—do not matter as much as the memories the photograph itself preserves. While people and things may change, photographs keep memories intact. This is why people often jump at the chance to capture and preserve their moments, a service Uclick Self-Portrait Studio elegantly provides.

The studio is renowned for meeting or exceeding client expectations, attracting many eager to experience their services. However, even with a reputable studio, issues can arise. High demand for creative and vibrant photo sessions can lead to scheduling conflicts.

To address these challenges, the Uclick Studio Management System offers solutions to specific issues:

- **Scheduling conflicts:** The studio's current appointment system struggles with high client volume, leading to conflicts and setbacks that can potentially harm the studio's reputation.
- **Manual record management:** Walk-in and same-day appointments are managed manually, which results in disorganized data.
- **Balancing client needs and appointments:** Providing extra services at client requests complicates scheduling and resource allocation, which requires efficient management to avoid disputes and setbacks.

III. OBJECTIVES

The Uclick Studio Management System aims to improve appointment and client information management as well as ensure accurate and efficient billing. The specific objectives are:

- Enhancing operational efficiency by centralizing appointment calendars for all types of bookings, including walk-ins and same-day appointments, to reduce scheduling conflicts.
- Organizing client information effectively.
- Minimizing booking inaccuracies caused by cancellations or miscommunications.
- Elevating client satisfaction by resolving disagreements and setbacks, thereby maintaining the studio's reputation.

Therefore, the system enables the admin to:

- View all appointments, including walk-ins, same-day bookings, and future appointments, with complete schedules.
- Efficiently view available slots.
- Manage existing appointments effectively.
- Create, view, and update active client records.
- Archive records of inactive clients and retrieve them when clients become active.
- Generate and manage accurate billing records and invoices.
- Track client and billing histories.

IV. SCOPE AND BOUNDARIES

SCOPES

Implement a management system that focuses on the development of a centralized appointment scheduling system to better handle reservations, particularly walk-ins and same-day appointments, and to reduce scheduling conflicts. The system also entails developing a secure database for storing client information, implementing an automated and accurately reflected billing system and payment tracking, as well as improving operational efficiency through real-time calendar updates and resource optimization.

BOUNDARIES

The system will not include image editing or storage features, nor will it incorporate advanced marketing tools. This exclusion is to prevent duplication of existing functionalities and to minimize development time and costs.

The computer systems to be used for building this system are the following:

- At least 3rd generation Central Processing Unit (CPU)
- Windows 10 Pro and above Operating System (OS)
- 12GB Random Access Memory (RAM)
- 500GB Read-Only Memory (ROM)

V. FUNCTIONALITIES

The Uclick Studio Management System offers the following functionalities:

A. Appointment Management:

- I. **Set Appointments and Send Email Notifications:** The admin can create appointments, including walk-ins and same-day bookings, efficiently. The system also includes a comprehensive calendar displaying time slots and their status (available or scheduled), as well as sending a confirmation email with appointment details (date, time, and portrait package) upon creation, rescheduling, or cancellation.
- II. **View Appointment Status and Summary:** The admin can monitor bookings and the included appointment summary which shows all appointments (completed, pending, canceled, and no-show). A search functionality for easy appointment location is also implemented.
- III. **Update Appointment Status:** The admin can update appointment statuses with the system notifying clients of changes.

B. Client Management:

- I. **Add, Update, Archive, and Restore Records:** The admin can manage client records by adding, updating, and archiving inactive clients, and restoring them when they become active.
- II. **Track Client History:** The admin can view each client's complete appointment history, including dates, times, and portrait packages.

C. Billing:

- I. **Invoice Generation:** The admin can generate invoices based on completed appointments and any applicable fees, including an indication of the invoice's issuer. Additionally, invoices are downloadable as Portable Document Format (PDF) files, which can be printed for physical copies.
- II. **Track Billing History:** The admin can view each client's payment history, including invoice details, payment dates, and modes of payment (cash or GCash).

B. CONCEPTUAL DESIGN

I. BUSINESS RULES

An EMPLOYEE can schedule many APPOINTMENTS for existing clients.

Each APPOINTMENT can only be assigned to a specific EMPLOYEE.

A CLIENT can have one or more scheduled APPOINTMENTS.

One or more APPOINTMENTS can only be booked by a CLIENT.

A completed APPOINTMENT should be reflected in a single BILL.

Each BILL must correspond to a specific APPOINTMENT.

An EMPLOYEE can generate one or more BILLS.

One or more BILLS can be issued by an EMPLOYEE.

A CLIENT can be associated with one or more BILLS.

One or more BILLS can be tied to a single CLIENT.

An EMPLOYEE can archive one or more appointments in the APPOINTMENT ARCHIVE.

Each APPOINTMENT ARCHIVE is recorded by a single EMPLOYEE.

Each APPOINTMENT ARCHIVE should be indicated in a single BILL ARCHIVE.

Each BILL ARCHIVE should reference a specific APPOINTMENT ARCHIVE.

An EMPLOYEE can store one or more bills in the BILL ARCHIVE.

A BILL ARCHIVE is created by an EMPLOYEE.

A CLIENT ARCHIVE can include one or more APPOINTMENT ARCHIVES.


Each APPOINTMENT ARCHIVE is linked to a single CLIENT ARCHIVE.

A CLIENT ARCHIVE can produce one or more BILL ARCHIVE.


A BILL ARCHIVE can be produced by a CLIENT ARCHIVE.

II. ERD

1. EXTERNAL MODEL




2. CONCEPTUAL MODEL



III. DATA DICTIONARY

TABLE NAME	ATTRIBUTE NAME	TYPE	FORMAT	RANGE	REQUIRED	PK OR FK	FK REFERENCED TABLE
EMPLOYEE	EMP_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	PK	
EMPLOYEE	EMP_USERNAME	VARCHAR(50)	XXXXXXXXXX	NA	Y		
EMPLOYEE	EMP_PASSWORD	VARCHAR(50)	XXXXXXXXXX	NA	Y		
EMPLOYEE	EMP_LNAME	VARCHAR(50)	XXXXXXXXXX	NA	Y		
EMPLOYEE	EMP_FNAME	VARCHAR(50)	XXXXXXXXXX	NA	Y		
EMPLOYEE	EMP_MIDDLE_INITIAL	VARCHAR(1)	X	NA	N		
EMPLOYEE	EMP_CITY	VARCHAR(50)	XXXXXXXXXX	NA	Y		
EMPLOYEE	EMP_PHONE	VARCHAR(11)	XXXXXXXXXX	NA	Y		
EMPLOYEE	EMP_EMAIL	VARCHAR(50)	XXXXXXXXXX	NA	Y		
EMPLOYEE	EMP_HIREDATE	DATE	YYYY-MM-DD	NA	Y		
CLIENT	CLIENT_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	PK	
CLIENT	CLIENT_FNAME	VARCHAR(30)	XXXXXXXXXX	NA	Y		
CLIENT	CLIENT_LNAME	VARCHAR(30)	XXXXXXXXXX	NA	Y		
CLIENT	CLIENT_CONTACT_NUMBER	VARCHAR(11)	XXXXXXXXXX	NA	Y		
CLIENT	CLIENT_EMAIL	VARCHAR(50)	XXXXXXXXXX	NA	Y		
APPOINTMENT	APP_NUM	VARCHAR(30)	XXXXXXXXXX	NA	Y	PK	
APPOINTMENT	CLIENT_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	CLIENT
APPOINTMENT	APP_DATE	DATE	YYYY-MM-DD	NA	Y		
APPOINTMENT	APP_TIME	VARCHAR(30)	XXXXXXXXXX	NA	Y		
APPOINTMENT	APP_ADDRESS	VARCHAR(100)	XXXXXXXXXX	NA	Y		
APPOINTMENT	APP_STATUS	VARCHAR(20)	XXXXXXXXXX	NA	Y		
APPOINTMENT	APP_PACKAGE	VARCHAR(30)	XXXXXXXXXX	NA	Y		
APPOINTMENT	EMP_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	EMPLOYEE
BILL	BILL_NUM	VARCHAR(30)	XXXXXXXXXX	NA	Y	PK	
BILL	BILL_SESSION_DATE	DATE	YYYY-MM-DD	NA	Y		
BILL	BILL_PACKAGE	VARCHAR(30)	XXXXXXXXXX	NA	Y		
BILL	BILL_ADD_SERVICES	VARCHAR(3)	Xxx	Yes or No	Y		
BILL	BILL_AMOUNT_DUE	NUMERIC(10,2)	####.00	NA	Y		
BILL	BILL_AMOUNT_PAID	NUMERIC(10,2)	####.00	NA	Y		
BILL	BILL_MODE	VARCHAR(30)	XXXXXXXXXX	NA	Y		
BILL	CLIENT_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	CLIENT
BILL	EMP_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	EMPLOYEE
BILL	APP_NUM	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	APPOINTMENT
CLIENT_ARCHIVE	CLIENT_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	PK	
CLIENT_ARCHIVE	CLIENT_FNAME	VARCHAR(30)	XXXXXXXXXX	NA	Y		
CLIENT_ARCHIVE	CLIENT_LNAME	VARCHAR(30)	XXXXXXXXXX	NA	Y		
CLIENT_ARCHIVE	CLIENT_CONTACT_NUMBER	VARCHAR(11)	XXXXXXXXXX	NA	Y		
CLIENT_ARCHIVE	CLIENT_EMAIL	VARCHAR(50)	XXXXXXXXXX	NA	Y		
CLIENT_ARCHIVE	ARCHIVED_AT	TIMESTAMP WITHOUT TIME ZONE	YYYY-MM-DD HH:MM	Current timestamp	Y		
APPOINTMENT_ARCHIVE	APP_NUM	VARCHAR(30)	XXXXXXXXXX	NA	Y	PK	
APPOINTMENT_ARCHIVE	CLIENT_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	CLIENT_ARCHIVE
APPOINTMENT_ARCHIVE	APP_DATE	DATE	YYYY-MM-DD	NA	Y		
APPOINTMENT_ARCHIVE	APP_TIME	VARCHAR(30)	XXXXXXXXXX	NA	Y		
APPOINTMENT_ARCHIVE	APP_ADDRESS	VARCHAR(100)	XXXXXXXXXX	NA	Y		
APPOINTMENT_ARCHIVE	APP_STATUS	VARCHAR(20)	XXXXXXXXXX	NA	Y		
APPOINTMENT_ARCHIVE	APP_PACKAGE	VARCHAR(30)	XXXXXXXXXX	NA	Y		
APPOINTMENT_ARCHIVE	EMP_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	EMPLOYEE
APPOINTMENT_ARCHIVE	ARCHIVED_AT	TIMESTAMP WITHOUT TIME ZONE	YYYY-MM-DD HH:MM	Current timestamp	Y		
BILL_ARCHIVE	BILL_NUM	VARCHAR(30)	XXXXXXXXXX	NA	Y	PK	
BILL_ARCHIVE	BILL_SESSION_DATE	DATE	YYYY-MM-DD	NA	Y		
BILL_ARCHIVE	BILL_PACKAGE	VARCHAR(30)	XXXXXXXXXX	NA	Y		
BILL_ARCHIVE	BILL_ADD_SERVICES	VARCHAR(3)	Xxx	Yes or No	Y		
BILL_ARCHIVE	BILL_AMOUNT_DUE	NUMERIC(10,2)	####.00	NA	Y		
BILL_ARCHIVE	BILL_AMOUNT_PAID	NUMERIC(10,2)	####.00	NA	Y		
BILL_ARCHIVE	BILL_MODE	VARCHAR(30)	XXXXXXXXXX	NA	Y		
BILL_ARCHIVE	CLIENT_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	CLIENT_ARCHIVE
BILL_ARCHIVE	EMP_CODE	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	EMPLOYEE
BILL_ARCHIVE	APP_NUM	VARCHAR(30)	XXXXXXXXXX	NA	Y	FK	APPOINTMENT_ARCHIVE
BILL_ARCHIVE	ARCHIVED_AT	TIMESTAMP WITHOUT TIME ZONE	YYYY-MM-DD HH:MM	Current timestamp	Y		

IV. EERD



V. DBMS SELECTION

PostgreSQL, also known as “Postgres,” is a powerful, open-source object-relational database system with over 35 years of active development that has earned it a strong reputation for reliability, feature robustness, and performance.

ADVANTAGES OF POSTGRESQL

Cost-effectiveness: Postgres is open-source software, which means it has no licensing costs and a lower total cost of ownership compared to proprietary databases.

High scalability: Postgres offers horizontal scalability with read replicas and connection pooling, which makes it a good fit for high-traffic and high-concurrency applications.

Extensibility and Flexibility: Postgres is more flexible and can be easily customized to meet specific needs, it also supports a wide variety of operating systems, hardware platforms, and programming languages.

Strong community: Postgres has a large and active community of users and developers, making it easier to find support and resources.

Advanced features: Postgres has many advanced features such as native JSON support, full-text search, and better performance for complex queries.

Cloud-native: Postgres has a more cloud-friendly architecture and is better suited for modern cloud-based deployments.

Open-source licensing: The open-source license of Postgres allows for greater flexibility and freedom in terms of modifying and distributing the software.

High performance: Postgres is well known for its high performance, allowing it to handle large amounts of data.

Reliability and Stability: PostgreSQL has earned a strong reputation for its reliability and stability. It ensures data integrity and can handle heavy data loads while remaining stable, which is crucial for businesses.

Comprehensive Security Features: PostgreSQL has robust built-in security features, such as a strong access-control system, views, granular permissions, and built-in SSL support. These features help ensure data is secure and accessible only by authorized personnel.

C. INTERNAL MODEL

```
CREATE DATABASE Uclick;
```

```
CREATE TABLE EMPLOYEE (  
    EMP_CODE VARCHAR(30) NOT NULL,  
    EMP_USERNAME VARCHAR(50) NOT NULL,  
    EMP_PASSWORD VARCHAR(50) NOT NULL,  
    EMP_LNAME VARCHAR(50) NOT NULL,  
    EMP_FNAME VARCHAR(50) NOT NULL,  
    EMP_MIDDLE_INITIAL VARCHAR(1),  
    EMP_CITY VARCHAR(50) NOT NULL,  
    EMP_PHONE VARCHAR(11) NOT NULL,  
    EMP_EMAIL VARCHAR(50) NOT NULL,  
    EMP_HIREDATE DATE NOT NULL,  
    CONSTRAINT EMPLOYEE_PKEY PRIMARY KEY (EMP_CODE),  
    CONSTRAINT EMPLOYEE_EMP_EMAIL_KEY UNIQUE (EMP_EMAIL),  
    CONSTRAINT EMPLOYEE_EMP_USERNAME_KEY UNIQUE (EMP_USERNAME),  
    CONSTRAINT UNIQUE_EMPLOYEE_NAME UNIQUE (EMP_FNAME, EMP_LNAME)  
);
```

```
CREATE TABLE CLIENT (  
    CLIENT_CODE VARCHAR(30) NOT NULL,  
    CLIENT_FNAME VARCHAR(30) NOT NULL,  
    CLIENT_LNAME VARCHAR(30) NOT NULL,  
    CLIENT_CONTACT_NUMBER VARCHAR(11) NOT NULL,  
    CLIENT_EMAIL VARCHAR(50) NOT NULL,  
    CONSTRAINT CLIENT_PKEY PRIMARY KEY (CLIENT_CODE),  
    CONSTRAINT CLIENT_CLIENT_CONTACT_NUMBER_KEY UNIQUE (CLIENT_CONTACT_NUMBER),  
    CONSTRAINT CLIENT_CLIENT_EMAIL_KEY UNIQUE (CLIENT_EMAIL),  
    CONSTRAINT UNIQUE_CLIENT_NAME UNIQUE (CLIENT_FNAME, CLIENT_LNAME)  
);
```

```
CREATE TABLE APPOINTMENT (  
    APP_NUM VARCHAR(30) NOT NULL,  
    CLIENT_CODE VARCHAR(30) NOT NULL,  
    APP_DATE DATE NOT NULL,  
    APP_TIME VARCHAR(30) NOT NULL,  
    APP_ADDRESS VARCHAR(100) NOT NULL  
    DEFAULT '2F City Time Square Mactan, Basak, Lapu-Lapu City, Philippines',  
    APP_STATUS VARCHAR(20) NOT NULL DEFAULT 'Pending',  
    APP_PACKAGE VARCHAR(30) NOT NULL,  
    EMP_CODE VARCHAR(30) NOT NULL,  
    CONSTRAINT APPOINTMENT_PKEY PRIMARY KEY (APP_NUM),  
    CONSTRAINT APPOINTMENT_CLIENT_ID_FKEY  
    FOREIGN KEY (CLIENT_CODE) REFERENCES CLIENT(CLIENT_CODE)  
    ON UPDATE CASCADE ON DELETE CASCADE,  
    CONSTRAINT APPOINTMENT_EMP_CODE_FKEY  
    FOREIGN KEY (EMP_CODE) REFERENCES EMPLOYEE(EMP_CODE)  
    ON UPDATE CASCADE ON DELETE CASCADE  
);
```

```
CREATE TABLE BILL (  
    BILL_NUM VARCHAR(30) NOT NULL,  
    BILL_SESSION_DATE DATE NOT NULL,  
    BILL_PACKAGE VARCHAR(30) NOT NULL,  
    BILL_ADD_SERVICES VARCHAR(3) NOT NULL,  
    BILL_AMOUNT_DUE NUMERIC(10,2) NOT NULL,  
    BILL_AMOUNT_PAID NUMERIC(10,2) NOT NULL,  
    BILL_MODE VARCHAR(30) NOT NULL,  
    CLIENT_CODE VARCHAR(30) NOT NULL,  
    EMP_CODE VARCHAR(30) NOT NULL,  
    APP_NUM VARCHAR(30) NOT NULL,  
    CONSTRAINT BILL_PKEY PRIMARY KEY (BILL_NUM),  
    CONSTRAINT BILL_ADD_SERVICES_CHECK CHECK (BILL_ADD_SERVICES IN ('Yes', 'No')),  
    CONSTRAINT BILL_APP_NUM_FKEY FOREIGN KEY (APP_NUM) REFERENCES APPOINTMENT(APP_NUM)  
    ON UPDATE CASCADE ON DELETE CASCADE,  
    CONSTRAINT BILL_CLIENT_ID_FKEY FOREIGN KEY (CLIENT_CODE) REFERENCES CLIENT(CLIENT_CODE)  
    ON UPDATE CASCADE ON DELETE CASCADE,  
    CONSTRAINT BILL_EMP_ID_FKEY FOREIGN KEY (EMP_CODE) REFERENCES EMPLOYEE(EMP_CODE)  
    ON UPDATE CASCADE ON DELETE CASCADE  
);
```

```


CREATE TABLE CLIENT_ARCHIVE (
    CLIENT_CODE VARCHAR(30) NOT NULL,
    CLIENT_FNAME VARCHAR(30) NOT NULL,
    CLIENT_LNAME VARCHAR(30) NOT NULL,
    CLIENT_CONTACT_NUMBER VARCHAR(11) NOT NULL,
    CLIENT_EMAIL VARCHAR(50) NOT NULL,
    ARCHIVED_AT TIMESTAMP WITHOUT TIME ZONE NOT NULL DEFAULT CURRENT_TIMESTAMP,
    CONSTRAINT CLIENT_ARCHIVE_PKEY PRIMARY KEY (CLIENT_CODE)
);

CREATE TABLE APPOINTMENT_ARCHIVE (
    APP_NUM VARCHAR(30) NOT NULL,
    CLIENT_CODE VARCHAR(30) NOT NULL,
    APP_DATE DATE NOT NULL,
    APP_TIME VARCHAR(30) NOT NULL,
    APP_ADDRESS VARCHAR(100) NOT NULL
    DEFAULT '2F City Time Square Mactan, Basak, Lapu-Lapu City, Philippines',
    APP_STATUS VARCHAR(20) NOT NULL DEFAULT 'Pending',
    APP_PACKAGE VARCHAR(30) NOT NULL,
    EMP_CODE VARCHAR(30) NOT NULL,
    ARCHIVED_AT TIMESTAMP WITHOUT TIME ZONE NOT NULL DEFAULT CURRENT_TIMESTAMP,
    CONSTRAINT APPOINTMENT_ARCHIVE_PKEY PRIMARY KEY (APP_NUM),
    CONSTRAINT APPOINTMENT_ARCHIVE_CLIENT_CODE_FKEY
    FOREIGN KEY (CLIENT_CODE) REFERENCES CLIENT_ARCHIVE(CLIENT_CODE)
    ON UPDATE CASCADE ON DELETE CASCADE,
    CONSTRAINT APPOINTMENT_ARCHIVE_EMP_CODE_FKEY
    FOREIGN KEY (EMP_CODE) REFERENCES EMPLOYEE(EMP_CODE)
    ON UPDATE CASCADE ON DELETE CASCADE
);

CREATE TABLE BILL_ARCHIVE (
    BILL_NUM VARCHAR(30) NOT NULL,
    BILL_SESSION_DATE DATE NOT NULL,
    BILL_PACKAGE VARCHAR(30) NOT NULL,
    BILL_ADD_SERVICES VARCHAR(3) NOT NULL,
    BILL_AMOUNT_DUE NUMERIC(10,2) NOT NULL,
    BILL_AMOUNT_PAID NUMERIC(10,2) NOT NULL,
    BILL_MODE VARCHAR(30) NOT NULL,
    CLIENT_CODE VARCHAR(30) NOT NULL,
    EMP_CODE VARCHAR(30) NOT NULL,
    APP_NUM VARCHAR(30) NOT NULL,
    ARCHIVED_AT TIMESTAMP WITHOUT TIME ZONE NOT NULL DEFAULT CURRENT_TIMESTAMP,
    CONSTRAINT BILL_ARCHIVE_PKEY PRIMARY KEY (BILL_NUM),
    CONSTRAINT BILL_ARCHIVE_ADD_SERVICES_CHECK CHECK (BILL_ADD_SERVICES IN ('Yes', 'No')),
    CONSTRAINT BILL_ARCHIVE_CLIENT_CODE_FKEY
    FOREIGN KEY (CLIENT_CODE) REFERENCES CLIENT_ARCHIVE(CLIENT_CODE)
    ON UPDATE CASCADE ON DELETE CASCADE,
    CONSTRAINT BILL_ARCHIVE_EMP_CODE_FKEY
    FOREIGN KEY (EMP_CODE) REFERENCES EMPLOYEE(EMP_CODE)
    ON UPDATE CASCADE ON DELETE CASCADE,
    CONSTRAINT BILL_ARCHIVE_APP_NUM_FKEY
    FOREIGN KEY (APP_NUM) REFERENCES APPOINTMENT_ARCHIVE(APP_NUM)
    ON UPDATE CASCADE ON DELETE CASCADE
);

```

D. PHYSICAL DATABASE MODEL





E. PROTOTYPE




The Sign-in page where the admin can sign in.

The Dashboard page where the appointment status, the total number of booked schedules, logged clients, and generated bills are displayed.





The Appointments page where the calendar, time slots, and appointment summary are shown.




The Appointments page where the setting up of a client's pending appointment for the Petite category is presented.


The Appointments page where the setting up of a client's pending appointment for the Classic category is presented.



The Appointments page where the setting up of a client's completed appointment for the Petite category is presented.



The Appointments page where the setting up of a client's completed appointment for the Classic category is presented.





The Clients page where the list of all the active client records is shown in tabular format.

The Clients page where the list of all the archived inactive client records is shown in tabular format.



The Clients page where the client's information is displayed for viewing only.

UclickSELF-PORTRAIT STUDIO

Dashboard

Appointments

Clients

Billing

Logout

Edit Information

CLIENT INFORMATION

First Name

Bree

Last Name

Lincoln

Email Address

breelincoln@gmail.com

Contact Number

09511170263

Cancel

Save

The Clients page where the client's information (first and last names) can be modified.

The Clients page where the appointment history of a client is shown.

UclickSELF-PORTRAIT STUDIO

Dashboard

Appointments

Clients

Billing

Logout

Appointment History

Search Client

Client : Bree Lincoln

	Date	Time	Package	Additional Services	Amount Due	Payment
1	2024-05-13	2:30 PM - 2:45 PM	Petite	No	600.00	GCash
2	2024-06-11	3:00 PM - 3:15 PM	Petite	None	None	None

Close

UclickSELF-PORTRAIT STUDIO

Dashboard

Appointments

Clients

Billing

Logout

Billing Form

Customer Details

First Name:

Last Name:

Session Date:

yyyy-mm-dd

Package Selection

☐ Petite (P600)

☐ Classic (P1200)

Additional Services

☐ extra person (w/ 1 photo print) = P200

☐ extra kid (below 12 y/o: 5 y/o and below are FREE) = P100

☐ extra pet (first 2 pets are FREE) = P100

☐ extra photo print = P50

☐ all soft copies (email) = P300

☐ all soft copies (USB) = P250

☐ advance photo edit (P100/photo)

Quantity

Payment

Total Amount Due: P

Amount Paid:

Change:

Mode:

☐ Cash

☐ GCash

Issued by

First name:

Last name:

Generate Bill

Clear Form

Search Bill

Bill List

	Bill Number	Session Date
1	KN20240511225932/JM	2024-05-11
2	BL20240512151830/JM	2024-05-13

Delete

Download

Send


The Billing page where the billing form is filled out, and the invoice is generated.

18 | Page

DOCUMENTATION



Mr. Orlanes signing the Certificate of New Software Utilization.



Mr. Orlanes signing the Department of Trade and Industry (DTI) document.