

Project Design Phase-II

Data Flow Diagram & User Stories

Date 02 October 2026

Team ID _____


Project Name Implement Client Script & UI Policy (Incident)

Data Flow Diagrams:

A Data Flow Diagram (DFD) visually represents how information moves through a system. For this project, the diagram shows how incident data entered by a ServiceNow user is processed by Client Scripts and UI Policies before the incident record is saved or updated.

DFD Level 0 - ServiceNow Incident Form

ServiceNow Incident - Client Script & UI Policy Data Flow



1. The ServiceNow user or support agent enters or changes information on the Incident form.
2. Client Scripts evaluate field values, perform client-side validation, display messages, and handle required client-side logic.
3. UI Policies evaluate configured conditions and dynamically control whether fields are mandatory, visible, or read-only.
4. When the form satisfies the required rules, the incident data is saved or updated in the Incident record.
5. Validation messages and form guidance are shown back to the user when corrections or additional information are required.

User Stories

Use the below template to list the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance Criteria	Priority	Release
ServiceNow User / Support Agent	Incident Form Validation	USN-1	As a user, I want important incident fields to be validated before submission so that incomplete or incorrect incident data is reduced.	Invalid or incomplete required values are identified before the incident is submitted, with a clear message to the user.	High	Sprint-1
ServiceNow User / Support Agent	Dynamic Field Behaviour	USN-2	As a user, I want incident fields to become mandatory based on selected incident conditions so that I provide the information required for that situation.	Configured fields become mandatory automatically when the defined UI Policy condition is true.	High	Sprint-1
ServiceNow User / Support Agent	Dynamic Field Behaviour	USN-3	As a user, I want fields to be shown or hidden based on incident values so that I only see information relevant to the current incident.	Relevant fields are displayed and irrelevant fields are hidden when configured conditions are met.	High	Sprint-1
ServiceNow User / Support Agent	Field Protection	USN-4	As a user, I want selected fields to become read-only under defined conditions so that protected incident information is not changed accidentally.	Configured fields become read-only automatically when the UI Policy condition is satisfied.	High	Sprint-1

User Stories - Continued

Continuation of the project user stories.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance Criteria	Priority	Release
ServiceNow User / Support Agent	User Guidance	USN-5	As a user, I want clear alerts or field messages when my input requires correction so that I can fix the incident information immediately.	A Client Script displays an appropriate alert or field message when configured validation rules fail.	High	Sprint-1
ServiceNow User / Support Agent	Value Handling	USN-6	As a user, I want irrelevant field values to be cleared when a controlling selection changes so that outdated information is not retained in the incident.	Dependent values are cleared or updated when the configured controlling field changes.	Medium	Sprint-2
ServiceNow User / Support Agent	Form Efficiency	USN-7	As a user, I want the Incident form to react automatically to my selections so that I spend less time manually checking which fields are required or applicable.	Client Scripts and UI Policies respond to field changes and apply the configured form behaviour without requiring manual checks.	Medium	Sprint-2