

Implement Client Script & UI Policy (Incident)

ServiceNow Micro Project | Video-Based Implementation Documentation

Problem Statement

Incident records require accurate information and consistent field behavior. Without appropriate client-side controls, important fields may remain incomplete or inconsistent, affecting routing, prioritization and data quality. This project demonstrates how UI Policies and Client Scripts can apply conditional field rules and validate incident submissions.

Objective

To configure and demonstrate ServiceNow Incident UI Policy and Client Scripts that enforce required assignments for high-impact incidents, control Urgency, automate field updates, validate submission and restrict inappropriate list edits.

Skills

Incident Management • UI Policy • UI Policy Actions • Client Scripts • onChange • onSubmit • onCellEdit • Form Validation

Task 1: Create UI Policy on Incident

Activity 1: Configure High Impact Control

1. Sign in to the ServiceNow instance and navigate to System UI → UI Policies.
2. Select New and configure a policy for the Incident table.
3. Use the name High Impact Control and ensure the policy is Active.
4. Set the condition Impact is 1 – High.
5. Enable Reverse if false so the policy actions revert when the condition is not met.
6. Save the policy and open its UI Policy Actions related list.




Figure 1. UI Policies navigation and available policy records.





Figure 2. High Impact Control policy configuration and related actions.

Task 2: Configure UI Policy Actions

Activity 1: Assignment Group and Urgency Controls

7. In the High Impact Control policy, create a UI Policy Action for Assignment group.
8. Set Mandatory to True for Assignment group when Impact is High.
9. Create another action for Urgency.
10. Set Read only to True for Urgency, leaving its visibility unchanged.
11. Save the actions and confirm they are associated with the High Impact Control policy.



The screenshot shows the ServiceNow UI Policies page. The 'High Impact Control' policy is selected, and its actions are listed in a table. The table has columns for Short description, Table, Conditions, Reverse if false, On load, Updated, and Order.

Short description	Table	Conditions	Reverse if false	On load	Updated	Order
High Impact Control	Incident [incident]	impact=1^EQ	true	true	2026-09-28 03:30:55	100
High importance and attachment options for invites	Notification [sysevent_email_section]	type=email^EQ	true	true	2011-01-22 19:46:22	100
HR Queue is mandatory when HR fulfiller is Connected	Chat Setup [sys_cs_live_agent_setup]	hr_fulfiller=connect^EQ	true	true	2021-07-26 00:32:09	100
If Availability is desktop and mobile or mobile only show mobile picture type	Record Producer [sc_cat_item_producer]	availability-on_both^ORavailability-on_m...	true	true	2014-01-10 17:00:12	100
If Guidance Step layout is Text or Image and Text	Help Content [help_content]	guidance_steplayout=Text^ORguidance_ste...	false	true	2021-04-15 22:23:53	200
If item has a 'Parent menu item', hide the 'Parent Menu' field and related list	Menu Item [sp_rectangle_menu_item]	sp_rectangle_menu_itemISNOTEMPTY^sp_rect...	false	true	2018-09-09 07:57:53	100
If item has a 'Parent menu', hide the 'Parent Menu Item' field	Menu Item [sp_rectangle_menu_item]	sp_rectangle_menu_itemISNOTEMPTY^sp_rectang...	false	true	2018-09-09 07:56:57	100
If mobile picture type is mobile show mobile picture field	Record Producer [sc_cat_item_producer]	mobile_picture_type=use_mobile_picture^EQ	true	true	2014-01-10 16:57:50	100
If operating system is other			true	true	2022-03-29 02:23:52	100
If parent is not empty some fields must be mandatory	Map Source [sys_report_map_source]	parentISNOTEMPTY^EQ	false	true	2016-01-14 04:45:14	100
If parent is not empty, set some fields to mandatory	Map source [viz_map_source]	parentISNOTEMPTY^EQ	true	true	2022-12-15 22:39:17	100
If translated field is empty, value must be provided	Input Attribute [sys_sg_input_attribute]	translated_valueISNOTEMPTY^EQ	true	true	2025-02-11 10:57:49	100

Figure 3. UI Policy Action field controls.

Task 3: Create onChange Client Script

Activity 1: Automatically Set Urgency

12. Navigate to System UI → Client Scripts and select New.
13. Name the script Auto set urgency for high impact.
14. Select Table: Incident; Type: onChange; Field name: Impact; Active: true.
15. Configure the script to set Urgency to High when Impact changes to High, and display an informational message.
16. Submit the script and test the behavior in an Incident form.




Figure 4. onChange Client Script activity shown in the recording.




Figure 5. Client Script configuration and script editor.

Task 4: Create onSubmit Client Script

Activity 1: Prevent Submission Without Assigned To

17. Create a new Client Script on the Incident table.
18. Name it Prevent save if Assigned To missing and set Type to onSubmit.
19. Add validation so a high-impact Incident cannot be submitted when Assigned To is empty.
20. Display an error against Assigned To and cancel submission when the condition is not met.
21. Save the script and verify its behavior on the Incident form.




Figure 6. Client Script record configuration.

Task 5: Create onCellEdit Client Script

Activity 1: Restrict List Editing of State

22. Create a new Client Script for the Incident table.
23. Set Type to onCellEdit and Field name to State.
24. Configure it to reject State changes made directly from the Incident list and notify the operator.
25. Save the script and attempt a State edit from the Incident list to test the restriction.

Name	Active	Table	Application	View	Type	Updated
Maximum Duration Range Check	true	Transaction Quota Rule [sysrule_quota]	Global		onChange	2012-05-30 14:47:01
Create default value	true	Response Template Channel [sn_templated_email_channel]	Templated Snippets		onChange	2020-09-22 17:06:27
Show overlap field based on data labels	true	Widgets [jsa_widgets]	Global		onChange	2021-04-23 02:59:51
Set protocol based on auth type	false	HTTP(s) Connection [http_connection]	Global		onChange	2017-06-02 15:49:24
Populate chain and make it readonly	true	Finding Rule [promin_finding_def_rule]	Global		onLoad	2022-09-21 06:16:19
Set default values for OIDC PKCE flow	true	OAuth OIDC Entry [oauth_oidc_entry]	Global		onChange	2020-02-28 00:59:58
Make notification read only	true	Additional Notification Recipients [sys_notification_recipient]	Global		onLoad	2021-02-05 22:42:13
Deprecated - SN - Make serial number main	false	Asset [alm_asset]	Global		onChange	2025-03-06 00:42:54
Validate StatefulSet Name	true	MID KBs Deployment Request [mid_kbs_deployment]	Global		onChange	2022-10-09 23:18:07
Set Use current record if delete	true	Action Item [sys_sg_write_back_action_item]	Global		onChange	2019-04-14 07:30:02
Warning when no destination type enabled	true	Notification [sys_notification]	Global		onLoad	2021-05-13 04:51:51
Sync Status Change Handler	true	Advanced Portal Navigation [sn_ex_sp_portal_extensile_navigation]	Employee Center		onChange	2024-12-23 03:29:15
Populate, hide/slow relation cons table	true	Finding Constraint [promin_finding_def_constraint]	Global		onChange	2022-09-12 07:27:29
Mark type read only	true	System Address Filters [sys_email_system_filter]	Global		onLoad	2020-02-17 02:09:09

Figure 7. Incident navigation used for list and form testing.

Task 6: Testing the Configuration

Activity 1: Test High-Impact Field Behavior

26. Open or create an Incident and select Impact: 1 – High.
27. Verify Urgency is automatically set to 1 – High and becomes read-only.
28. Leave Assigned To empty and attempt to submit the Incident.
29. Confirm that the submission is blocked and an error appears for Assigned To.

Milestone 4:


Create onSubmit Client Script (Save Validation)

90%



Activity 1: Create Client Script

Figure 8. High Impact and High Urgency shown on the Incident form.



The screenshot shows the ServiceNow interface for the 'Client Scripts' list. The table contains 15 rows of client scripts, each with columns for Name, Active status, Table, Application, View, Type, and Updated date. The 'Active' column shows 'true' for most scripts and 'false' for two. The 'Type' column shows 'onChange', 'onLoad', and 'onSubmit'.

Name	Active	Table	Application	View	Type	Updated
Maximum Duration Range Check	true	Transaction Quota Rule [sysrule_quota]	Global		onChange	2012-05-30 14:47:01
Create default value	true	Response Template Channel [sn_templated_snip_channel]	Templated Snippets		onChange	2020-09-22 17:04:27
Show overlap field based on data labels	true	Widgets [pa_widgets]	Global		onChange	2021-04-23 02:59:51
Set protocol based on auth type	false	HTTP(s) Connection [http_connection]	Global		onChange	2017-06-02 15:19:21
Populate chain and make it readonly	true	Finding Rule [promin_finding_def_rule]	Global		onLoad	2022-09-21 06:16:19
Set default values for OIDC PKCE flow	true	OAuth OIDC Entity [oauth_oidc_entity]	Global		onChange	2020-02-28 00:59:58
Make notification read only	true	Additional Notification Recipients [sys_notification_recipient]	Global		onLoad	2021-02-05 22:42:13
Deprecated - SN - Make serial number men	false	Asset [sn_asset]	Global		onChange	2025-03-06 00:12:51
Validate StatefulSet Name	true	MID KBs Deployment Request [mid_kbs_deployment]	Global		onChange	2022-10-09 23:18:07
Set Use current record if delete	true	Action item [sys_sg_write_back_action_item]	Global		onChange	2019-04-14 07:30:02
Warning when no destination type enabled	true	Notification [sys_notification]	Global		onLoad	2021-05-13 04:51:51
Sync Status Change Handler	true	Advanced Portal Navigation [sn_ex_sp_portal_extensible_navigation]	Employee Center		onChange	2024-12-23 03:29:15
Populate, hide/show relation cons table	true	Finding Constraint [promin_finding_def_constraint]	Global		onChange	2022-09-12 07:27:29
Mark type read only	true	System Address Filters [sys_email_system_filter]	Global		onLoad	2020-02-17 02:09:09

Figure 9. Assigned To mandatory validation error for a high-impact Incident.

Activity 2: Test Successful Save and Reverse Condition

30. Fill Assigned To and submit the Incident; verify it saves when other required fields are complete.
31. Change Impact from High to Medium and verify that applicable UI Policy controls reverse.

32. Confirm Urgency becomes editable and the high-impact assignment rule no longer applies.

Activity 3: Test List Edit Restriction

33. Navigate to the Incident list.

34. Attempt to edit State directly in the list.

35. Verify the edit is rejected and use the Incident form for an allowed State update.

The screenshot displays the ServiceNow 'Incident - Create INC0010015' form. The form is divided into two main sections: 'Incident' and 'Related Search Results'. The 'Incident' section contains various fields for incident details, including Number (INC0010015), Caller (Adela Cervantes), Category (Inquiry / Help), Subcategory (-- None --), Service, Service offering, Configuration item, Short description (testing UI), and Description. On the right side, there are dropdown menus for Channel (Phone), State (New), Impact (1 - High), Urgency (1 - High), Priority (1 - Critical), Assignment group, and Assigned to. Below the incident form, the 'Related Search Results' section shows a search for 'testing UI' with results including 'Whitelist IP', 'Firewall Rule Change', and 'Eclipse configuration for Android dev...'. The bottom of the screen shows a Windows taskbar with the date 01-10-2026 and time 17:49.

Figure 10. Final project instructions and recorded implementation evidence.

Conclusion

The video demonstrates an Incident configuration workflow combining UI Policies, UI Policy Actions and Client Scripts. Together these controls help ensure high-impact incidents receive appropriate urgency and assignment validation while restricting list-based State changes. The captured screenshots document key setup and test stages shown in the recording.

Documentation note: Some detailed configuration values and test outcomes are described in the reference document and are not independently legible in every video frame. The screenshots are taken from the supplied recording; no separate ServiceNow instance verification was performed.