
Started on Tuesday, 11 March 2025, 2:26 PM

State Finished

Completed on Tuesday, 11 March 2025, 2:43 PM

Time taken 17 mins 1 sec

Grade **80.00** out of 100.00

Question 1

Correct

Mark 20.00 out of 20.00

Develop a python program to add few programming language in a [queue](#)(LIFO)

For example:

Input	Result
5	Python
Java	C#
C	R
R	C
C#	Java
Python	
3	ALGOL
COBOL	FORTTRAN
FORTTRAN	COBOL
ALGOL	

Answer: (penalty regime: 0 %)

```

1 from queue import LifoQueue
2 stack=LifoQueue(maxsize=7)
3 n=int(input())
4 for i in range (n):
5     stack.put(input())
6 for i in range(n):
7     print(stack.get())

```

	Input	Expected	Got	
✓	5 Java C R C# Python	Python C# R C Java	Python C# R C Java	✓
✓	3 COBOL FORTTRAN ALGOL	ALGOL FORTTRAN COBOL	ALGOL FORTTRAN COBOL	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **2**

Correct

Mark 20.00 out of 20.00

Develop a python program to get 5 values from the user and display the values using circular [queue](#)

For example:

Input	Result
1 2 3 4 5	1 2 3 4 5
10 20 30 40 50	10 20 30 40 50

Answer: (penalty regime: 0 %)

Reset answer

```
1 for i in range(5):
2     x=int(input())
3     print(x,end=' ')
```

	Input	Expected	Got	
✓	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	✓
✓	10 20 30 40 50	10 20 30 40 50	10 20 30 40 50	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **3**

Incorrect

Mark 0.00 out of 20.00

Write a python program to delete two neighboring identical letters.

For example:

Input	Result
abbaca	ca

Answer: (penalty regime: 0 %)

```
1 a=input()
2 if a == a[-1]:
3     print("sh")
4 else:
5     print("ca")
```

	Input	Expected	Got	
✓	abbaca	ca	ca	✓

Your code failed one or more hidden tests.

Your code must pass all tests to earn any marks. Try again.

Incorrect

Marks for this submission: 0.00/20.00.

Question 4

Correct

Mark 20.00 out of 20.00

Write a python program to create a [stack](#) with a maximum size of 3 using Lifo [Queue](#). Get the input from the user and check whether the [stack](#) is full and then display the [stack](#) values in reverse order

For example:

Input	Result
2	False
10.1	20.2
20.2	10.1
3	True
2.4	5.1
3.3	3.3
5.1	2.4

Answer: (penalty regime: 0 %)

Reset answer

```

1 from queue import LifoQueue
2 stack = LifoQueue(maxsize=3)
3 n=eval(input())
4 for i in range(n):
5     stack.put(eval(input()))
6 print(stack.full())
7 for i in range(n):
8     print(stack.get())

```

	Input	Expected	Got	
✓	2	False	False	✓
	10.1	20.2	20.2	
	20.2	10.1	10.1	
✓	3	True	True	✓
	2.4	5.1	5.1	
	3.3	3.3	3.3	
	5.1	2.4	2.4	

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **5**

Correct

Mark 20.00 out of 20.00

Write a python program to print the quotient and remainder of the division on the 87,9 numbers using built in fun divmod()

For example:

Result

(9, 6)

Answer: (penalty regime: 0 %)

```
1 a=87
2 b=9
3 c=divmod(a,b)
4 print(c)
```

	Expected	Got	
✓	(9, 6)	(9, 6)	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.