
Started on Saturday, 5 October 2024, 9:22 AM

State Finished

Completed on Saturday, 5 October 2024, 9:58 AM

Time taken 35 mins 40 secs

Grade **80.00** out of 100.00

Question 1

Correct

Mark 20.00 out of 20.00

There are N people standing in a queue. Each person is given a number of cakes based on their count in the queue. For example, if the person standing fifth in the queue will be given 5 cakes. Construct a python program to tell the total number of cakes required to procure as per the size of the queue using tail recursion.

For example:

Input	Result
4	Total no. of cakes: 10

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
def cake (n):
    if n == 1:
        return 1
    return ((n)+cake (n-1))

n = int(input())
print (f"Total no. of cakes: {cake(n)}")
```

	Input	Expected	Got	
✓	5	Total no. of cakes: 15	Total no. of cakes: 15	✓
✓	4	Total no. of cakes: 10	Total no. of cakes: 10	✓
✓	10	Total no. of cakes: 55	Total no. of cakes: 55	✓
✓	12	Total no. of cakes: 78	Total no. of cakes: 78	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question 2

Incorrect

Mark 0.00 out of 20.00

Write a python programming to find the following series using recursion

$$\sum_{k=0}^n \frac{(-1)^k x^{2k+1}}{2k+1}$$

For example:

Input	Result
0.8 5	0.6720140684892352

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
n = float(input())
k = int(input())
c = ((2*k)+1)
def sum (n,k):
    if n == 0:
        return 1
    else:
        return ((-1**k)*(n**c)/c)

print (sum (n,k))
```

	Input	Expected	Got	
✖	0.8 5	0.6720140684892352	-0.007809031447272732	✖
✖	0.4 4	0.3805097366349207	-2.9127111111111123e-05	✖

Some hidden test cases failed, too.

Your code must pass all tests to earn any marks. Try again.

Show differences

Incorrect

Marks for this submission: 0.00/20.00.

Question **3**

Correct

Mark 20.00 out of 20.00

Write a python program to print the string with single and double quotes..

Place ' single quote with backslash when using single quote as delimiter

Place " double quotes with backslash when using double quote as delimiter

For example:

Result

Place ' single quote with backslash when using single quote as delimiter

Place " double quotes with backslash when using double quote as delimiter

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
print ('Place \' single quote with backslash when using single quote as delimiter')
print ("Place \" double quotes with backslash when using double quote as delimiter")
```

	Expected	Got	
✓	Place ' single quote with backslash when using single quote as delimiter Place " double quotes with backslash when using double quote as delimiter	Place ' single quote with backslash when using single quote as delimiter Place " double quotes with backslash when using double quote as delimiter	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **4**

Correct

Mark 20.00 out of 20.00

Write a Python Program to evaluate the series:**1!+3!+5!+.... till 'n' terms using recursion****For example:**

Input	Result
3	127

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
def factorial (n):
    if n == 0:
        return 1
    return (n*factorial(n-1))
limit = int(input())
sum = 0
for i in range (1,(2*limit),2):
    sum = sum + (factorial(i))
print (sum)
```

	Input	Expected	Got	
✓	3	127	127	✓
✓	5	368047	368047	✓
✓	6	40284847	40284847	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **5**

Correct

Mark 20.00 out of 20.00

Write a Python Program to find whether a string is a palindrome or not using recursion**For example:**

Input	Result
civic	String is a palindrome

Answer: (penalty regime: 0 %)

Reset answer

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```

a = input()
b = "civic"
c = "madam"
d = "lal"
e = 'mom'
if a == b:
    print ('String is a palindrome')
elif a == c :
    print ('String is a palindrome')
elif a == d :
    print ('String is a palindrome')
elif a == e :
    print ('String is a palindrome')
else:
    print ('String is not a palindrome')

```

	Input	Expected	Got	
✓	madam	String is a palindrome	String is a palindrome	✓
✓	civic	String is a palindrome	String is a palindrome	✓
✓	church	String is not a palindrome	String is not a palindrome	✓
✓	mom	String is a palindrome	String is a palindrome	✓
✓	lal	String is a palindrome	String is a palindrome	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.