

Started on Tuesday, 4 March 2025, 2:15 PM**State** Finished**Completed on** Tuesday, 4 March 2025, 2:27 PM**Time taken** 11 mins 12 secs**Grade** 80.00 out of 100.00Question **1**

Correct

Mark 20.00 out of 20.00

Write a python program to define a function that accepts 2 values and return its modulo value

Answer: (penalty regime: 0 %)

```
1 a=int(input())
2 b=int(input())
3 modulo=a%b
4 print(f'modulo is {modulo}')
```

	Input	Expected	Got	
✓	9 5	modulo is 4	modulo is 4	✓
✓	25 6	modulo is 1	modulo is 1	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **2**

Incorrect

Mark 0.00 out of 20.00

Write the Python code to find the count of all sub-arrays whose sum is divisible by K from the given array.

Input:

arr[] = [4, 5, 0, -2, -3, 1]

K = 5

Output : 7

Explanation:

```
// there are 7 sub-arrays whose sum is divisible by K
// {4, 5, 0, -2, -3, 1}
// {5}
// {5, 0}
// {5, 0, -2, -3}
// {0}
// {0, -2, -3}
// {-2, -3}
```

Answer: (penalty regime: 0 %)

```
1 n = int(input())
2 k = int(input())
3 l=[]
4 m=[]
5 for i in range (n):
6     x=int(input())
7     if x%k == 0:
8         l.append(x)
9     else:
10        m.append(x)
11 print(l)
12
```

	Test	Input	Expected	Got	
✗	n = int(input()) k = int(input()) arr=create_list(n) print(subarray(arr, k))	6 5 4 5 0 -2 -3 1	7	[5, 0] ***Run error*** Traceback (most recent call last): File "__tester__.python3", line 29, in <module> n = int(input()) EOFError: EOF when reading a line	✗

Testing was aborted due to error.

Your code must pass all tests to earn any marks. Try again.

Show differences

Incorrect

Marks for this submission: 0.00/20.00.

Question **3**

Correct

Mark 20.00 out of 20.00

Write a Python program to filter the numbers that are divisible by 7 and 5 in a list using filter ()

For example:

Input	Result
5 105 35 140 77 62	[105, 35, 140]

Answer: (penalty regime: 0 %)

```

1 | n=int(input())
2 | l=[]
3 | m=[]
4 | for i in range(n):
5 |     x=int(input())
6 |     if x%7 == 0 and x%5 == 0:
7 |         l.append(x)
8 |     else:
9 |         m.append(x)
10 | print(l)
11 |

```

	Input	Expected	Got	
✓	5 105 35 140 77 62	[105, 35, 140]	[105, 35, 140]	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question 4

Correct

Mark 20.00 out of 20.00

Write a Python Program to generate the following matrix without reading the elements of the matrix:

For example:

Input	Result
5	Matrix: 5 0 0 0 0 0 5 0 0 0 0 0 5 0 0 0 0 0 5 0 0 0 0 0 5

Answer: (penalty regime: 0 %)

```

1 n=int(input())
2 print("Matrix:")
3 for i in range(n):
4     for j in range (n):
5         if i==j:
6             print(n,end=' ')
7         else:
8             print(0,end=" ")
9     print()

```

	Input	Expected	Got	
✓	5	Matrix: 5 0 0 0 0 0 5 0 0 0 0 0 5 0 0 0 0 0 5 0 0 0 0 0 5	Matrix: 5 0 0 0 0 0 5 0 0 0 0 0 5 0 0 0 0 0 5 0 0 0 0 0 5	✓
✓	4	Matrix: 4 0 0 0 0 4 0 0 0 0 4 0 0 0 0 4	Matrix: 4 0 0 0 0 4 0 0 0 0 4 0 0 0 0 4	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.

Question **5**

Correct

Mark 20.00 out of 20.00

Write a Python program to store a scalar multiple of a set of numbers in a list using [list comprehension](#).

For example:

Input	Result
3	[11.5, 22.0, 33.23]
5	[57.5, 110.0, 166.14999999999998]
11.5	
22	
33.23	

Answer: (penalty regime: 0 %)

```

1 input1=int(input())
2 input2=int(input())
3 l=[]
4 m=[]
5 for i in range(input1):
6     x=float(input())
7     l.append(x)
8     m.append(x*input2)
9 print(l)
10 print(m)
```

	Input	Expected	Got	
✓	3 5 11.5 22 33.23	[11.5, 22.0, 33.23] [57.5, 110.0, 166.14999999999998]	[11.5, 22.0, 33.23] [57.5, 110.0, 166.14999999999998]	✓
✓	5 2 2 3.5 6 9 45	[2.0, 3.5, 6.0, 9.0, 45.0] [4.0, 7.0, 12.0, 18.0, 90.0]	[2.0, 3.5, 6.0, 9.0, 45.0] [4.0, 7.0, 12.0, 18.0, 90.0]	✓

Passed all tests! ✓

Correct

Marks for this submission: 20.00/20.00.