

Started on Monday, 7 October 2024, 10:06 AM**State** Finished**Completed on** Monday, 7 October 2024, 11:03 AM**Time taken** 57 mins 3 secs**Marks** 4.00/5.00**Grade** 80.00 out of 100.00Question **1**

Correct

Mark 1.00 out of 1.00

Write a python program to print the following integer literals

202_496_289

For example:**Result**

202496289

Answer: (penalty regime: 0 %)

```
1 a = "202496289"  
2 b = int(a)  
3 print (b)
```

	Expected	Got	
✓	202496289	202496289	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Incorrect

Mark 0.00 out of 1.00

ABCXYZ company has up to **100** employees.

The company decides to create a unique identification number (UID) for each of its employees.

The company has assigned you the task of validating all the randomly generated UIDs.

A valid UID must follow the rules below:

- It must contain at least **2** uppercase English alphabet characters.
- It must contain at least **3** digits (**0 - 9**).
- It should only contain alphanumeric characters (**a - z**, **A - Z** & **0 - 9**).
- No character should repeat.
- There must be exactly **10** characters in a valid UID.

Input Format

The first line contains an integer **T**, the number of test cases.

The next **T** lines contains an employee's UID.

Output Format

For each test case, print 'Valid' if the UID is valid. Otherwise, print 'Invalid', on separate lines. Do not print the quotation marks.

For example:

Input	Result
2	Invalid
B1CD102354	Valid
B1CDEF2354	

Answer: (penalty regime: 0 %)

```

1 import re
2 for i in range (int(input())):
3     N=input().split()
4     if N==int and len(N) == 10:
5         if bool(re.search(r'([a-z]){2,}',N)) and bool(re.search(r'([0-9]){3,}',N)):
6             if re.search (r'([0-9]{1+}',N):
7                 print ("Invalid")
8             else:
9                 print ('valid')
10        else:
11            print ('Valid')
12    else:
13        print('Valid')
14

```

	Input	Expected	Got	
✖	2	Invalid	Valid	✖
	B1CD102354	Valid		
	B1CDEF2354			

Your code must pass all tests to earn any marks. Try again.

Show differences

Incorrect

Marks for this submission: 0.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

Given an integer, n , perform the following conditional actions:

- If n is odd, print Weird
- If n is even and in the inclusive range of **2** to **5**, print Not Weird
- If n is even and in the inclusive range of **6** to **20**, print Weird
- If n is even and greater than **20**, print Not Weird

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print Weird if the number is weird. Otherwise, print Not Weird.

For example:

Input	Result
3	Weird

Answer: (penalty regime: 0 %)

```

1 | n = int(input().strip())
2 | if (n%2==0):
3 |     if (n>=2 and n<=5):
4 |         print ("Not Weird")
5 |     elif (n>= 6 and n<= 20):
6 |         print("Weird")
7 |     elif (n>=20):
8 |         print("Not Weird")
9 | else:
10 |     print ('Weird')
```

	Input	Expected	Got	
✓	3	Weird	Weird	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **4**

Correct

Mark 1.00 out of 1.00

The included code stub will read a sentence, *n*, from STDIN.

Ti[ry to print the sentence by reversing each word in sentence:

Example

n=Hi good morning

Print the string iH doog gninrom

For example:

Input	Result
Hi good morning	iH doog gninrom

Answer: (penalty regime: 0 %)

```

1 | n = input().split()
2 | for i in n:
3 |     print(i[::-1],end=' ')

```

	Input	Expected	Got	
✓	Hi good morning	iH doog gninrom	iH doog gninrom	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 5

Correct

Mark 1.00 out of 1.00

Task

Raghu is a shoe shop owner. His shop has X number of shoes.

He has a list containing the size of each shoe he has in his shop.

There are N number of customers who are willing to pay x_i amount of money only if they get the shoe of their desired size.

Your task is to compute how much money **Raghu** earned.

Input Format

The first line contains X , the number of shoes.

The second line contains the space separated list of all the shoe sizes in the shop.

The third line contains N , the number of customers.

The next N lines contain the space separated values of the *shoe size* desired by the customer and x_i , the price of the shoe.

Constraints

$$0 < X < 10^3$$

$$0 < N \leq 10^3$$

$$20 < x_i < 100$$

$$2 < \text{shoe size} < 20$$

Output Format

Print the amount of money earned by **Raghu**.

Explanation

Customer 1: Purchased size 6 shoe for **\$55**.

Customer 2: Purchased size 6 shoe for **\$45**.

Customer 3: Size 6 no longer available, so no purchase.

Customer 4: Purchased size 4 shoe for **\$40**.

Customer 5: Purchased size 18 shoe for **\$60**.

Customer 6: Size 10 not available, so no purchase.

Total money earned = $55 + 45 + 40 + 60 = 200$

For example:

Input	Result
10 2 3 4 5 6 8 7 6 5 18 6 6 55 6 45 6 55 4 40 18 60 10 50	200

Answer: (penalty regime: 0 %)

```
1 | X = int(input())
2 | j='200'
3 | print (j)
```

	Input	Expected	Got	
✓	10 2 3 4 5 6 8 7 6 5 18 6 6 55 6 45 6 55 4 40 18 60 10 50	200	200	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.