

sched_rt_runtime_us_1s, sched_rt_runtime_us_100m...

<http://localhost:8897/result/kernelschedrtruntimeus...>

[SCHED_RT_RUNTIME_US_1S](#), [SCHED_RT_RUNTIME_US_100MS](#), [SCHED_RT_RUNTIME_US_700MS](#),
[SCHED_RT_RUNTIME_US_500MS](#), [DEFAULT_VALUE_RUN](#)

runtime 1 second instead of 950 ms

sched_rt_runtime_us_100ms: decreased runtime to 100 ms instead of 950ms

sched_rt_runtime_us_700ms: decreased runtime to 700 ms instead of 950ms

sched_rt_runtime_us_500ms: decreased runtime from 950 ms to 500ms

default_value_run: No tweaks to the Kernel Variables

[runtime 1s instead of 950ms](#)

Kernel Notes: Transparent Huge Pages: madvise

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Processor Notes: CPU Microcode: 0xffffffff

Security Notes: itlb_multihit: Not affected + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio_stale_data: Not affected + retbleed: Mitigation of IBRS + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of IBRS IBPB: conditional RSB filling PBRSE-eIBRS: Not affected + srbds: Not affected + tsx_async_abort: Not affected

[runtime 100ms](#)

[runtime 700 ms](#)

[runtime 500 ms](#)

[Ran with out-of-box config](#)


Processor: Intel Core i5-1145G7 (4 Cores), Motherboard: Intel 440BX (6.00 BIOS), Chipset: Intel 440BX/ZX/DX, Memory: 8GB, Disk: 107GB VMware Virtual S, Graphics: VMware SVGA II, Audio: Ensoniq ES1371/ES1373, Network: Intel 82545EM

OS: Ubuntu 18.04, Kernel: 5.4.0-148-generic (x86_64), Desktop: GNOME Shell 3.28.4, Display Server: X Server 1.20.8, Compiler: GCC 7.5.0, File-System: ext4, Screen Resolution: 1718x878, System Layer: VMware

[Apache HTTP Server](#)

Apache HTTP Server 2.4.56


Concurrent Requests: 4



1. (CC) gcc options: -lluajit-5.1 -lm -lssl -lcrypto -lpthread -ldl -std=c99 -O2

Apache HTTP Server 2.4.56


Concurrent Requests: 20



1. (CC) gcc options: -lluajit-5.1 -lm -lssl -lcrypto -lpthread -ldl -std=c99 -O2

Apache HTTP Server 2.4.56


Concurrent Requests: 100



1. (CC) gcc options: -lluajit-5.1 -lm -lssl -lcrypto -lpthread -ldl -std=c99 -O2

Apache HTTP Server 2.4.56


Concurrent Requests: 200



1. (CC) gcc options: -lluajit-5.1 -lm -lssl -lcrypto -lpthread -ldl -std=c99 -O2

Apache HTTP Server 2.4.56


Concurrent Requests: 500



1. (CC) gcc options: -lluajit-5.1 -lm -lssl -lcrypto -lpthread -ldl -std=c99 -O2

Apache HTTP Server 2.4.56

Concurrent Requests: 1000



1. (CC) gcc options: -lluajit-5.1 -lm -lssl -lcrypto -lpthread -ldl -std=c99 -O2

runtime 1s instead of 950ms

Kernel Notes: Transparent Huge Pages: madvise

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Processor Notes: CPU Microcode: 0xffffffff

Security Notes: itlb_multihit: Not affected + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio_stale_data: Not affected + retbleed: Mitigation of IBRS + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of IBRS IBPB: conditional RSB filling PBRSE-IBRS: Not affected + srbds: Not affected + tsx_async_abort: Not affected

Testing initiated at 6 May 2023 17:28 by user a.

runtime 100ms

Kernel Notes: Transparent Huge Pages: madvise

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Processor Notes: CPU Microcode: 0xffffffff

Security Notes: itlb_multihit: Not affected + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio_stale_data: Not affected + retbleed: Mitigation of IBRS + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of IBRS IBPB: conditional RSB filling PBRSE-IBRS: Not affected + srbds: Not affected + tsx_async_abort: Not affected

Testing initiated at 6 May 2023 19:30 by user a.

runtime 700 ms

Kernel Notes: Transparent Huge Pages: madvise

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Processor Notes: CPU Microcode: 0xffffffff

Security Notes: itlb_multihit: Not affected + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio_stale_data: Not affected + retbleed: Mitigation of IBRS + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of IBRS IBPB: conditional RSB filling PBRSE-IBRS: Not affected + srbds: Not affected + tsx_async_abort: Not affected

Testing initiated at 6 May 2023 15:43 by user a.

runtime 500 ms

Kernel Notes: Transparent Huge Pages: madvise

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdcxx-debug --enable-libstdcxx-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdcxx-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v

Processor Notes: CPU Microcode: 0xffffffff

Security Notes: itlb_multihit: Not affected + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio_stale_data: Not affected + retbleed: Mitigation of IBRS +

sched_rt_runtime_us_1s, sched_rt_runtime_us_100m... <http://localhost:8897/result/kernelschedrtruntimeus...>

spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of IBRS IBPB: conditional RSB filling PBRSE-eIBRS: Not affected + srbds: Not affected + tsx_async_abort: Not affected

Testing initiated at 6 May 2023 15:12 by user a.

Ran with out-of-box config

Processor: Intel Core i5-1145G7 (4 Cores), Motherboard: Intel 440BX (6.00 BIOS), Chipset: Intel 440BX/ZX/DX, Memory: 8GB, Disk: 107GB VMware Virtual S, Graphics: VMware SVGA II, Audio: Ensoniq ES1371/ES1373, Network: Intel 82545EM

OS: Ubuntu 18.04, Kernel: 5.4.0-148-generic (x86_64), Desktop: GNOME Shell 3.28.4, Display Server: X Server 1.20.8, Compiler: GCC 7.5.0, File-System: ext4, Screen Resolution: 1718x878, System Layer: VMware

Kernel Notes: Transparent Huge Pages: madvise

Compiler Notes: --build=x86_64-linux-gnu --disable-vtable-verify --disable-werror --enable-bootstrap --enable-checking=release --enable-clocale=gnu --enable-default-pie --enable-gnu-unique-object --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --enable-libmpx --enable-libstdc++-debug --enable-libstdc++-time=yes --enable-multiarch --enable-multilib --enable-nls --enable-objc-gc=auto --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --host=x86_64-linux-gnu --program-prefix=x86_64-linux-gnu- --target=x86_64-linux-gnu --with-abi=m64 --with-arch-32=i686 --with-default-libstdc++-abi=new --with-gcc-major-version-only --with-multilib-list=m32,m64,mx32 --with-target-system-zlib --with-tune=generic --without-cuda-driver -v
Processor Notes: CPU Microcode: 0xffffffff

Security Notes: itlb_multihit: Not affected + l1tf: Mitigation of PTE Inversion + mds: Vulnerable: Clear buffers attempted no microcode; SMT Host state unknown + meltdown: Mitigation of PTI + mmio_stale_data: Not affected + retbleed: Mitigation of IBRS + spec_store_bypass: Mitigation of SSB disabled via prctl and seccomp + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of IBRS IBPB: conditional RSB filling PBRSE-eIBRS: Not affected + srbds: Not affected + tsx_async_abort: Not affected

Testing initiated at 5 May 2023 22:20 by user a.

Phoronix Test Suite 10.8.4 - Generated 6 May 2023 20:44:39