Jagadeesh V

251901064

METASPLOIT

Ex. No.: 8

Aim:

To set up Metasploit framework and exploit reverse_tcp in Windows 8 machine remotely.

Algorithm:

1. Generate payload to be inserted into the remote machine

2. Set the LHOST and it's port number

3. Open msfconsole.

4. Use exploit/multi/handler


5. Establish reverse_tcp with the remote windows 8 machine.


6. Run SimpleHTTPServer with port number 8000.

7. Open the web browser in Windows 8 machine and type http://172.16.8.155:8000 8. In KaliLinux, type sysinfo to get the information about Windows 8 machine 9. Create a new directory using mkdir command.


10.Delete the created directory.

Output:




Room completed: 100%
Active sessions
==========
Id Name Type Information Connection
-- ---- ---- ----------- ----------
1 meterpreter x64/windows NT AUTHORITY\SYSTEM @ JON-PC 10.10.44.70:4444 -> 10.10.12.229:49163 (10.10.12.229)
2 meterpreter x64/windows NT AUTHORITY\SYSTEM @ JON-PC 10.10.44.70:4444 -> 10.10.12.229:49186 (10.10.12.229)
msf6 > sessions -i 2
[*] Starting interaction with 2...
meterpreter >
Answer the questions below
How would you set the LPORT value to 6666?
set LPORT 6666
✓ Correct Answer
How would you set the global value for RHOSTS to 10.10.19.23 ?
setg RHOSTS 10.10.19.23
✓ Correct Answer
What command would you use to clear a set payload?
unset PAYLOAD
✓ Correct Answer
What command do you use to proceed with the exploitation phase?
exploit
✓ Correct Answer


Great work jagadeesh.v.2025! Room completed!
Your skills are skyrocketing!
Completed tasks
5
Points earned
80
Streak
1



Result: Thus, the setup of Metasploit framework and exploit reverse_tcp in Windows 8 machine remotely has been executed successfully.