

Assigned IP for Ethernet ports

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

ROUTER

```
ROUTER(config)#show ip int brief
^
% Invalid input detected at '^' marker.

ROUTER(config)#exit
ROUTER#configure terminal
*Jul 25 15:47:49.915: %SYS-5-CONFIG_I: Configured from console by console
ROUTER#configure terminalshow ip int brief
^
% Invalid input detected at '^' marker.

ROUTER#show ip int brief
Interface      IP-Address      OK? Method Status      Prot
-----
Ethernet0/0     172.16.0.1      YES manual  up          up
Ethernet0/1     8.0.0.1         YES manual  up          up
Ethernet0/2     50.0.0.1        YES manual  up          up
Ethernet0/3     unassigned      YES TFTP    down        down
ROUTER#
```

172.16.0.10
HOTSTAR

172.16.0.20
NETFLIX

Winserver
e0

DATACENTER

DNS
8.8.8.8

Server & Services

Physical

01 : 00 : 00

START

Installed IIS-Web server

← → ↻ labs.surennetwork.com/legacy/topology ☆

Notifications

QEMU (Winserver)

Server Manager

Server Manager ▶ Dashboard Manage Tools View Help

Dashboard

- Local Server
- All Servers
- File and Storage Services ▶
- IIS

4 Create a server group

5 Connect this server to cloud services

LEARN MORE

Hide

ROLES AND SERVER GROUPS

Roles: 2 | Server groups: 1 | Servers total: 1

File and Storage Services 1	IIS 1
Manageability	Manageability
Events	Events
Performance	Services
BPA results	Performance
	BPA results

Local Server 1	All Servers 1
Manageability	Manageability
Events	Events
Services	Services
Performance	Performance
BPA results	BPA results

4:35 PM 7/25/2026

Physical 01 : 00 : 00 START

Server & Services

Assigned IP for Linux Server

labs.surennetwork.com/legacy/topology

Notifications

SUREN NETWORK
PLAY WITH TECHNOLOGIES

QEMU (Linux-1)

```
ifconfig
eth0  Link encap:Ethernet  HWaddr 50:93:4C:01:AD:00
      inet addr:172.16.0.10  Bcast:172.16.255.255  Mask:255.255.0.0
      UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
      RX packets:147 errors:0 dropped:0 overruns:0 frame:0
      TX packets:402 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:15362 (15.0 KiB)  TX bytes:125534 (122.5 KiB)

lo    Link encap:Local Loopback
      inet addr:127.0.0.1  Mask:255.0.0.0
      UP LOOPBACK RUNNING  MTU:16436  Metric:1
      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```

172.16.0.10
HOTSTAR

172.16.0.20
NETFLIX

Winserver
e0

DATACENTER

DNS
8.8.8.8
e0

Physical + - 01 : 00 : 00 START

Server & Services

The screenshot displays a network topology simulation interface. A central window titled 'QEMU (Linux-1)' shows the output of the 'ifconfig' command for the 'eth0' interface, confirming the IP address 172.16.0.10. The background network diagram features a dashed green box labeled 'DATACENTER' containing a 'Winserver' with IP 172.16.0.20 and a 'DNS' server with IP 8.8.8.8. A 'HOTSTAR' server with IP 172.16.0.10 is also shown. The interface includes a top navigation bar, a bottom status bar with a 'Server & Services' button, and a 'Physical' tab with a zoom slider and a 'START' button.

Created Domain and Host


The screenshot displays a QEMU virtual machine environment. The main window shows a Windows 10 desktop with the DNS Manager application open. The DNS Manager interface shows a domain 'SERVER2016' with forward lookup zones for 'hotstar' and 'netflix'. The 'netflix' zone is selected, showing a table with columns 'Name', 'Type', and 'Data'.

Name	Type	Data
hotstar		
netflix		
(same as parent folder)	Start of Authority (SOA)	[1], server2016, hostmaster, server2016.
(same as parent folder)	Name Server (NS)	server2016.

On the right side of the screen, a network diagram is visible. It shows a 'Winserver' connected to a 'DATACENTER' with IP address 172.16.0.20. The diagram also includes a 'NETFLIX' label and a 'Winserver' icon. A green dashed line outlines the 'DATACENTER' area.

The taskbar at the bottom shows various applications including Firefox, Google Chrome, and PuTTY. The system clock indicates 4:36 PM on 7/25/2026. A 'Server & Services' button is visible in the bottom left corner. A 'Physical' button and a progress bar are visible in the bottom right corner.

Output of Hotstar



Output of Netflex

