



TOPOLOGY of SUBNETTING



Router configuration of R4 which works as DHCP



Interface config and Routing

R4

```
!  
!  
!  
interface Ethernet0/0  
  ip address 12.0.1.146 255.255.255.252  
  duplex auto  
!  
interface Ethernet0/1  
  ip address 12.0.1.150 255.255.255.252  
  duplex auto  
!  
interface Ethernet0/2  
  ip address 12.0.1.154 255.255.255.252  
  duplex auto  
!  
interface Ethernet0/3  
  ip address 129.70.1.66 255.255.255.252  
  duplex auto  
!  
interface Ethernet1/0  
  ip address 129.70.1.70 255.255.255.252  
  duplex auto  
!  
interface Ethernet1/1  
  no ip address  
  shutdown  
  duplex auto  
!  
interface Ethernet1/2  
  no ip address  
  shutdown  
  duplex auto  
!  
interface Ethernet1/3  
  no ip address  
  shutdown  
  duplex auto  
!  
ip forward-protocol nd  
!  
!  
no ip http server  
no ip http secure-server  
ip route 12.0.0.0 255.255.255.0 12.0.1.153  
ip route 12.0.1.0 255.255.255.128 12.0.1.149  
ip route 12.0.1.128 255.255.255.240 12.0.1.145  
ip route 129.70.0.0 255.255.255.0 129.70.1.69  
ip route 129.70.1.0 255.255.255.192 129.70.1.65  
!
```


Final Output of the project dynamic IP Assigned to all PC's

