




R1

7

R1#sh ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

C 10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 10.0.0.0/8 is directly connected, Ethernet0/0
L 10.0.0.1/32 is directly connected, Ethernet0/0
C 20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 20.0.0.0/8 is directly connected, Ethernet0/1
D 30.0.0.0/8 [90/307200] via 20.0.0.2, 00:01:19, Ethernet0/1
D 40.0.0.0/8 [90/332800] via 20.0.0.2, 00:00:43, Ethernet0/1

R1#

*Aug 19 18:17:21.216: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)

R1#

R2

3

R2#sh ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

D 10.0.0.0/8 [90/307200] via 20.0.0.1, 00:02:15, Ethernet0/0
C 20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 20.0.0.0/8 is directly connected, Ethernet0/0
L 20.0.0.2/32 is directly connected, Ethernet0/0
C 30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 30.0.0.0/8 is directly connected, Ethernet0/1
L 30.0.0.1/32 is directly connected, Ethernet0/1
D 40.0.0.0/8 [90/307200] via 30.0.0.2, 00:01:36, Ethernet0/1

R2#

*Aug 19 18:17:37.295: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)

R2#

R3

6

R3#sh ip route

Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

D 10.0.0.0/8 [90/332800] via 30.0.0.1, 00:02:05, Ethernet0/1
D 20.0.0.0/8 [90/307200] via 30.0.0.1, 00:02:05, Ethernet0/1
C 30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 30.0.0.0/8 is directly connected, Ethernet0/1
L 30.0.0.2/32 is directly connected, Ethernet0/1
C 40.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 40.0.0.0/8 is directly connected, Ethernet0/0
L 40.0.0.1/32 is directly connected, Ethernet0/0

R3#

EN NETWORK
PLAY WITH TECHNOLOGIES

30.0.0.1 30.0.0.2

40.0.0.10

01 : 00 : 00 START