



TOPOLOGY OF INTERVLAN



SWITCH VIRTUAL INTERFACE



ROUTER ON-A-STICK

LAYER 3 SWITCH CONFIGURATION

CORE

```
!  
interface Ethernet0/0  
  switchport trunk encapsulation dot1q  
  switchport mode trunk  
!  
interface Ethernet0/1  
  no switchport  
  ip address 1.0.0.1 255.0.0.0  
!  
interface Ethernet0/2  
!  
interface Ethernet0/3  
!  
interface Vlan10  
  ip address 10.0.0.1 255.0.0.0  
!  
interface Vlan20  
  ip address 20.0.0.1 255.0.0.0  
!  
ip forward-protocol nd  
!  
ip tcp synwait-time 5  
ip http server  
!  
ip route 0.0.0.0 0.0.0.0 1.0.0.2  
ip ssh server algorithm encryption aes128-ctr aes192-ctr aes256-ctr  
ip ssh client algorithm encryption aes128-ctr aes192-ctr aes256-ctr  
!
```

LAYER 2 SWITCH

```
L2-SW-1
!
!
!
!
!
!
interface Ethernet0/0
  switchport access vlan 10
!
interface Ethernet0/1
  switchport access vlan 20
!
interface Ethernet0/2
  switchport trunk encapsulation dot1q
  switchport mode trunk
!
interface Ethernet0/3
!
ip forward-protocol nd
!
ip tcp synwait-time 5
ip http server
!
--More--
```

LAYER 2 SWITCH

L2-SW-2

```
interface Ethernet0/0
switchport access vlan 10

interface Ethernet0/1
switchport access vlan 20

interface Ethernet0/2
switchport trunk encapsulation dot1q
switchport mode trunk

interface Ethernet0/3

ip forward-protocol nd

ip tcp synwait-time 5
ip http server

ip ssh server algorithm encryption aes128-ctr aes192-ctr aes256-ctr
ip ssh client algorithm encryption aes128-ctr aes192-ctr aes256-ctr
```

ROUTER ON A STICK (ROUTER CONFIG)

```
ROUTER

interface Ethernet0/0
no ip address
duplex auto

interface Ethernet0/0.1
encapsulation dot1Q 10
ip address 30.0.0.10 255.0.0.0

interface Ethernet0/0.2
encapsulation dot1Q 20
ip address 40.0.0.10 255.0.0.0

interface Ethernet0/1
ip address 1.0.0.2 255.0.0.0
duplex auto

interface Ethernet0/2
no ip address
duplex auto

interface Ethernet0/3
no ip address
duplex auto

ip forward-protocol nd

no ip http server
no ip http secure-server
ip route 0.0.0.0 0.0.0.0 1.0.0.1

ipv6 ioam timestamp
```

```

VPC3
2. Use Ctrl+C to stop the command.

VPC3> ping 10.0.0.10

*30.0.0.10 icmp_seq=1 ttl=255 time=1.224 ms (ICMP type:3, code:1, Destination host unreachable)
*30.0.0.10 icmp_seq=2 ttl=255 time=1.380 ms (ICMP type:3, code:1, Destination host unreachable)
*30.0.0.10 icmp_seq=3 ttl=255 time=1.146 ms (ICMP type:3, code:1, Destination host unreachable)
*30.0.0.10 icmp_seq=4 ttl=255 time=1.341 ms (ICMP type:3, code:1, Destination host unreachable)
*30.0.0.10 icmp_seq=5 ttl=255 time=1.462 ms (ICMP type:3, code:1, Destination host unreachable)

VPC3> ping 10.0.0.10

84 bytes from 10.0.0.10 icmp_seq=1 ttl=62 time=4.142 ms
84 bytes from 10.0.0.10 icmp_seq=2 ttl=62 time=3.900 ms
84 bytes from 10.0.0.10 icmp_seq=3 ttl=62 time=3.130 ms
84 bytes from 10.0.0.10 icmp_seq=4 ttl=62 time=3.398 ms
84 bytes from 10.0.0.10 icmp_seq=5 ttl=62 time=3.632 ms

VPC3>

```

```

VPC4
Executing the startup file

VPC4> ip 40.0.0.11 255.0.0.0 40.0.0.10
Checking for duplicate address...
VPC4 : 40.0.0.11 255.0.0.0 gateway 40.0.0.10

VPC4> ping 30.0.0.11


84 bytes from 30.0.0.11 icmp_seq=1 ttl=63 time=3.144 ms
84 bytes from 30.0.0.11 icmp_seq=2 ttl=63 time=2.708 ms
84 bytes from 30.0.0.11 icmp_seq=3 ttl=63 time=1.466 ms
84 bytes from 30.0.0.11 icmp_seq=4 ttl=63 time=2.573 ms
84 bytes from 30.0.0.11 icmp_seq=5 ttl=63 time=2.288 ms

VPC4> ping 20.0.0.10

84 bytes from 20.0.0.10 icmp_seq=1 ttl=62 time=3.199 ms
84 bytes from 20.0.0.10 icmp_seq=2 ttl=62 time=2.792 ms
84 bytes from 20.0.0.10 icmp_seq=3 ttl=62 time=2.158 ms
84 bytes from 20.0.0.10 icmp_seq=4 ttl=62 time=2.369 ms
84 bytes from 20.0.0.10 icmp_seq=5 ttl=62 time=1.838 ms

VPC4>

```



VPC1

VPCS is free software, distributed under the terms of the "BSD" licence.
Source code and license can be found at vpcs.sf.net.
For more information, please visit wiki.freecode.com.cn.
Modified version for EVE-NG.

Press '?' to get help.

Executing the startup file

VPC1> ip 10.0.0.10 255.0.0.0 10.0.0.1
Checking for duplicate address...
VPC1 : 10.0.0.10 255.0.0.0 gateway 10.0.0.1

VPC1> ping 40.0.0.11

84 bytes from 40.0.0.11 icmp_seq=1 ttl=62 time=5.193 ms
84 bytes from 40.0.0.11 icmp_seq=2 ttl=62 time=2.199 ms
84 bytes from 40.0.0.11 icmp_seq=3 ttl=62 time=2.225 ms
84 bytes from 40.0.0.11 icmp_seq=4 ttl=62 time=3.144 ms
84 bytes from 40.0.0.11 icmp_seq=5 ttl=62 time=2.037 ms

VPC1>

VPC2

VPCS is free software, distributed under the terms of the "BSD" licence.
Source code and license can be found at vpcs.sf.net.
For more information, please visit wiki.freecode.com.cn.
Modified version for EVE-NG.

Press '?' to get help.

Executing the startup file

VPC2> ip 20.0.0.10 255.0.0.0 20.0.0.1
Checking for duplicate address...
VPC2 : 20.0.0.10 255.0.0.0 gateway 20.0.0.1

VPC2> ping 30.0.0.11

84 bytes from 30.0.0.11 icmp_seq=1 ttl=62 time=3.136 ms
84 bytes from 30.0.0.11 icmp_seq=2 ttl=62 time=3.316 ms
84 bytes from 30.0.0.11 icmp_seq=3 ttl=62 time=2.993 ms
84 bytes from 30.0.0.11 icmp_seq=4 ttl=62 time=3.027 ms
84 bytes from 30.0.0.11 icmp_seq=5 ttl=62 time=3.504 ms

VPC2>