
DataBase Management System Lab

WEEK-3

NAME: AMBATI JAGADISWAR REDDY

DATE : 06.08.2026

HTNO: 25R21A05B0

BRANCH : CSE

SECTION : C

The SQL AND Operator:

Syntax:

```
SELECT column1, column2, ...  
FROM table_name  
WHERE condition1 AND condition2 AND condition3 ...;
```

Query:

```
create table emp1( id int,  
name varchar(60),  
address varchar(100),  
age int);  
insert into emp1 values(1,'Chinnaswamy','Chennai',30);  
insert into emp1 values(4,'Mutthuswamy','Avadi',35);  
insert into emp1 values(2,'Venugopal','Erode',30);  
insert into emp1 values(5,'Iyer','Coimbatore',39);  
insert into emp1 values(3,'Vijay','Katpadi',27);  
select * from emp1;  
select * from emp1 where id > 2 and age < 35;
```

OUTPUT:

```
mysql> select * from emp1;
+----+-----+-----+-----+
| id | name       | address | age |
+----+-----+-----+-----+
| 1  | Chinnaswamy | Chennai | 30  |
| 4  | Mutthuswamy | Avadi   | 35  |
| 2  | Venugopal   | Erode   | 30  |
| 5  | Iyer        | Coimbatore | 39  |
| 3  | Vijay       | Katpadi | 27  |
+----+-----+-----+-----+
5 rows in set (0.00 sec)

mysql> select * from emp1 where id > 2 and age < 35;
+----+-----+-----+-----+
| id | name       | address | age |
+----+-----+-----+-----+
| 3  | Vijay     | Katpadi | 27  |
+----+-----+-----+-----+
1 row in set (0.03 sec)
```

The SQL OR Operator:

Syntax:

```
SELECT column1, column2, ...
FROM table_name
WHERE condition1 OR condition2 OR condition3 ...;
```

Query:

```
select * from emp1 where id < 5 or age <= 35;
```

```
mysql> select * from emp1 where id < 5 or age <= 35;
+----+-----+-----+-----+
| id | name       | address | age |
+----+-----+-----+-----+
| 1  | Chinnaswamy | Chennai | 30  |
| 4  | Mutthuswamy | Avadi   | 35  |
| 2  | Venugopal   | Erode   | 30  |
| 3  | Vijay       | Katpadi | 27  |
+----+-----+-----+-----+
4 rows in set (0.00 sec)
```

The SQL ORDER BY Clause:

Syntax:

```
SELECT column1, column2,...
FROM table_name
ORDER BY column1, column2, ... ASC|DESC;
```

Query:

```
SELECT * FROM emp1
ORDER BY name, id ASC;
```

OUTPUT:

```
mysql> SELECT * FROM emp1 ORDER BY name, id ASC;
+----+-----+-----+-----+
| id | name       | address | age |
+----+-----+-----+-----+
| 1  | Chinnaswamy | Chennai | 30  |
| 5  | Iyer        | Coimbatore | 39  |
| 4  | Mutthuswamy | Avadi   | 35  |
| 2  | Venugopal   | Erode   | 30  |
| 3  | Vijay       | Katpadi | 27  |
+----+-----+-----+-----+
rows in set (0.01 sec)
```

The SQL LIKE Operator:

Syntax:

```
SELECT column1, column2, ...
FROM table_name
WHERE column LIKE pattern;
```

Query:

```
SELECT *FROM emp1 WHERE name LIKE 'V%';
```

```
mysql> SELECT * FROM emp1 WHERE name LIKE 'V%';
+----+-----+-----+-----+
| id | name       | address | age |
+----+-----+-----+-----+
| 2  | Venugopal   | Erode   | 30  |
| 3  | Vijay       | Katpadi | 27  |
+----+-----+-----+-----+
2 rows in set (0.01 sec)
```

The SQL Check Constraint:

Syntax:

```
SELECT column1, column2,...
FROM table_name
WHERE column LIKE pattern;
```

Query:

```
CREATE TABLE emp2 ( id int,name varchar(20), address VARCHAR(100));
ALTER TABLE emp2 ADD (age INT, CHECK (age > 30));
INSERT INTO emp2 VALUES (1, 'aryan', 'gandi', 20);
```

OUTPUT:

```
mysql> select * from emp2;
+----+-----+-----+-----+
| id | name | address | age |
+----+-----+-----+-----+
| 1  | aryan | gandi   | 50  |
+----+-----+-----+-----+
1 row in set (0.00 sec)
```

DataBase Management System Lab

WEEK-4

NAME: AMBATI JAGADISWAR REDDY

DATE : 06.08.2026

HTNO: 25R21A05B0

BRANCH : CSE

SECTION : C

The SQL COUNT

Syntax:

```
SELECT COUNT(*)  
FROM tablename;
```

Query:

```
CREATE TABLE week4 (name VARCHAR(50), rno int, age int, phno int(20));  
INSERT INTO week4 VALUES ('ace', '22', 23, 99880765);  
INSERT INTO week4 VALUES ('edward newgate', '23', 34, 90432156);  
INSERT INTO week4 VALUES ('shanks', '24', 27, 88976543);  
INSERT INTO week4 VALUES ('marshal teach', '25', 26, 76543219); INSERT  
INTO week4 VALUES ('trafalgar law', '26', 20, 76543765);  
INSERT INTO week4 VALUES ('eustas kidd', '27', 20, 76589201);  
INSERT INTO week4 VALUES ('sabo', '28', 22, 97654328);  
SELECT * FROM week4;
```

```
mysql> SELECT * FROM week4;  
+-----+-----+-----+-----+  
| name          | rno  | age  | phno      |  
+-----+-----+-----+-----+  
| ace           | 22   | 23   | 99880765  |  
| ace           | 22   | 23   | 99880765  |  
| edward newgate | 23   | 34   | 90432156  |  
| shanks        | 24   | 27   | 88976543  |  
| marshal teach | 25   | 26   | 76543219  |  
| trafalgar law | 26   | 20   | 76543765  |  
| eustas kidd   | 27   | 20   | 76589201  |  
| sabo          | 28   | 22   | 97654328  |  
+-----+-----+-----+-----+  
8 rows in set (0.00 sec)
```

SELECT COUNT(*) FROM week4;

```
mysql> select count(*) from week4;
+-----+
| count(*) |
+-----+
|      8 |
+-----+
1 row in set (0.02 sec)
```

SELECT COUNT(name) FROM week4;

```
mysql> SELECT COUNT(name) FROM week4;
+-----+
| COUNT(name) |
+-----+
|           8 |
+-----+
1 row in set (0.00 sec)
```

The SQL MIN operator:

Syntax:

SELECT MIN(columnname)
FROM table name;

Query:

select min(age) from week4;

```
mysql> select min(age) from week4;
+-----+
| min(age) |
+-----+
|       20 |
+-----+
1 row in set (0.01 sec)
```

The SQL MAX operator:

Syntax:

SELECT MAX(Price)
FROM table name;

Query:

select max(age) from week4;

```
mysql> select max(age) from week4;
+-----+
| max(age) |
+-----+
|       34 |
+-----+
1 row in set (0.00 sec)
```

The SQL SUM Operator:

Syntax:

```
SELECT SUM(column_name)  
FROM table_name  
WHERE condition;
```

Query:

```
select sum(age) from week4;
```

```
mysql> select sum(age) from week4;  
+-----+  
| sum(age) |  
+-----+  
|      195 |  
+-----+  
1 row in set (0.00 sec)
```

The SQL AVERAGE operator:

Syntax:

```
SELECT AVG(column_name)  
FROM table_name  
WHERE condition;
```

Query:

```
select avg(age) from week4;
```

```
mysql> select avg(age) from week4;  
+-----+  
| avg(age) |  
+-----+  
|   24.3750 |  
+-----+  
1 row in set (0.01 sec)
```

The SQL Group By statement:

Syntax:

```
SELECT column_name(s)  
FROM table_name  
WHERE condition  
GROUP BY column_name(s)  
ORDER BY column_name(s);
```

Query:

```
select age from week4 group by age;
```

```
mysql> select age from week4 group by age ;
```

age
23
34
27
26
20
22

```
6 rows in set (0.00 sec)
```

The SQL Having clause:

Syntax:

```
SELECT column_name(s)
FROM table_name
WHERE condition
GROUP BY column_name(s)
HAVING condition
ORDER BY column_name(s);
```

Query:

```
SELECT age FROM week4
GROUP BY age
HAVING age > 20
ORDER BY COUNT(age) ASC;
```

```
mysql> SELECT age FROM week4 GROUP BY age HAVING age > 20 ORDER BY COUNT(age) ASC;
```

age
34
27
26
22
23

```
5 rows in set (0.00 sec)
```

The SQL create view statement

Syntax:

```
CREATE VIEW view_name AS
```



```
SELECT column1, column2, ...  
FROM table_name  
WHERE condition;
```

Query:

```
CREATE VIEW viewg5 AS  
SELECT name FROM week4  
SELECT * FROM viewg5;
```

```
mysql> CREATE VIEW viewg5 AS SELECT name FROM week4;  
Query OK, 0 rows affected (0.06 sec)  
  
mysql> SELECT * FROM viewg5;  
+-----+  
| name |  
+-----+  
| ace  |  
| ace  |  
| edward newgate |  
| shanks |  
| marshal teach  |  
| trafalgar law  |  
| eustas kidd    |  
| sabo          |  
+-----+  
8 rows in set (0.00 sec)
```

The SQL Update view:

Syntax:

```
CREATE OR REPLACE VIEW view_name AS  
SELECT column1, column2, ...  
FROM table_name  
WHERE condition;
```

Program:

```
CREATE OR REPLACE VIEW viewg5 AS  
SELECT name FROM week4 WHERE age >= 25;  
SELECT * FROM viewg5;
```

```
mysql> SELECT name FROM week4 WHERE age >= 25;  
+-----+  
| name |  
+-----+  
| edward newgate |  
| shanks         |  
| marshal teach  |  
+-----+  
3 rows in set (0.00 sec)
```

The SQL Drop view:

Syntax:

```
DROP VIEW view_name;
```

Program:

```
drop view viewg5;
```




Tirumala Tirupati Devasthanams

Angapradakshinam

Report at : SED Complex, Vaikuntam-1, Tirumala on 20-08-2026 at 01:00 AM



ISJ230526007199350

Pilgrim Name : Ambati veera reddy
Gender/Age : Male/47
Photo ID Type/ Number : Aadhaar Card/XXXXXXXX1731
Contact No. : XXXXXX7168
Group Booking ID : ISJ23052600719935

Important Information to the Pilgrims:

1. Pilgrims should report at Special Entry Complex, Vaikuntam-1 as per the specified reporting time only and should not carry any luggage/electronic gadgets while reporting.
2. Pilgrims participating in Angapradakshinam seva must be in a traditional dress code; Male: Dhoti and upper, Female: Saree / Half saree/ Chudidhar with Duppatta
3. Ladies and gents will be separated to perform Angapradakshinam.
4. To perform Angapradakshinam, the pilgrim(s) shall attend in wet clothes.
5. At the time of entry, all the pilgrims should carry individual ticket and shall produce the same original photo id proof used while booking.
6. Pilgrims shall collect the Laddu Prasadam within 24 hrs from the reporting time for Angapradakshinam.
7. All the bookings are final: postponement/ cancellation/advancement is not allowed.
8. TTD reserve the right of cancellation of Seva / Darshan under any circumstances.
9. Pilgrims with cardiac disease and other comorbidities like diabetes, hypertension are advised to avoid climbing uphill to Tirumala.
10. All Legal Options (ALO) shall alone have exclusive jurisdiction of Tirupati only or High Court of Andhra Pradesh
11. For more information, Please contact TTD Call Centre (24X7) on 155257.

Note: Electronically generated details do not require any signature

Executive Officer, TTD



MLR Institute of Technology

Laxman Reddy Avenue, Dundigal, Quthbullapur (M), Hyderabad – 500 043
Phone Nos: 08418 – 204066 / 204088, Fax: 08418 – 204088

Name of the Student: _____

Roll No. & Year of study: _____

Name of the Experiment: _____ Week No: _____

Date: _____

Rubrics for Weekly Evaluation of Object Oriented Programming through Java Lab

S.No.	Evaluation Parameter	Excellent	Good	Fair	Poor	Total Marks (10)
1	Write up (3Marks)	Complete program correct (3)	Logic correct few syntax error (2)	In correct logic / structure of the program correct (1)	Not written(0)	
2	Execution & Result (3Marks)	Executed successfully with all test cases correct (3)	Executed successfully with few test cases (2)	Executed but wrong output (1)	Compiled with errors(0)	
3	Viva (2Marks)					
4	Record (2Marks)					
Total(10Marks)						
Name of the Faculty		J. Sri Lakshmi	Signature of the Faculty with date			