

# Presenting the sensation of flying with flapping virtual wings independent of the limbs

Ken Endo<sup>1</sup> and Ikuo Mizuuchi<sup>2</sup>



Fig. 1: Flying with flapping virtual wings independent of the limbs

**Abstract**—Since ancient times, people have longed to fly in the sky. Actual flying involves risks and costs, but using a VR device makes it easy to experience flight. In this research, we propose a method of presenting the sensation of flying with flapping virtual wings independent of the limbs, such as a flying lizard. Unlike studies that presents the sensation of flapping wings by moving the arms, new applications that use the limbs during the flight experience can be expected by flying without moving the limbs. In this paper, we proposed a method of presenting the sensation of manipulating the wings without using the limbs and a method of transmitting the force acting on the wing to humans. We conducted experiments using these methods and obtained subjective evaluations. From the experiment, it was confirmed that the operation by static muscle contraction is also effective for operationing wings. It was also shown that the haptics presentation using EMS has a higher overall evaluation. Finally, we obtained the result that the body image expansion of the virtual wing which proposed in this study is possible.

## I. INTRODUCTION

Since ancient times, people have longed to fly in the sky. Until today, we have had a flight experience by using vehicles such as airplanes and hang gliders. However, actual flying involves risks such as crashes, costs such as fuel, and the skill to operate the equipment. By using Virtual Reality (VR) system, those risks and costs can be avoided, and makes it easy to experience flight.

Fig. 1 shows how they flying with flapping virtual wings independent of the limbs. In this research, we propose a method of presenting the sensation of flying with flapping virtual wings independent of the limbs as a reature with wings growing from the back of a human, as shown in Figure 1, using a VR system.

\*This work was not supported by any organization

<sup>1</sup> Ken Endo is hoge. ken@mizuuchi.lab.tuat.ac.jp

<sup>2</sup> Ikuo Mizuuchi is fuga. mizuuchi@cc.tuat.ac.jp

## A. Background and purpose of the research

Many studies have been conducted to give a sensation of "floating" of "flying" using VR devices. Research on the sensation of falling generated by visual stimuli and a proposal for a flight experience device using a body assistance mechanism are examples.

Regarding research that gives a sensation of "flying with flapping", research has been conducted on a device that allows the user to board a large control device and experience a bird in flight. This method has disadvantages such as the need for a large scale device and the limitation of limbs movement.

In addition, there are still few studies on giving the sensation of flying with flapping one's wings. In general, studies on giving the sensation of flying by becoming a bird have been conducted, and studies on giving the sensation of flying by becoming a creature with wings independent of its limbs, such as a flying lizard, have not yet been focused on.

In this research, we propose a method to present the sensation of flying with flapping wings bymanipulating the wings that grow from the back without using limbs movements. By not using limbs movements, it is possible to use hands and feet during the VR flight experience, such as throwing an object while flying, which is expected to expand the range of the VR flight experience.

## II. EXPANSION OF BODY IMAGE

In this research, two elements are important: to make humans feel "wings" that do not originally exist (existence), and to present the sensation of "flying with flapping with one's wings" (movement). In order to present these sensations, we focus on the expantion of the body image.

### A. Body image

Humans have the ability to perceive their own body shape, which is called body image. It allows us to ditinguish between ourselves and others.

Besides, there are two concepts that are closely related to the body image: sence of self-ownership and self-agency. Sence of self-ownership is the sensation or experience that one's own body parts belongs to one's own body. Sence of self-agency is the sensation or experience that one is performing and action by oneself and that one is in control of the body parts.

The sense of self-ownership and self-agency are closely related to the formation of the body image. Therefore, it is considered that the following elements in this research can be

satisfied by flying with a virtual wings body image, that is by expanding the body image and operating.

- To make humans feel "wings" that do not originally exist (Sense of self-ownership)
- To present the sensation of "flying with flapping with one's wings" (Sense of self-agency)

### B. Body image expansion

The body image may change dynamically to parts other than the self. This is called body image expansion. An example of body image expansion is to treat a tool (for example, a tennis racket or a baseball bat) held in the hand as if it were a part of one's own body without being aware of its shape, and hit the ball back.

Body image expansion can be broadly categorized into two types: one is sensory remapping, such as the Rubber Hand Illusion (RHI), and the other is the dynamic expansion of the body image during tool use mentioned above (Embodiment of tools).

### C. Rubber Hand Illusion

The Rubber Hand Illusion is the illusion that we feel the rubber hand as if it were our own hand. It is an illusion phenomenon in which a person perceives a haptics stimulus on a rubber hand after giving a synchronized haptics stimulus to a real hand hidden from field of vision and a rubber hand in front of the eyes for about 2 to 20 minutes. One of the characteristics of RHI-based body image expansion is that the original body part and the remapped part cannot coexist.

### D. Embodiment of tools

There is a neurophysiological study on the embodiment of tools using Japanese macaque monkeys that showed the expansion of body image by tool use. By observing the activity of bimodal neurons with hand somatosensory receptors and visual receptors near the hand in the parietal cortex of Japanese macaque monkeys during tool use, and showed that the monkey's body image extended to the tip of the tool.

### E. Body image expansion approach

In this research, we focus on the body image expansion to tools (embodiment of tools).

It is known that tele-robots and avatars, which have similar degrees of freedom and dynamics to humans, can be recognized as part of the body by perfectly synchronizing their body movements, such as the generation of the sensation of being transported, as in the RHI, or the embodiment of tools.

It has also been shown that the temporal coincidence of sensory information (such as visual and haptics) is highly important in the generation of the RHI. Therefore, the temporal coincidence of sensory information is considered to be important also in the embodiment of tools. On the other hand, spatial coincidence is considered to be flexible, and there are cases where the subject responds as if the subject had struck his or her hand when hitting the rubber hand with RHI occurring.




Fig. 2: Method of body image expansion

As described above, body image expansion (embodiment of tools) can be expected by integrating multiple senses and matching the sensory information presented in time. In this study, we try to expand the body image as shown in Fig. 2. We attempted to integrate multiple senses by giving an instruction to move the wing from the human to the wing, and transmitting the sense of having wings, the sense of flying with wings, and the sense of air resistance. From the above, we present the sensation of flying with flapping virtual wings independent of the limbs.

## III. HOW TO PRESENT WINGS INDEPENDENT OF LIMBS

### A. Information transmission from humans to virtual wings

First, we describe a method of giving instruction from a human to virtual wings to move the wings. There are several methods of presenting information from a human to a system in a VR space, such as using a controller, gestures, or biological signals. Since the purpose of this study is to control the wings with something other than the limbs, we use biological signals that can be measured without limbs movement, instead of controllers that mainly use the hands or gesture that require limbs movement. In addition, the virtual wings is controlled by EMGs, which are easy to obtain numerical values among biological signals.

### B. Information transmission from virtual wings to humans

Next, we describe a method of providing information from the virtual wings to a human. The five senses can be mentioned as senses that work on humans. Among them, visual and haptics senses are often used as the information that works on humans in body image expansion. This indicates that the integration of visual and haptics senses is effective in body image expansion. In this research, we present information from virtual wings using both visual and haptics senses.

1) *Presentation of visual information:* The visual presentation is performed by outputting images created by PC software (Unity) to a visual display as shown in Fig. 3. The output image shows it is moving in the air and wings growing from one's back.

We use an illusion calledvection (self-induced self-motion sensation) to present the appearance of movement in the




Fig. 3: Presentation of visual information by using the virtual environment

air. Vection is the illusion that a body moves in a direction opposite to the direction of motion of the stimulus when a uniform motion stimulus is presented over most of the visual field.

As for the presenting growing wings from the back, when the user looks back, one can see the part of the wings growing from the back. Furthermore, when the wings are flapped, the appearance of expanding and closing the wings in the field of view is presented.

2) *Presentation of haptics information:* In haptics presentation, by presenting the haptics sensation at the root of the wings, the sense of having wings, the sense of flying with wings, the sense of air resistance are presented. This encourages the expansion of the body image through the presentation of haptics sensations to a certain area, similar to the expansion of the body image to the tip of a stick held by the hand in the embodiment of tools.

Besides, we also prepare two haptics displays: one using vibration and the other using electrical stimulation.

#### IV. HOGFUGA

This template provides authors with most of the formatting specifications needed for preparing electronic versions of their papers. All standard paper components have been specified for three reasons: (1) ease of use when formatting individual papers, (2) automatic compliance to electronic requirements that facilitate the concurrent or later production of electronic products, and (3) conformity of style throughout a conference proceedings. Margins, column widths, line spacing, and type styles are built-in; examples of the type styles are provided throughout this document and are identified in italic type, within parentheses, following the example. Some components, such as multi-leveled equations, graphics, and tables are not prescribed, although the various table text styles are provided. The formatter will need to create these components, incorporating the applicable criteria that follow.

#### V. PROCEDURE FOR PAPER SUBMISSION

##### A. *Selecting a Template (Heading 2)*

First, confirm that you have the correct template for your paper size. This template has been tailored for output on the

US-letter paper size. It may be used for A4 paper size if the paper size setting is suitably modified.

##### B. *Maintaining the Integrity of the Specifications*

The template is used to format your paper and style the text. All margins, column widths, line spaces, and text fonts are prescribed; please do not alter them. You may note peculiarities. For example, the head margin in this template measures proportionately more than is customary. This measurement and others are deliberate, using specifications that anticipate your paper as one part of the entire proceedings, and not as an independent document. Please do not revise any of the current designations

#### VI. MATH

Before you begin to format your paper, first write and save the content as a separate text file. Keep your text and graphic files separate until after the text has been formatted and styled. Do not use hard tabs, and limit use of hard returns to only one return at the end of a paragraph. Do not add any kind of pagination anywhere in the paper. Do not number text heads-the template will do that for you.

Finally, complete content and organizational editing before formatting. Please take note of the following items when proofreading spelling and grammar:

##### A. *Abbreviations and Acronyms*

Define abbreviations and acronyms the first time they are used in the text, even after they have been defined in the abstract. Abbreviations such as IEEE, SI, MKS, CGS, sc, dc, and rms do not have to be defined. Do not use abbreviations in the title or heads unless they are unavoidable.

##### B. *Units*

- Use either SI (MKS) or CGS as primary units. (SI units are encouraged.) English units may be used as secondary units (in parentheses). An exception would be the use of English units as identifiers in trade, such as 3.5-inch disk drive?.
- Avoid combining SI and CGS units, such as current in amperes and magnetic field in oersteds. This often leads to confusion because equations do not balance dimensionally. If you must use mixed units, clearly state the units for each quantity that you use in an equation.
- Do not mix complete spellings and abbreviations of units: ?Wb/m2? or ?webers per square meter?, not ?webers/m2?. Spell out units when they appear in text: ?... a few henries?, not ?... a few H?.
- Use a zero before decimal points: ?0.25?, not ?.25?. Use ?cm3?, not ?cc?. (bullet list)

##### C. *Equations*

The equations are an exception to the prescribed specifications of this template. You will need to determine whether or not your equation should be typed using either the Times New Roman or the Symbol font (please no other font). To create multileveled equations, it may be necessary to treat the equation as a graphic and insert it into the text

after your paper is styled. Number equations consecutively. Equation numbers, within parentheses, are to position flush right, as in (1), using a right tab stop. To make your equations more compact, you may use the solidus ( / ), the exp function, or appropriate exponents. Italicize Roman symbols for quantities and variables, but not Greek symbols. Use a long dash rather than a hyphen for a minus sign. Punctuate equations with commas or periods when they are part of a sentence, as in

$$\alpha + \beta = \chi \quad (1)$$

Note that the equation is centered using a center tab stop. Be sure that the symbols in your equation have been defined before or immediately following the equation. Use  $\alpha$ , not  $\alpha$ . (1) or  $\alpha$  (1), except at the beginning of a sentence:  $\alpha$  (1) is . . .

#### D. Some Common Mistakes

- The word  $\alpha$  is plural, not singular.
- The subscript for the permeability of vacuum  $\alpha$ , and other common scientific constants, is zero with subscript formatting, not a lowercase letter  $\alpha$ .
- In American English, commas, semi-colons, periods, question and exclamation marks are located within quotation marks only when a complete thought or name is cited, such as a title or full quotation. When quotation marks are used, instead of a bold or italic typeface, to highlight a word or phrase, punctuation should appear outside of the quotation marks. A parenthetical phrase or statement at the end of a sentence is punctuated outside of the closing parenthesis (like this). (A parenthetical sentence is punctuated within the parentheses.)
- A graph within a graph is an  $\alpha$ , not an  $\alpha$ . The word alternatively is preferred to the word  $\alpha$  (unless you really mean something that alternates).
- Do not use the word  $\alpha$  to mean  $\alpha$  or  $\alpha$ .
- In your paper title, if the words  $\alpha$  can accurately replace the word  $\alpha$ , capitalize the  $\alpha$ ; if not, keep using lower-cased.
- Be aware of the different meanings of the homophones  $\alpha$  and  $\alpha$ ,  $\alpha$  and  $\alpha$ ,  $\alpha$  and  $\alpha$ ,  $\alpha$  and  $\alpha$ ,  $\alpha$  and  $\alpha$ .
- Do not confuse  $\alpha$  and  $\alpha$ .
- The prefix  $\alpha$  is not a word; it should be joined to the word it modifies, usually without a hyphen.
- There is no period after the  $\alpha$  in the Latin abbreviation  $\alpha$ .
- The abbreviation  $\alpha$  means  $\alpha$ , and the abbreviation  $\alpha$  means  $\alpha$ .

## VII. USING THE TEMPLATE

Use this sample document as your LaTeX source file to create your document. Save this file as **root.tex**. You have to make sure to use the cls file that came with this distribution. If you use a different style file, you cannot expect to get

required margins. Note also that when you are creating your out PDF file, the source file is only part of the equation. *Your  $\alpha \rightarrow \alpha$  filter determines the output file size. Even if you make all the specifications to output a letter file in the source - if your filter is set to produce A4, you will only get A4 output.*

It is impossible to account for all possible situation, one would encounter using  $\alpha$ . If you are using multiple  $\alpha$  files you must make sure that the “MAIN” source file is called root.tex - this is particularly important if your conference is using PaperPlaza’s built in  $\alpha$  to PDF conversion tool.

#### A. Headings, etc

Text heads organize the topics on a relational, hierarchical basis. For example, the paper title is the primary text head because all subsequent material relates and elaborates on this one topic. If there are two or more sub-topics, the next level head (uppercase Roman numerals) should be used and, conversely, if there are not at least two sub-topics, then no subheads should be introduced. Styles named  $\alpha$ ,  $\alpha$ ,  $\alpha$ , and  $\alpha$  are prescribed.

#### B. Figures and Tables

Positioning Figures and Tables: Place figures and tables at the top and bottom of columns. Avoid placing them in the middle of columns. Large figures and tables may span across both columns. Figure captions should be below the figures; table heads should appear above the tables. Insert figures and tables after they are cited in the text. Use the abbreviation  $\alpha$ , even at the beginning of a sentence.

TABLE I: An Example of a Table

One	Two
Three	Four

We suggest that you use a text box to insert a graphic (which is ideally a 300 dpi TIFF or EPS file, with all fonts embedded) because, in an document, this method is somewhat more stable than directly inserting a picture.

Fig. 4: Inductance of oscillation winding on amorphous magnetic core versus DC bias magnetic field

Figure Labels: Use 8 point Times New Roman for Figure labels. Use words rather than symbols or abbreviations when writing Figure axis labels to avoid confusing the reader. As an example, write the quantity  $\alpha$ , or  $\alpha$ , not just  $\alpha$ . If including units in the label, present them within parentheses. Do not label axes only with units. In the example, write  $\alpha$  (A/m) or  $\alpha$  A[m(1)], not just  $\alpha$ . Do not label axes with a ratio of quantities and units. For example, write  $\alpha$  (K), not  $\alpha$ /K.

## VIII. CONCLUSIONS

A conclusion section is not required. Although a conclusion may review the main points of the paper, do not replicate the abstract as the conclusion. A conclusion might elaborate on the importance of the work or suggest applications and extensions.

## APPENDIX

Appendixes should appear before the acknowledgment.

## ACKNOWLEDGMENT

The preferred spelling of the word "acknowledgment" in America is without an "e" after the "g". Avoid the stilted expression, "One of us (R. B. G.) thanks . . .". Instead, try "R. B. G. thanks". Put sponsor acknowledgments in the unnumbered footnote on the first page.

References are important to the reader; therefore, each citation must be complete and correct. If at all possible, references should be commonly available publications.

## REFERENCES

- [1] G. O. Young, "Synthetic structure of industrial plastics (Book style with paper title and editor)," in *Plastics*, 2nd ed. vol. 3, J. Peters, Ed. New York: McGraw-Hill, 1964, pp. 15-64.
- [2] W.-K. Chen, *Linear Networks and Systems* (Book style). Belmont, CA: Wadsworth, 1993, pp. 123-135.
- [3] H. Poor, *An Introduction to Signal Detection and Estimation*. New York: Springer-Verlag, 1985, ch. 4.
- [4] B. Smith, "An approach to graphs of linear forms (Unpublished work style)," unpublished.
- [5] E. H. Miller, "A note on reflector arrays (Periodical style/Accepted for publication)," *IEEE Trans. Antennas Propagat.*, to be published.
- [6] J. G. Kreifeldt, "An analysis of surface-detected EMG as an amplitude-modulated noise," presented at the 1989 Int. Conf. Medicine and Biological Engineering, Chicago, IL.
- [7] J. Wang, "Fundamentals of erbium-doped fiber amplifiers arrays (Periodical style/Submitted for publication)," *IEEE J. Quantum Electron.*, submitted for publication.
- [8] C. J. Kaufman, Rocky Mountain Research Lab., Boulder, CO, private communication, May 1995.
- [9] Y. Yorozu, M. Hirano, K. Oka, and Y. Tagawa, "Electron spectroscopy studies on magneto-optical media and plastic substrate interfaces (Translation Journals style)," *IEEE Transl. J. Magn. Jpn.*, vol. 2, Aug. 1987, pp. 740-741 [Dig. 9th Annu. Conf. Magnetics Japan, 1982, p. 301].
- [10] M. Young, *The Technical Writers Handbook*. Mill Valley, CA: University Science, 1989.
- [11] J. U. Duncombe, "Infrared navigation?Part I: An assessment of feasibility (Periodical style)," *IEEE Trans. Electron Devices*, vol. ED-11, pp. 34-39, Jan. 1959.
- [12] S. Chen, B. Mulgrew, and P. M. Grant, "A clustering technique for digital communications channel equalization using radial basis function networks," *IEEE Trans. Neural Networks*, vol. 4, pp. 570-578, July 1993.
- [13] R. W. Lucky, "Automatic equalization for digital communication," *Bell Syst. Tech. J.*, vol. 44, no. 4, pp. 547-588, Apr. 1965.
- [14] S. P. Bingulac, "On the compatibility of adaptive controllers (Published Conference Proceedings style)," in *Proc. 4th Annu. Allerton Conf. Circuits and Systems Theory*, New York, 1994, pp. 8-16.
- [15] G. R. Faulhaber, "Design of service systems with priority reservation," in *Conf. Rec. 1995 IEEE Int. Conf. Communications*, pp. 3-8.
- [16] W. D. Doyle, "Magnetization reversal in films with biaxial anisotropy," in 1987 *Proc. INTERMAG Conf.*, pp. 2.2-1-2.2-6.
- [17] G. W. Juetten and L. E. Zeffanella, "Radio noise currents in short sections on bundle conductors (Presented Conference Paper style)," presented at the IEEE Summer power Meeting, Dallas, TX, June 22-27, 1990, Paper 90 SM 690-0 PWRS.
- [18] J. Williams, "Narrow-band analyzer (Thesis or Dissertation style)," Ph.D. dissertation, Dept. Elect. Eng., Harvard Univ., Cambridge, MA, 1993.
- [19] N. Kawasaki, "Parametric study of thermal and chemical nonequilibrium nozzle flow," M.S. thesis, Dept. Electron. Eng., Osaka Univ., Osaka, Japan, 1993.
- [20] J. P. Wilkinson, "Nonlinear resonant circuit devices (Patent style)," U.S. Patent 3 624 12, July 16, 1990.