Create a image from running container.

Start an nginx container

docker run -dit --name task1-container nginx:latest

```
[ec2-user@ip-10-0-1-114 ~]$ sudo su -
Last login: Sat Oct 17 18:56:45 UTC 2026 on pts/3
[root@ip-10-0-1-114 ~]# docker images
REPOSITORY   TAG       IMAGE ID       CREATED      SIZE
nginx        latest    ca5e66f340c7   9 days ago   163MB
[root@ip-10-0-1-114 ~]# docker container ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES
[root@ip-10-0-1-114 ~]# docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES
[root@ip-10-0-1-114 ~]# docker run -dit --name task1-container nginx:latest
40448a28c4d57671487bdfda07daeba008b95803263d957b30d765b28363193d
```

Customize the running container

docker exec -it task1-container bash

```
[root@ip-10-0-1-114 ~]# docker run -dit --name task1-container nginx:latest
40448a28c4d57671487bdfda07daeba008b95803263d957b30d765b28363193d
[root@ip-10-0-1-114 ~]# docker exec -it task1-container bash
root@40448a28c4d5:/# echo "Docker-03 Task 1 Completed" > /usr/share/nginx/html/index.html
```

```
[root@ip-10-0-1-114 ~]# docker commit task1-container docker03-task1:v1
sha256:cb8bfb8e16a8e5cfbbe0ab16941a7f95891f211826c44ce96e7cd541de1ec505
[root@ip-10-0-1-114 ~]# docker images
REPOSITORY       TAG       IMAGE ID       CREATED          SIZE
docker03-task1   v1        cb8bfb8e16a8   11 seconds ago   163MB
nginx            latest    ca5e66f340c7   9 days ago       163MB
[root@ip-10-0-1-114 ~]#
```

Copy image from local machine to docker server and load the image.


```
[root@ip-10-0-1-114 ~]# docker save -o docker03-task1.tar docker03-task1:v1
[root@ip-10-0-1-114 ~]# ls -lh docker03-task1.tar
-rw-------. 1 root root 160M Oct 23 19:32 docker03-task1.tar
[root@ip-10-0-1-114 ~]#
```

We need to create one more instance docker-02 to transfer TAR file from docker-01

```
upload failed: ./docker03-task1.tar to s3://jagan-s3-assignment-0306/docker03-task1.tar An error occurred (AccessDenied) when calling the CreateMultipartUpload operation
: User: arn:aws:sts::469132170253:assumed-role/EC2-ECR-Role/i-0232cb149ffb7a530 is not authorized to perform: s3:PutObject on resource: "arn:aws:s3:::jagan-s3-assignment
-0306/docker03-task1.tar" because no identity-based policy allows the s3:PutObject action
[root@ip-10-0-1-114 ~]# aws s3 cp /root/docker03-task1.tar \
s3://jagan-s3-assignment-0306/docker03-task1.tar
upload: ./docker03-task1.tar to s3://jagan-s3-assignment-0306/docker03-task1.tar
[root@ip-10-0-1-114 ~]#
```

```
[root@ip-10-0-1-114 ~]# aws s3 cp /root/docker03-task1.tar \
s3://jagan-s3-assignment-0306/docker03-task1.tar
upload: ./docker03-task1.tar to s3://jagan-s3-assignment-0306/docker03-task1.tar
[root@ip-10-0-1-114 ~]#
```

Now open docker-02




update IAM role

```
[root@ip-10-0-10-4 ~]# aws sts get-caller-identity
{
    "UserId": "AROAW2OTU2QGRAAHAOBHJ:i-0c6ff25f193719558",
    "Account": "469132170253",
    "Arn": "arn:aws:sts::469132170253:assumed-role/EC2-ECR-Role/i-0c6ff25f193719558"
}
```

IAM is available now

```
[root@ip-10-0-10-4 ~]# aws s3 cp s3://jagan-s3-assignment-0306/docker03-task1.tar /root/docker03-task1.tar
download: s3://jagan-s3-assignment-0306/docker03-task1.tar to ./docker03-task1.tar
[root@ip-10-0-10-4 ~]# docker load -i /root/docker03-task1.tar
15f1c8eb1ab1: Loading layer [==================================================>]  81.25MB/81.25MB
397571c09091: Loading layer [==================================================>]  85.57MB/85.57MB
2e3db029b46b: Loading layer [==================================================>]  3.584kB/3.584kB
a488eea137de: Loading layer [==================================================>]  4.608kB/4.608kB
133a2cb760fe: Loading layer [==================================================>]   2.56kB/2.56kB
96e522d1d691: Loading layer [==================================================>]   5.12kB/5.12kB
23a7206ab964: Loading layer [==================================================>]  7.168kB/7.168kB
e9fbdea87cea: Loading layer [==================================================>]  14.85kB/14.85kB
Loaded image: docker03-task1:v1
[root@ip-10-0-10-4 ~]# docker images
REPOSITORY       TAG       IMAGE ID       CREATED          SIZE
docker03-task1   v1        cb8bfb8e16a8   28 minutes ago   163MB
[root@ip-10-0-10-4 ~]#
```

```
[root@ip-10-0-10-4 ~]# docker run -d --name task2-test -p 8080:80 docker03-task1:v1
5e79b59bbcd6c81d55860e4c6897e408aeba847d6fda9fd1e3c67e673b176f3a
[root@ip-10-0-10-4 ~]# curl http://localhost:8080
Docker-03 Task 1 Completed
[root@ip-10-0-10-4 ~]#
```



Docker-03 Task 1 Completed

Create Docker image using alpine and customize with tomcat.

Create a docker file

```
[root@ip-10-0-10-4 ~]# docker load -i /root/docker03-task1.tar
Loaded image: docker03-task1:v1
[root@ip-10-0-10-4 ~]# docker images
REPOSITORY       TAG       IMAGE ID       CREATED          SIZE
docker03-task1   v1        cb8bfb8e16a8   35 minutes ago   163MB
[root@ip-10-0-10-4 ~]# mkdir -p ~/docker03-task3
cd ~/docker03-task3
[root@ip-10-0-10-4 docker03-task3]# cat > Dockerfile <<'EOF'
FROM alpine:3.21

RUN apk add --no-cache openjdk17-jre wget tar


ENV CATALINA_HOME=/opt/tomcat
ENV PATH="$CATALINA_HOME/bin:$PATH"

RUN wget -q https://archive.apache.org/dist/tomcat/tomcat-9/v9.0.102/bin/apache-tomcat-9.0.102.tar.gz \
    -O /tmp/tomcat.tar.gz \
    && mkdir -p "$CATALINA_HOME" \
    && tar -xzf /tmp/tomcat.tar.gz --strip-components=1 -C "$CATALINA_HOME" \
    && rm /tmp/tomcat.tar.gz \
    && chmod +x "$CATALINA_HOME/bin/"*.sh

EXPOSE 8080

CMD ["catalina.sh", "run"]
EOF
```

```
[root@ip-10-0-10-4 docker03-task3]# docker build -t alpine-tomcat:v1 .
[+] Building 29.9s (7/7) FINISHED                                                
```



Create single stage and multi stage docker file using this source code: https://github.com/betawins/multi-stage-example.git

```
[root@ip-10-0-10-4 docker03-task3]# mkdir -p ~/docker03-task4
cd ~/docker03-task4
git clone https://github.com/betawins/multi-stage-example.git
cd multi-stage-example
ls -la
-bash: git: command not found
-bash: cd: multi-stage-example: No such file or directory
total 0
drwxr-xr-x. 2 root root   6 Oct 23 20:16 .
dr-xr-x---. 6 root root 225 Oct 23 20:16 ..
```

Error due to not git installed

```
[root@ip-10-0-10-4 docker03-task4]# dnf install git -y
Last metadata expiration check: 0:38:00 ago on Fri Oct 23 19:39:28 2026.
Dependencies resolved.
================================================================================
 Package                 Architecture        Version                  Repository
================================================================================
Installing:
 git                     x86_64              2.50.1-1.amzn2023.0.1    amazonlinux
Installing dependencies:
 git-core                x86_64              2.50.1-1.amzn2023.0.1    amazonlinux
 git-core-doc            noarch              2.50.1-1.amzn2023.0.1    amazonlinux
```

install git

```
[root@ip-10-0-10-4 docker03-task4]# cd ~/docker03-task4
git clone https://github.com/betawins/multi-stage-example.git
Cloning into 'multi-stage-example'...
remote: Enumerating objects: 31, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 31 (delta 2), reused 1 (delta 1), pack-reused 24 (from 1)
Receiving objects: 100% (31/31), 53.25 KiB | 26.63 MiB/s, done.
Resolving deltas: 100% (3/3), done.
[root@ip-10-0-10-4 docker03-task4]# cd multi-stage-example/
[root@ip-10-0-10-4 multi-stage-example]# ls -la
total 36
drwxr-xr-x. 5 root root   137 Oct 23 20:17 .
drwxr-xr-x. 3 root root    33 Oct 23 20:17 ..
drwxr-xr-x. 7 root root   147 Oct 23 20:17 .git
-rw-r--r--. 1 root root   333 Oct 23 20:17 .gitignore
drwxr-xr-x. 3 root root    21 Oct 23 20:17 .mvn
-rw-r--r--. 1 root root   297 Oct 23 20:17 Dockerfile
-rw-r--r--. 1 root root   349 Oct 23 20:17 README.md
-rwxr-xr-x. 1 root root 10070 Oct 23 20:17 mvnw
-rw-r--r--. 1 root root  6608 Oct 23 20:17 mvnw.cmd
-rw-r--r--. 1 root root  1565 Oct 23 20:17 pom.xml
drwxr-xr-x. 4 root root    30 Oct 23 20:17 src
```

```
[root@ip-10-0-10-4 multi-stage-example]# cat > Dockerfile <<'EOF'
FROM maven:3.9-eclipse-temurin-17-alpine AS builder

WORKDIR /app
COPY pom.xml .
COPY src ./src

RUN mvn clean package -DskipTests

FROM eclipse-temurin:17-jre-alpine


WORKDIR /app
COPY --from=builder /app/target/*.jar /app/app.jar

EXPOSE 8080

ENTRYPOINT ["java", "-jar", "/app/app.jar"]
EOF
```

add this in the docker file

```
[root@ip-10-0-10-4 multi-stage-example]# docker build -t multi-stage-example:v1 .
[+] Building 26.5s (11/13)                                                
```



Whitelabel Error Page

This application has no explicit mapping for /error, so you are seeing this as a fallback.

Fri Oct 23 20:25:33 GMT 2026
There was an unexpected error (type=Not Found, status=404).
No message available

Here atleast the server is responding

```
[root@ip-10-0-10-4 multi-stage-example]# docker build -t multi-stage-builder:v1 --target builder .
[+] Building 2.0s (10/10) FINISHED
 => [internal] load build definition from Dockerfile
 => => transferring dockerfile: 389B
 => [internal] load metadata for docker.io/library/maven:3.9-eclipse-temurin-17-alpine
 => [internal] load .dockerignore
 => => transferring context: 2B
 => [builder 1/5] FROM docker.io/library/maven:3.9-eclipse-temurin-17-alpine@sha256:b7c8d7298dbabbe750441736cd99a1d120a58083d5af8d2bd75a1624cfdd8f3a
 => [internal] load build context
 => => transferring context: 1.75kB
 => CACHED [builder 2/5] WORKDIR /app
 => CACHED [builder 3/5] COPY pom.xml .
 => CACHED [builder 4/5] COPY src ./src
 => CACHED [builder 5/5] RUN mvn clean package -DskipTests
 => exporting to image
 => => exporting layers
 => => writing image sha256:c73ff78d1e8a90f002e8ef2fb2247f836850b894a4d38ca4a0e3e4633cbe7e48
 => => naming to docker.io/library/multi-stage-builder:v1
[root@ip-10-0-10-4 multi-stage-example]# docker images
REPOSITORY            TAG       IMAGE ID       CREATED          SIZE
multi-stage-example   v1        74dfe56b2913   5 minutes ago    203MB
multi-stage-builder   v1        c73ff78d1e8a   5 minutes ago    427MB
alpine-tomcat         v1        1a8ec63b12b4   18 minutes ago   222MB
docker03-task1        v1        cb8bfb8e16a8   57 minutes ago   163MB
```

```
[root@ip-10-0-10-4 multi-stage-example]# docker ps -a
CONTAINER ID   IMAGE                      COMMAND                  CREATED          STATUS          PORTS                                       NAMES
4654cc7c8c27   multi-stage-example:v1     "java -jar /app/app.…"   5 minutes ago    Up 5 minutes    0.0.0.0:8083->8080/tcp, :::8083->8080/tcp   multi-stage-app
8f07f97e05bf   alpine-tomcat:v1           "catalina.sh run"        19 minutes ago   Up 19 minutes   0.0.0.0:8082->8080/tcp, :::8082->8080/tcp   alpine-tomcat-test
195df12502bc   alpine-tomcat:v1           "catalina.sh run"        19 minutes ago   Created                                                     alpine-tomcat
5e79b59bbcd6   docker03-task1:v1          "/docker-entrypoint.…"   28 minutes ago   Up 28 minutes   0.0.0.0:8080->80/tcp, :::8080->80/tcp       task2-test
```

```
[root@ip-10-0-10-4 multi-stage-example]# docker logs multi-stage-app

  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/
 :: Spring Boot ::        (v2.2.6.RELEASE)

2026-10-23 20:24:55.904  INFO 1 --- [           main] c.t.m.MultiStageExampleApplication       : Starting MultiStageExampleApplication v0.0.1-SNAPSHOT on 4654cc7c8c27 wi
th PID 1 (/app/app.jar started by root in /app)
2026-10-23 20:24:55.913  INFO 1 --- [           main] c.t.m.MultiStageExampleApplication       : No active profile set, falling back to default profiles: default
2026-10-23 20:24:58.122  INFO 1 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  : Tomcat initialized with port(s): 8080 (http)
2026-10-23 20:24:58.141  INFO 1 --- [           main] o.apache.catalina.core.StandardService   : Starting service [Tomcat]
```

```
[root@ip-10-0-10-4 multi-stage-example]# curl http://localhost:8083
{"timestamp":"2026-10-23T20:31:30.163+0000","status":404,"error":"Not Found","message":"No message available","path":"/"}[root@ip-10-0-10-4 multi-stage-example]#
```


Install docker compose and execute sample application.

```
[root@ip-10-0-10-4 multi-stage-example]# curl -SL https://github.com/docker/compose/releases/latest/download/docker-compose-linux-x86_64 -o /usr/local/bin/docker-compose
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
  0     0    0     0    0     0      0      0 --:--:-- --:--:-- --:--:--     0
  0     0    0     0    0     0      0      0 --:--:-- --:--:-- --:--:--     0
100 31910k 100 31910k    0     0 93926k      0 --:--:-- --:--:-- --:--:-- 93926k
[root@ip-10-0-10-4 multi-stage-example]# chmod +x /usr/local/bin/docker-compose
[root@ip-10-0-10-4 multi-stage-example]# docker-compose --version
Docker Compose version v5.6.1
[root@ip-10-0-10-4 multi-stage-example]#
```

```
[root@ip-10-0-10-4 docker-task5]# vi compose.yaml
[root@ip-10-0-10-4 docker-task5]# cat compose.yaml
services:
  nginx:
    image: nginx:latest
    container_name: task5-nginx
    ports:
      - "8084:80"
    restart: unless-stopped
[root@ip-10-0-10-4 docker-task5]#
```

```
[root@ip-10-0-10-4 docker-task5]# docker-compose up -d
[+] up 10/10
 ✓ Image nginx:latest            Pulled
 ✓ Network docker-task5_default  Created
 ✓ Container task5-nginx         Started
[root@ip-10-0-10-4 docker-task5]# docker-compose ps
NAME          IMAGE          COMMAND                  SERVICE   CREATED          STATUS          PORTS
task5-nginx   nginx:latest   "/docker-entrypoint.…"   nginx     12 seconds ago   Up 10 seconds   0.0.0.0:8084->80/tcp, [::]:8084->80/tcp
[root@ip-10-0-10-4 docker-task5]#
```

```
[root@ip-10-0-10-4 docker-task5]# curl http://localhost:8084
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, nginx is successfully installed and working.
Further configuration is required for the web server, reverse proxy,
API gateway, load balancer, content cache, or other features.</p>
```



Implement solution to scan images when pushed to docker registry.


```
[root@ip-10-0-10-4 docker-task5]# docker login
Log in with your Docker ID or email address to push and pull images from Docker Hub. If you don't have a Docker ID, head over t
You can log in with your password or a Personal Access Token (PAT). Using a limited-scope PAT grants better security and is req
ore at https://docs.docker.com/go/access-tokens/

Username: jagan03
Password:
WARNING! Your password will be stored unencrypted in /root/.docker/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store

Login Succeeded
```

```
[root@ip-10-0-10-4 docker-task5]# docker tag multi-stage-example:v1 jagan03/multi-stage-example:v1
[root@ip-10-0-10-4 docker-task5]# docker push jagan03/multi-stage-example:v1
The push refers to repository [docker.io/jagan03/multi-stage-example]
c4f2282f08b9: Pushed
b677b3cc4f7b: Pushed
12ebef0ef399: Mounted from library/eclipse-temurin
c75e30c543f9: Mounted from library/eclipse-temurin
5a81e3b592be: Mounted from library/eclipse-temurin
daf188c6561f: Mounted from library/eclipse-temurin
75c137aedfb2: Mounted from library/eclipse-temurin
v1: digest: sha256:a3c378db4d83c119fc025e5105c4a1f15c77bfb81319a97fdd9957857da72894 size: 1785
```

```
[root@ip-10-0-10-4 docker-task5]# docker images
REPOSITORY                     TAG       IMAGE ID       CREATED             SIZE
jagan03/multi-stage-example    v1        74dfe56b2913   25 minutes ago      203MB
multi-stage-example            v1        74dfe56b2913   25 minutes ago      203MB
multi-stage-builder            v1        c73ff78d1e8a   25 minutes ago      427MB
alpine-tomcat                  v1        1a8ec63b12b4   38 minutes ago      222MB
docker03-task1                 v1        cb8bfb8e16a8   About an hour ago   163MB
nginx                          latest    14700d2ee6c4   47 hours ago        163MB
[root@ip-10-0-10-4 docker-task5]#
```




```
[root@ip-10-0-10-4 docker-task5]# curl -sfL https://raw.githubusercontent.com/aquasecurity/trivy/main/contrib/install.sh | sh -s -- -b /usr/local/bin
aquasecurity/trivy info checking GitHub for latest tag
aquasecurity/trivy info found version: 0.76.1 for v0.76.1/Linux/64bit
aquasecurity/trivy info installed /usr/local/bin/trivy
[root@ip-10-0-10-4 docker-task5]# trivy --version
Version: 0.76.1
[root@ip-10-0-10-4 docker-task5]#
```

install trivy

```
2026-10-23T21:30:45Z    INFO    [javadb] Java DB is cached for 3 days. If you want to update the database more frequently, "trivy clean --java-db" command clears t
cache.
2026-10-23T21:30:47Z    INFO    Detected OS     family="alpine" version="3.24.3"
2026-10-23T21:30:47Z    INFO    [alpine] Detecting vulnerabilities...   os_version="3.24" repository="3.24" pkg_num=73
2026-10-23T21:30:47Z    INFO    Number of language-specific files       num=1
2026-10-23T21:30:47Z    INFO    [jar] Detecting vulnerabilities...
2026-10-23T21:30:47Z    WARN    Using severities from other vendors for some vulnerabilities. Read https://trivy.dev/docs/v0.76/guide/scanner/vulnerability#severit
ction for details.
2026-10-23T21:30:48Z    INFO    Table result includes only package filenames. Use '--format json' option to get the full path to the package file.

Report Summary

┌──────────────────────────────────────────┬──────────┬─────────────────┐
│                  Target                  │   Type   │ Vulnerabilities │
├──────────────────────────────────────────┼──────────┼─────────────────┤
│ jagan03/multi-stage-example:v1 (alpine 3.24.3) │ alpine │        1        │
├──────────────────────────────────────────┼──────────┼─────────────────┤
│ app/app.jar                              │   jar    │       129       │
└──────────────────────────────────────────┴──────────┴─────────────────┘
Legend:
- '-': Not scanned
- '0': Clean (no security findings detected)


jagan03/multi-stage-example:v1 (alpine 3.24.3)

Total: 1 (UNKNOWN: 0, LOW: 0, MEDIUM: 0, HIGH: 1, CRITICAL: 0)


┌─────────────┬────────────────┬──────────┬────────┬───────────────────┬───────────────┬──────────────────────────────────────────────────────────┐
│   Library   │ Vulnerability  │ Severity │ Status │ Installed Version │ Fixed Version │                          Title                           │
├─────────────┼────────────────┼──────────┼────────┼───────────────────┼───────────────┼──────────────────────────────────────────────────────────┤
│ brotli-libs │ CVE-2026-111497 │   HIGH   │ fixed  │ 1.2.0-r1          │ 1.2.1-r0      │ brotli: Out-of-Bounds Write in Google Brotli Decoder     │
│             │                │          │        │                   │               │ https://avd.aquasec.com/nvd/cve-2026-111497              │
└─────────────┴────────────────┴──────────┴────────┴───────────────────┴───────────────┴──────────────────────────────────────────────────────────┘

Java (jar)

Total: 129 (UNKNOWN: 0, LOW: 11, MEDIUM: 48, HIGH: 57, CRITICAL: 13)
```


[3:02 am, 24/10/2026] Jaggu: vulnerability findings with CVE IDs such as CVE-2022-38749, CVE-2022-38750, and CVE-2022-38751. These are reported vulnerabilities in components inside the image.


[3:02 am, 24/10/2026] Jaggu: the scan is working manually now. To complete the task, we still need to automate scanning whenever an image is pushed to Docker Hub.







Implement solution to scan images when pushed to AWS ECR.









```
[root@ip-10-0-10-4 trivy-webhook]# aws s3 ls
2026-09-09 09:28:16 aws-cloudtrail-logs-469132170253-fd55dc02
2026-09-22 12:33:58 jagan-alb-logs
2026-09-06 18:05:06 jagan-s3-assignment-0306
2026-09-06 19:04:15 jagan-s3-replica-0306
2026-09-07 07:20:59 jagan-s3-script-1788765651
2026-09-08 10:44:24 jagandevops.shop
2026-09-02 08:38:01 my-vpc-flow-log-jagan-2026
[root@ip-10-0-10-4 trivy-webhook]# aws s3 cp /tmp/multi-stage-example-v2.tar s3://jagan-s3-assignment-0306/docker-images/multi-stage-example-v2.tar
upload: ../../tmp/multi-stage-example-v2.tar to s3://jagan-s3-assignment-0306/docker-images/multi-stage-example-v2.tar
[root@ip-10-0-10-4 trivy-webhook]#
```




```
[root@ip-10-0-10-4 ~]# aws s3 cp s3://jagan-s3-assignment-0306/docker-images/multi-stage-example-v2.tar /tmp/multi-stage-example-v2-download.tar
download: s3://jagan-s3-assignment-0306/docker-images/multi-stage-example-v2.tar to ../tmp/multi-stage-example-v2-download.tar
[root@ip-10-0-10-4 ~]# docker load -i /tmp/multi-stage-example-v2-download.tar
Loaded image: multi-stage-example:v2
[root@ip-10-0-10-4 ~]# docker images | grep multi-stage-example
multi-stage-example             v2        41418b75d185   30 minutes ago   208MB
jagan03/multi-stage-example     v1        74dfe56b2913   2 hours ago      203MB
multi-stage-example             v1        74dfe56b2913   2 hours ago      203MB
[root@ip-10-0-10-4 ~]#
```


Create a Jenkins pipeline to create a docker image and push the image to Docker hub.






Add credentials f docker hub







install docker plugin

```
54733ab91a37: Mounted from library/nginx
6e2ae602f9d6: Mounted from library/nginx
26fc657c3455: Mounted from library/nginx
347d70688a4f: Mounted from library/nginx
75c137aedfb2: Mounted from library/nginx
0118eeeab20f: Mounted from library/nginx
v1: digest: sha256:062ea8ad0c95e737e36ce1429c9ec44d7c2d5774b0d3d2504d1071e30eeb9ad9 size: 1989
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```