

Create one VPC, with 1 public subnet and 1 private subnet.

Your VPCs

VPCs | VPC encryption controls

Your VPCs (2) [Info](#)

Last updated less than a minute ago [Actions](#) [Create VPC](#)

Find VPCs by attribute or tag

☐	Name	VPC ID	State	Encryption c...	Encryption contrc
☐	my-vpc-vpc	vpc-0ba04db3a6aec5489	Available	-	-

Select a VPC above

Vpc is already created for the previous task and public subnet and private subnet aswell

Subnets (10) [Info](#)

Last updated less than a minute ago [Actions](#) [Create subnet](#)

Find subnets by attribute or tag

☐	Name	Subnet ID	State	VPC
☐	-	subnet-00a0a441043336200	Available	vpc-0c750680361361647
☐	-	subnet-07cdb8fe01b489205	Available	vpc-0c750680361361647
☐	my-vpc-subnet-public1-us-east-1a	subnet-0671d098997c12ab3	Available	vpc-0ba04db3a6aec5489 my-...
☐	my-vpc-subnet-private1-us-east-1a	subnet-0e3824328e70ffd80	Available	vpc-0ba04db3a6aec5489 my-...
☐	-	subnet-0759d65c597bce373	Available	vpc-0c750680361361647

Select a subnet

Enable VPC peering for cross-region.

We'll keep your existing VPC as the requester VPC and create a second VPC in another AWS Region, for example Asia Pacific (Mumbai) — ap-south-1.

Asia Pacific (Mumbai) ▼

Jagan (469132170255)

Jag

Region changed to mumbai

VPC settings

Resources to create [Info](#)

Create only the VPC resource or the VPC and other networking resources.

☒ VPC only

☐ VPC and more

Name tag - *optional*

Creates a tag with a key of 'Name' and a value that you specify.

cross-region-vpc

IPv4 CIDR block [Info](#)

☒ IPv4 CIDR manual input

☐ IPAM-allocated IPv4 CIDR block

IPv4 CIDR

10.1.0.0/16

CIDR block size must be between /16 and /28.

IPv6 CIDR block [Info](#)

☒ No IPv6 CIDR block

☐ IPAM-allocated IPv6 CIDR block

Make sure the options are these and create new vpc in new location

✔ You successfully created vpc-0a1ff4a5c5467e3a5 / cross-region-vpc



vpc-0a1ff4a5c5467e3a5 / cross-region-vpc

Actions ▾

Vpc is created

Create peering connection

A VPC peering connection is a networking connection between two VPCs that enables you to route traffic between them privately. [Info](#)

Peering connection settings

Name - *optional*

Create a tag with a key of 'Name' and a value that you specify.

cross-region-peering

Select a local VPC to peer with

VPC ID (Requester)

vpc-0ba04db3a6aec5489 (my-vpc-vpc) ▾

VPC CIDRs for vpc-0ba04db3a6aec5489 (my-vpc-vpc)

CIDR	Status	Status reason
10.0.0.0/16	✔ Associated	-

Create the peering connection associate with mumbai location

Select another VPC to peer with

Account

- ☒ My account
☐ Another account

Region

- ☐ This Region (us-east-1)
☒ Another Region

Asia Pacific (Mumbai) (ap-south-1)

VPC ID (Accepter)

10.1.0.0/16

✓ A VPC peering connection **pcx-0c33a99ad26750683** / **cross-region-peering** has been requested.
Remember to change your region to **ap-south-1** to accept the peering connection.

pcx-0c33a99ad26750683 / cross-region-peering

Actions

Details

Requester owner ID

469132170253

Peering connection ID

pcx-0c33a99ad26750683

Status

Initiating Request to 469132170253

Accepter owner ID

469132170253

Requester VPC

vpc-0ba04db3a6aec5489 / my-vpc-vpc

Requester CIDRs

10.0.0.0/16

VPC Peering connection ARN

arn:aws:ec2:us-east-1:469132170253:vpc-peering-connection/pcx-0c33a99ad26750683

Accepter VPC

vpc-03e46a723c85835d9

Now change the region to mumbai to accept the request

United States	
N. Virginia	us-east-1
Ohio	us-east-2
N. California	us-west-1
Oregon	us-west-2
Asia Pacific	
Hyderabad	ap-south-2
Mumbai	ap-south-1
Osaka	ap-northeast-3
Seoul	ap-northeast-2
Singapore	ap-southeast-1
Sydney	ap-southeast-2
Tokyo	ap-northeast-1

Peering connections (1/1)

Find peering connections by attribute or tag

Name	Peering connection ID	Status
-	pcx-0c33a99ad26750683	Pending accept

Actions

- View details
- Accept request
- Reject request
- Edit DNS settings
- Manage tags
- Delete peering connection

Accept the request

✔ Your VPC peering connection (pcx-0c33a99ad26750683) has been established.
To send and receive traffic across this VPC peering connection, you must add a route to the peered VPC in one or more of your VPC route tables.

[Modify my route tables now](#) ✕

Peering connections (1) [Info](#) [Actions](#) [Create peering connection](#)

Find peering connections by attribute or tag

Name	Peering connection ID	Status	Requester VPC
-	pcx-0c33a99ad26750683	Provisioning	vpc-0ba04db3a6aec5489

Enable VPC peering for cross-account (you can collaborate with your friend to do this task)

VPC → Peering connections → Create peering connection

Use:

Name: cross-account-peering


Requester VPC: your my-vpc-vpc (10.0.0.0/16)

Account: select Another account

Account ID: enter your friend's 12-digit AWS Account ID

Region: This Region (us-east-1)

VPC ID (Acceptor): vpc-0f503b457997062d2



This is my friends vpc details so we can start peering as the cidr also different we can connect easily

✓ A VPC peering connection **pcx-0e3ed7bc42103fdac / cross-account-peering** has been requested.
The owner of **vpc-0f503b457997062d2** must accept the peering connection.

pcx-0e3ed7bc42103fdac / cross-account-peering

Actions

Details Info

Requester owner ID

469132170253

Peering connection ID

pcx-0e3ed7bc42103fdac

Status

Pending Acceptance by 231161110641

Expiration time

Wednesday, September 9, 2026 at 22:14:15 GMT+5:30

Accepter owner ID

231161110641

Requester VPC

vpc-0ba04db3a6aec5489 / my-vpc-vpc

Requester CIDRs

10.0.0.0/16

Requester Region

N. Virginia (us-east-1)

VPC Peering connection ARN

arn:aws:ec2:us-east-1:469132170253:vpc-peering-connection/pcx-0e3ed7bc42103fdac

Accepter VPC


vpc-0f503b457997062d2

Accepter CIDRs


-

Accepter Region

N. Virginia (us-east-1)



This is my friend peering connection, go to actions and accept the request



Set up a VPC Transit Gateway.

Transit gateways Info



Actions

Create transit gateway

Find transit gateway by attribute or tag

< 1 > ⚙

☐	Name	Transit gateway ID	Owner ID	State
--------------------------	------	--------------------	----------	-------

No transit gateways

You do not have any transit gateways in this region

Create transit gateway

Create the transit gateway

Transit gateway CIDR blocks

CIDR - *optional* | [Info](#)

Q 10.0.0.0/24

Tags - *optional*

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key

Q Name



Value - *optional*

Q my-transit-gateway



Remove

Add new tag

You can add up to 49 more tags.

Cancel

Create transit gateway

✓ You successfully created tgw-0f6a099cd3476418a / my-transit-gateway.



📘 You can visualize and monitor your Transit Gateway(s) from the [AWS Network Manager](#). Register your Transit Gateway by creating a [global network](#) to get started.



Transit gateways (1) | [Info](#)



Actions

Create transit gateway

Q Find transit gateway by attribute or tag



1



☐	Name	Transit gateway ID	Owner ID	State
☐	my-transit-gateway	tgw-0f6a099cd3476418a	469132170253	Pending

transit gateway is created

Create transit gateway attachment | [Info](#)

A transit gateway (TGW) is a network transit hub that interconnects attachments (VPCs and VPNs) within the same AWS account or across AWS accounts.

Details

Name tag - *optional*

Creates a tag with the key set to Name and the value set to the specified string.

my-vpc-tgw-attachment

Transit gateway ID | [Info](#)

tgw-0f6a099cd3476418a

Attachment type | [Info](#)

VPC

Choose the options as i mentioned

☐ us-east-1e No subnet available

☐ us-east-1f No subnet available

[subnet-0671d098997c12ab3](#)

[subnet-064c7809b4fc04dc4](#)

Tags - *optional*

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key

Q Name



Value - *optional*

Q my-vpc-tgw-attachment



Remove

Add new tag

You can add up to 49 more tags.

Cancel

Create transit gateway attachment

Now click create

You successfully created VPC attachment tgw-attach-01c83bd9a27f02ec9 / my-vpc-tgw-attachment.

Transit gateway attachments (1) [Info](#)

Find transit gateway attachment by attribute or tag

Actions

Create transit gateway attachment

☐	Name ↗	Transit gateway attachment ID ↗	Transit gateway ID ↗	State ↗	Resour...
☐	my-vpc-tgw-attach...	tgw-attach-01c83bd9a27f02ec9	tgw-0f6a099cd3476418a	Pending	VPC

We have attached vpc to the transit gateway

Updated routes for rtb-0e70449f34e0820f1 / my-vpc-rtb-private1-us-east-1a successfully

Details

rtb-0e70449f34e0820f1 / my-vpc-rtb-private1-us-east-1a

Actions

Details [Info](#)

Route table ID

[rtb-0e70449f34e0820f1](#)

VPC

[vpc-0ba04db3a6aec5489](#) | [my-vpc-vpc](#)

Main

No

Owner ID

[469132170253](#)

Explicit subnet associations

2 subnets

Edge associations

-

Transit gateways (1/1) [Info](#)

Find transit gateway by attribute or tag

Actions

Create transit gateway

☒	Name ↗	Transit gateway ID ↗	Owner ID
☒	my-transit-gateway	tgw-0f6a099cd3476418a	469132170253

Create flow log

Create metering policy

Modify transit gateway

Share transit gateway

Manage tags

Delete transit gateway

Share the transit gateway to ur friend

Principals that are allowed access (1)

Filter by text

Principal ID

231161110641

Principal type

AWS account

Cancel

Previous

Create resource share

Enter the account id of your friend

Resource share successfully created

my-tgw-resource-share (d4ea9f41-0469-4589-b7b4-dab7aee1d457)

ModifyDelete

Details and information relating to this resource share.

Summary

Name

my-tgw-resource-share

ID

d4ea9f41-0469-4589-b7b4-dab7aee1d457

Owner

469132170253

ARN

arn:aws:ram:us-east-1:469132170253:resource-share/d4ea9f41-0469-4589-b7b4-dab7aee1d457

Created on

2026/09/02

Allow external principals

Yes

Status

Active

Retain access for accounts that left the organization

Disabled

You can visualize and monitor your Transit Gateway(s) from the [AWS Network Manager](#). Register your Transit Gateway by creating a [global network](#) to get started.

Transit gateway attachments (1/2)

Info

Actions

Create transit gateway attachment

Find transit gateway attachment by attribute or tag

	Name	Transit gateway attachment ID	Transit gateway
☐	my-vpc-tgw-attach...	tgw-attach-01c83bd9a27f02ec9	tgw-0f6a099cd3476418a

Transit gateway attachment: tgw-attach-0cc9469b5b62b01e4

Accept transit gateway attachment

Accept the gateway attachment

Transit gateway route tables (1/1)

Info

Actions

Create transit gateway route table

Find transit gateway route table by attribute or tag

	Name	Transit gateway route table ID	Transit gateway ID	State	Default association
☒		tgw-rtb-034814cc0ce956078	tgw-0f6a099cd3476418a	Available	Yes

Transit gateway route tables: tgw-rtb-034814cc0ce956078

Find route by attribute or tag

	CIDR	Attachment ID	Resource ID	Resource...	Route type	Route status
☐	10.0.0.0/16	tgw-attach-01c83bd9a27f02ec9	vpc-0ba04db3a6aec5489	VPC	Propagated	✓
☐	172.31.0.0/16	tgw-attach-0cc9469b5b62b01e4	vpc-0f503b457997062d2	VPC	Propagated	✓

My vpc and my friend vpc and each route points to the correct TGW attachment

Set up a VPC Endpoint

go to vpc endpoints

Endpoints (1) [Info](#)



Actions ▾

Create endpoint

Find endpoints by attribute or tag

< 1 > ⚙

☐	Name ▾	VPC endpoint ID ▾	Endpoint type ▾	Status
☐	-	eice-05c3f0426ace2aea2	EC2 Instance Connect Endpoint	✓ Available

Vpc endpoint is already created for before task