School CRM

School_CRM_v1

```
 Directory of C:\wamp64\www\school_crm

01-04-2026  01:47    <DIR>          .
01-04-2026  01:47    <DIR>          ..
01-04-2026  00:50                88 .gitignore
01-04-2026  01:45             2,799 README.md
01-04-2026  01:47    <DIR>          school_crm_v1
               2 File(s)        2,887 bytes
               3 Dir(s)  203,529,052,160 bytes free

Directory of C:\wamp64\www\school_crm\school_crm_v1

01-04-2026  01:47    <DIR>          .
01-04-2026  01:47    <DIR>          ..
01-04-2026  00:54                83 .env
01-04-2026  01:13               114 .gitignore
01-04-2026  00:20               541 admin_dashboard.php
01-04-2026  00:18               526 admin_login.php
01-04-2026  00:02    <DIR>          assets
01-04-2026  00:56               127 config.example.php
01-04-2026  00:27               512 dba_dashboard.php
01-04-2026  00:26               577 dba_login.php
01-04-2026  01:14               292 db_connect.php
01-04-2026  01:53    <DIR>          doc
01-04-2026  00:13    <DIR>          includes
01-04-2026  00:14               264 index.php
01-04-2026  01:26             1,332 login_process.php
01-04-2026  00:20                96 logout.php
01-04-2026  01:02               527 parent_dashboard.php
01-04-2026  01:01               587 parent_login.php
01-04-2026  01:03               512 pm_dashboard.php
01-04-2026  01:03               584 pm_login.php
01-04-2026  01:03               529 principal_dashboard.php
01-04-2026  01:02               599 principal_login.php
01-04-2026  01:10             1,746 student-edit.php
01-04-2026  01:10             1,259 student_add.php
01-04-2026  01:01               525 student_dashboard.php
01-04-2026  01:10               278 student_delete.php
01-04-2026  01:09             1,214 student_list.php
01-04-2026  01:00               591 student_login.php
01-04-2026  00:59               521 teacher_dashboard.php
01-04-2026  00:59               591 teacher_login.php
              25 File(s)       14,527 bytes
               5 Dir(s)  203,127,726,080 bytes free

C:\wamp64\www\school_crm\school_crm_v1>
```

1. Assets\css\styles.css : code

```
body {
```

```
    margin: 0;
    font-family: Arial, sans-serif;
    background: #f4f4f4;
}

.topbar {
    background: #000;
    color: #0ff;
    padding: 10px 20px;
    display: flex;
    justify-content: space-between;
    align-items: center;
}

.topbar .brand {
    font-weight: bold;
    color: #ff0;
}

.nav-links a {
    color: #0ff;
    margin-left: 15px;
    text-decoration: none;
}

.nav-links a:hover {
    text-decoration: underline;
}

.content {
    padding: 20px;
}

.footer {
    background: #222;
    color: #ccc;
    text-align: center;
    padding: 10px;
    position: fixed;
    bottom: 0;
    width: 100%;
}
```

2. .env

```
CRM_DB_USER=jagdevsinghdosanjh
CRM_DB_PASS=Kawaljit@1973
CRM_DB_NAME=school_crm
```

3. .gitignore

```
.env
/vendor/
node_modules/
*.log
*.sql
*.bak
*.zip
*.rar
.DS_Store
Thumbs.db
db_connect.php
config.php
```

4. admin_dashboard.php

```php
<?php
session_start();
if (!isset($_SESSION['admin'])) {
    header("Location: admin_login.php");
    exit();
}
?>
<?php include 'includes/header.php'; ?>

<h2>Admin Dashboard</h2>
<p>Welcome, <strong><?php echo
htmlspecialchars($_SESSION['admin']); ?></strong></p>

<ul>
    <li><a href="#">Manage Students (future)</a></li>
    <li><a href="#">Manage Teachers (future)</a></li>
    <li><a href="#">Manage Classes (future)</a></li>
</ul>

<p><a href="logout.php">Logout</a></p>

<?php include 'includes/footer.php'; ?>
```

5. admin_login.php

```php
<?php
session_start();
if (isset($_SESSION['admin'])) {
    header("Location: admin_dashboard.php");
    exit();
}
?>
<?php include 'includes/header.php'; ?>
```

```
<h2>Admin Login</h2>

<form action="login_process.php" method="post">
    <label>Username:</label><br>
    <input type="text" name="username" required><br><br>

    <label>Password:</label><br>
    <input type="password" name="password" required><br><br>

    <input type="submit" value="Login">
</form>

<?php include 'includes/footer.php'; ?>
```

6. config.example.php

```
<?php
define("CRM_DB_USER", "your_username");
define("CRM_DB_PASS", "your_password");
define("CRM_DB_NAME", "school_crm");
```

7. db_connect.php

```
<?php
$servername = "localhost";
$username   = "jagdevsinghdosanjh";
$password   = "Kawaljit@1973";
$dbname     = "school_crm";

$conn = new mysqli($servername, $username, $password, $dbname);

if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
?>
```

8. dba_dashboard.php

```
<?php
session_start();
if (!isset($_SESSION['dba'])) {
    header("Location: dba_login.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>DBA Dashboard</h2>
```

```php
<p>Welcome, <strong><?php echo
htmlspecialchars($_SESSION['dba']); ?></strong></p>

<ul>
    <li><a href="#">Manage Database Users</a></li>
    <li><a href="#">Backup / Restore</a></li>
    <li><a href="#">System Logs</a></li>
</ul>

<p><a href="logout.php">Logout</a></p>

<?php include 'includes/footer.php'; ?>
```

9. dba_login.php

```php
<?php
session_start();

if (isset($_SESSION['dba'])) {
    header("Location: dba_dashboard.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>DBA Login</h2>

<form action="login_process.php" method="post">
    <label>Username:</label><br>
    <input type="text" name="username" required><br><br>

    <label>Password:</label><br>
    <input type="password" name="password" required><br><br>

    <input type="hidden" name="role" value="dba">

    <input type="submit" value="Login">
</form>

<?php include 'includes/footer.php'; ?>
```

10. index.php

```php
<?php
session_start();
?>
<?php include 'includes/header.php'; ?>
```

```
<h2>Welcome to School CRM</h2>
<p>This is a simple school CRM prototype running on WAMP.</p>
<p>Use the navigation bar to access Admin Login.</p>

<?php include 'includes/footer.php'; ?>
```

11. login_process.php

```
<?php
session_start();
require 'db_connect.php';

if ($_SERVER["REQUEST_METHOD"] === "POST") {

    $username = trim($_POST['username']);
    $password = md5($_POST['password']);
    // $role     = $_POST['role'];
    $role = $_POST['role'] ?? null;// admin, dba, teacher,
student, parent, principal, pm

if (!$role) {
    die("Invalid access. Please use a login page.");
}

    // Map roles to their tables
    $tables = [
        "admin"     => "admin",
        "dba"       => "dba",
        "teacher"   => "teachers",
        "student"   => "students",
        "parent"    => "parents",
        "principal" => "principals",
        "pm"        => "project_managers"
    ];

    if (!array_key_exists($role, $tables)) {
        die("Invalid role selected.");
    }

    $table = $tables[$role];

    // Query the correct table
    $sql = "SELECT * FROM $table WHERE username='$username' AND
password='$password'";
    $result = $conn->query($sql);

    if ($result && $result->num_rows > 0) {

        $_SESSION[$role] = $username;
```

```
            // Redirect to correct dashboard
            header("Location: {$role}_dashboard.php");
            exit();

        } else {
            echo "Invalid username or password";
            echo "<br><a href='{$role}_login.php'>Back to Login</a>";
        }
    }
    ?>
```

12. logout.php

```
<?php
session_start();
session_destroy();
header("Location: admin_login.php");
exit();
?>
```

13. parent_dashboard.php

```
<?php
session_start();
if (!isset($_SESSION['parent'])) {
    header("Location: parent_login.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Parent Dashboard</h2>
<p>Welcome, <strong><?php echo
htmlspecialchars($_SESSION['parent']); ?></strong></p>

<ul>
    <li><a href="#">View Child Attendance</a></li>
    <li><a href="#">View Child Marks</a></li>
    <li><a href="#">School Notices</a></li>
</ul>

<p><a href="logout.php">Logout</a></p>

<?php include 'includes/footer.php'; ?>
```

14. parent_login.php

```
<?php
session_start();
if (isset($_SESSION['parent'])) {
```

```
    header("Location: parent_dashboard.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Parent Login</h2>

<form action="login_process.php" method="post">
    <label>Username:</label><br>
    <input type="text" name="username" required><br><br>

    <label>Password:</label><br>
    <input type="password" name="password" required><br><br>

    <input type="hidden" name="role" value="parent">

    <input type="submit" value="Login">
</form>

<?php include 'includes/footer.php'; ?>
```

15. pm_dashboard.php

```
<?php
session_start();
if (!isset($_SESSION['pm'])) {
    header("Location: pm_login.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Project Manager Dashboard</h2>
<p>Welcome, <strong><?php echo htmlspecialchars($_SESSION['pm']);
?></strong></p>

<ul>
    <li><a href="#">Manage Projects</a></li>
    <li><a href="#">Assign Tasks</a></li>
    <li><a href="#">View Reports</a></li>
</ul>

<p><a href="logout.php">Logout</a></p>

<?php include 'includes/footer.php'; ?>
```

16. pm_login.php

```
<?php
session_start();
```

```php
if (isset($_SESSION['pm'])) {
    header("Location: pm_dashboard.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Project Manager Login</h2>

<form action="login_process.php" method="post">
    <label>Username:</label><br>
    <input type="text" name="username" required><br><br>

    <label>Password:</label><br>
    <input type="password" name="password" required><br><br>

    <input type="hidden" name="role" value="pm">

    <input type="submit" value="Login">
</form>

<?php include 'includes/footer.php'; ?>
```

17. principal_dashboard.php

```php
<?php
session_start();
if (!isset($_SESSION['principal'])) {
    header("Location: principal_login.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Principal Dashboard</h2>
<p>Welcome, <strong><?php echo
htmlspecialchars($_SESSION['principal']); ?></strong></p>

<ul>
    <li><a href="#">Manage Teachers</a></li>
    <li><a href="#">View Reports</a></li>
    <li><a href="#">School Notices</a></li>
</ul>

<p><a href="logout.php">Logout</a></p>

<?php include 'includes/footer.php'; ?>
```

18. principal_login.php

```php
<?php
session_start();
if (isset($_SESSION['principal'])) {
    header("Location: principal_dashboard.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Principal Login</h2>

<form action="login_process.php" method="post">
    <label>Username:</label><br>
    <input type="text" name="username" required><br><br>

    <label>Password:</label><br>
    <input type="password" name="password" required><br><br>

    <input type="hidden" name="role" value="principal">

    <input type="submit" value="Login">
</form>

<?php include 'includes/footer.php'; ?>
```

19. student_add.php

```php
<?php
session_start();
if (!isset($_SESSION['admin'])) {
    header("Location: admin_login.php");
    exit();
}

require 'db_connect.php';

if ($_SERVER["REQUEST_METHOD"] === "POST") {

    $username = $_POST['username'];
    $name     = $_POST['name'];
    $email    = $_POST['email'];
    $class    = $_POST['class'];
    $password = md5($_POST['password']);

    $sql = "INSERT INTO students (username, name, email,
password, class)
```

```
                VALUES ('$username', '$name', '$email', '$password',
'$class')";

    if ($conn->query($sql)) {
        header("Location: students_list.php");
        exit();
    } else {
        echo "Error: " . $conn->error;
    }
}
?>

<?php include 'includes/header.php'; ?>

<h2>Add Student</h2>

<form method="post">
    Username:<br>
    <input type="text" name="username" required><br><br>

    Name:<br>
    <input type="text" name="name" required><br><br>

    Email:<br>
    <input type="email" name="email" required><br><br>

    Class:<br>
    <input type="text" name="class"><br><br>

    Password:<br>
    <input type="password" name="password" required><br><br>

    <input type="submit" value="Add Student">
</form>

<?php include 'includes/footer.php'; ?>
```

20. student_dashboard.php

```
<?php
session_start();
if (!isset($_SESSION['student'])) {
    header("Location: student_login.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Student Dashboard</h2>
```

```
<p>Welcome, <strong><?php echo
htmlspecialchars($_SESSION['student']); ?></strong></p>

<ul>
    <li><a href="#">View Attendance</a></li>
    <li><a href="#">View Marks</a></li>
    <li><a href="#">Download Assignments</a></li>
</ul>

<p><a href="logout.php">Logout</a></p>

<?php include 'includes/footer.php'; ?>
```

21. student_delete.php

```
<?php
session_start();
if (!isset($_SESSION['admin'])) {
    header("Location: admin_login.php");
    exit();
}

require 'db_connect.php';

$id = $_GET['id'];

$conn->query("DELETE FROM students WHERE id=$id");

header("Location: students_list.php");
exit();
?>
```

22. student_list.php

```
<?php
session_start();
if (!isset($_SESSION['admin'])) {
    header("Location: admin_login.php");
    exit();
}

require 'db_connect.php';
$result = $conn->query("SELECT * FROM students ORDER BY id
DESC");
?>

<?php include 'includes/header.php'; ?>

<h2>Students List</h2>
```

```
<p><a href="student_add.php">➕ Add New Student</a></p>

<table border="1" cellpadding="10" cellspacing="0">
    <tr>
        <th>ID</th>
        <th>Username</th>
        <th>Name</th>
        <th>Email</th>
        <th>Class</th>
        <th>Actions</th>
    </tr>

    <?php while ($row = $result->fetch_assoc()): ?>
    <tr>
        <td><?= $row['id'] ?></td>
        <td><?= htmlspecialchars($row['username']) ?></td>
        <td><?= htmlspecialchars($row['name']) ?></td>
        <td><?= htmlspecialchars($row['email']) ?></td>
        <td><?= htmlspecialchars($row['class']) ?></td>
        <td>
            <a href="student_edit.php?id=<?= $row['id']
?>">Edit</a> |
            <a href="student_delete.php?id=<?= $row['id'] ?>"
onclick="return confirm('Delete this student?')">Delete</a>
        </td>
    </tr>
    <?php endwhile; ?>

</table>

<?php include 'includes/footer.php'; ?>
```

23. student_login.php

```
<?php
session_start();
if (isset($_SESSION['student'])) {
    header("Location: student_dashboard.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Student Login</h2>

<form action="login_process.php" method="post">
    <label>Username:</label><br>
    <input type="text" name="username" required><br><br>

    <label>Password:</label><br>
    <input type="password" name="password" required><br><br>
```

```
    <input type="hidden" name="role" value="student">

    <input type="submit" value="Login">
</form>

<?php include 'includes/footer.php'; ?>
```

24. student_edit.php

```
<?php
session_start();
if (!isset($_SESSION['admin'])) {
    header("Location: admin_login.php");
    exit();
}

require 'db_connect.php';

$id = $_GET['id'];
$result = $conn->query("SELECT * FROM students WHERE id=$id");
$student = $result->fetch_assoc();

if ($_SERVER["REQUEST_METHOD"] === "POST") {

    $username = $_POST['username'];
    $name     = $_POST['name'];
    $email    = $_POST['email'];
    $class    = $_POST['class'];

    // Password update only if provided
    if (!empty($_POST['password'])) {
        $password = md5($_POST['password']);
        $update = "UPDATE students SET username='$username',
name='$name', email='$email', class='$class',
password='$password' WHERE id=$id";
    } else {
        $update = "UPDATE students SET username='$username',
name='$name', email='$email', class='$class' WHERE id=$id";
    }

    if ($conn->query($update)) {
        header("Location: students_list.php");
        exit();
    } else {
        echo "Error: " . $conn->error;
    }
}
?>

<?php include 'includes/header.php'; ?>
```

```
<h2>Edit Student</h2>

<form method="post">
    Username:<br>
    <input type="text" name="username" value="<?=
$student['username'] ?>" required><br><br>

    Name:<br>
    <input type="text" name="name" value="<?= $student['name']
?>" required><br><br>

    Email:<br>
    <input type="email" name="email" value="<?= $student['email']
?>" required><br><br>

    Class:<br>
    <input type="text" name="class" value="<?= $student['class']
?>"><br><br>

    New Password (optional):<br>
    <input type="password" name="password"><br><br>

    <input type="submit" value="Update Student">
</form>

<?php include 'includes/footer.php'; ?>
```

25. teacher_dashboard.php

```
<?php
session_start();
if (!isset($_SESSION['teacher'])) {
    header("Location: teacher_login.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Teacher Dashboard</h2>
<p>Welcome, <strong><?php echo
htmlspecialchars($_SESSION['teacher']); ?></strong></p>

<ul>
    <li><a href="#">View Students</a></li>
    <li><a href="#">Enter Attendance</a></li>
    <li><a href="#">Upload Marks</a></li>
</ul>
```

```
<p><a href="logout.php">Logout</a></p>

<?php include 'includes/footer.php'; ?>
```

26. teacher_login.php

```
<?php
session_start();
if (isset($_SESSION['teacher'])) {
    header("Location: teacher_dashboard.php");
    exit();
}
?>

<?php include 'includes/header.php'; ?>

<h2>Teacher Login</h2>

<form action="login_process.php" method="post">
    <label>Username:</label><br>
    <input type="text" name="username" required><br><br>

    <label>Password:</label><br>
    <input type="password" name="password" required><br><br>

    <input type="hidden" name="role" value="teacher">

    <input type="submit" value="Login">
</form>

<?php include 'includes/footer.php'; ?>
```

27.
28.
29.
30.