

## # Textual tags

1.  $h_1 \dots h_6$
2.  $p$
3.  $\text{div}$

## # Formatting tags

1. b- bold
2. u - underline
3. i - italic
4. sup - superscript
5. sub - subscript

## # List tag

- |                        |                                                                                                                                         |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 1. ul - unordered list | - ul and ol both tags have an attribute called as type that can be used to define the type of number system or bullet points to be used |
| 2. ol - ordered list   |                                                                                                                                         |
| 3. li - list element   |                                                                                                                                         |

## # Table tag

|          |       |       |      |       |       |       |        |
|----------|-------|-------|------|-------|-------|-------|--------|
| <table>  |       |       |      |       |       |       |        |
|          |       |       |      |       |       |       |        |
| <thead>  | <th>  | </th> | <th> | </th> | <th>  | </th> |        |
| <tr>     | srno  |       | name |       | price |       | header |
| </tr>    |       |       |      |       |       |       |        |
| </thead> |       |       |      |       |       |       |        |
| <tbody>  | <td>  | </td> | <td> | </td> | <td>  | </td> |        |
| <tr>     | 1     |       | Pen  |       | 20    |       |        |
| </tr>    |       |       |      |       |       |       |        |
|          |       |       |      |       |       |       | body   |
|          |       |       |      |       |       |       |        |
|          |       |       |      |       |       |       |        |
|          |       |       |      |       |       |       |        |
| </tbody> |       |       |      |       |       |       |        |
| <tfooot> |       |       |      |       |       |       |        |
| <tr>     | Total |       |      |       | 0     |       | footer |
| </tr>    |       |       |      |       |       |       |        |
| <tfooot> |       |       |      |       |       |       |        |
| </table> |       |       |      |       |       |       |        |

# Resource tags

- 1. img
- 2. audio
- 3. video
- 4. iframe

# Anchor tag


- 1. a

# Get vs Post Method

- Get method is designed to get the data from the server
- Post method is designed to add the data on the server
- get method keeps the data in the url paramater
- post method keeps the data in the request body

# input tag

- | - type     | attributes    |
|------------|---------------|
| - text     | - name        |
| - email    | - value       |
| - password | - placeholder |
| - tel      | - readonly    |
| - radio    | - required    |
| - checkbox | - type        |
| - number   |               |
| - submit   |               |
| - reset    |               |



// default behaviour of a form  
<form method="GET", action = "">

<form method = "POST" action="">

Labwork

- class work code
- assignment 1 (formatting)
- list and table
- form tag
- optional assignment 01