

Linux Commands Assignments - II

1. List the directory contents date wise sorted. (man ls)

```
[jagdishbutte@Jagdish96342D6 Desktop % ls -lt
total 0
drwxr-xr-x  3 jagdishbutte  staff   96 19 May 15:48 OS_SDM
drwxr-xr-x  7 jagdishbutte  staff  224 19 May 15:17 os-sdm
drwxr-xr-x 28 jagdishbutte  staff  896 17 May 23:03 dsa-practice
drwxr-xr-x@ 12 jagdishbutte  staff  384 14 May 21:59 gitting
drwxr-xr-x  9 jagdishbutte  staff  288 10 May 18:09 DAC Archive
drwxr-xr-x@  7 jagdishbutte  staff  224  3 May 23:54 expense-tracker
drwxr-xr-x@  9 jagdishbutte  staff  288 30 Apr 18:27 Sunbeam
drwxr-xr-x@ 14 jagdishbutte  staff  448 29 Apr 11:24 STS
drwxr-xr-x@ 15 jagdishbutte  staff  480 24 Apr 13:45 LMS-DOCS
drwxr-xr-x@  6 jagdishbutte  staff  192 12 Apr 15:40 TCS NQT
```

2. List the directory contents size wise sorted.(man ls)

```
[jagdishbutte@Jagdish96342D6 Desktop % ls -ls
total 872
-rw-r--r--@ 1 jagdishbutte  staff  444566 19 May 16:01 Screenshot 2026-05-19 at 4.01.02 PM.png
drwxr-xr-x 28 jagdishbutte  staff    896 17 May 23:03 dsa-practice
drwxr-xr-x@ 15 jagdishbutte  staff   480 24 Apr 13:45 LMS-DOCS
drwxr-xr-x@ 14 jagdishbutte  staff   448 29 Apr 11:24 STS
drwxr-xr-x@ 12 jagdishbutte  staff   384 14 May 21:59 gitting
drwxr-xr-x  9 jagdishbutte  staff   288 10 May 18:09 DAC Archive
drwxr-xr-x@  9 jagdishbutte  staff   288 30 Apr 18:27 Sunbeam
drwxr-xr-x@  7 jagdishbutte  staff   224  3 May 23:54 expense-tracker
drwxr-xr-x  7 jagdishbutte  staff   224 19 May 15:17 os-sdm
drwxr-xr-x@  6 jagdishbutte  staff   192 12 Apr 15:40 TCS NQT
drwxr-xr-x  3 jagdishbutte  staff    96 19 May 15:48 OS_SDM
```

3. List directory contents along with their inode no. (man ls)

```
[jagdishbutte@Jagdish96342D6 Desktop % ls -li
3239383 DAC Archive                    5179258 os-sdm
4277483 dsa-practice                  5196458 Screenshot 2026-05-19 at 4.01.02 PM.png
2195765 expense-tracker               3188304 STS
3234952 gitting                       587476 Sunbeam
3542977 LMS-DOCS                      3121118 TCS NQT
5194548 OS_SDM
```

4. List the contents of the subdirectory.

```
[jagdishbutte@Jagdish96342D6 OS_SDM % ls one
1.txt  11.txt  111.txt two
jagdishbutte@Jagdish96342D6 OS_SDM %
```

5. Create a file, write your surname and name in it and save.
i. now open the same file and add your address in it and save.
ii. reopen the same file and check your name and address in it.

```
[jagdishbutte@Jagdish96342D6 Desktop % cat > file1.txt
[jagdish Butte%
jagdishbutte@Jagdish96342D6 Desktop % cat file1.txt
[jagdish Butte%
jagdishbutte@Jagdish96342D6 Desktop % cat >> file1.txt
A/P Sakori T Belhe, Tal - Junnar, Dist - Pune, 412410%
jagdishbutte@Jagdish96342D6 Desktop % cat file1.txt
Jagdish ButteA/P Sakori T Belhe, Tal - Junnar, Dist - Pune, 412410%
jagdishbutte@Jagdish96342D6 Desktop %
```

6. how to change the time stamp of file (man touch)

```
[jagdishbutte@Jagdish96342D6 os-sdm % touch myfile.txt
[jagdishbutte@Jagdish96342D6 os-sdm % ls myfile.txt
myfile.txt
[jagdishbutte@Jagdish96342D6 os-sdm % ls -l myfile.txt
-rw-r--r--  1 jagdishbutte  staff   60 19 May 16:29 myfile.txt
```

7. Create directory structure : Give following commands ,

```
-> mkdir one
-> cd one
-> touch 1.txt 11.txt 111.txt
-> mkdir two
-> cd two
-> touch 2.txt 22.txt 222.txt
-> mkdir three
-> cd three
-> touch 3.txt 33.txt 333.txt
-> mkdir four
-> cd four
-> touch 4.txt 44.txt 444.txt
-> mkdir five
-> cd five
-> touch 5.txt 55.txt 555.txt
-> cd ~ (i.e. go to your home directory)
```

```

[jagdishbutte@Jagdish96342D6 OS_SDM % mkdir one
[jagdishbutte@Jagdish96342D6 OS_SDM % cd one
[jagdishbutte@Jagdish96342D6 one % touch 1.txt 11.txt 111.txt
[jagdishbutte@Jagdish96342D6 one % mkdir two
[jagdishbutte@Jagdish96342D6 one % cd two
[jagdishbutte@Jagdish96342D6 two % touch 2.txt 22.txt 222.txt
[jagdishbutte@Jagdish96342D6 two % mkdir three
[jagdishbutte@Jagdish96342D6 two % cd three
[jagdishbutte@Jagdish96342D6 three % touch 3.txt 33.txt 333.txt
[jagdishbutte@Jagdish96342D6 three % mkdir four
[jagdishbutte@Jagdish96342D6 three % cd four
[jagdishbutte@Jagdish96342D6 four % touch 4.txt 44.txt 444.txt
[jagdishbutte@Jagdish96342D6 four % mkdir five
[jagdishbutte@Jagdish96342D6 four % cd five
[jagdishbutte@Jagdish96342D6 five % touch 5.txt 55.txt 555.txt
[jagdishbutte@Jagdish96342D6 five % cd ~

```

8. Considering above directory structure , Do following operations :

- i. list the directory contents of directory named "five" from current directory (i.e. home directory).
- ii. write your name in a file named "44.txt" of directory "four" from current directory.
- iii. remove the file named "555.txt" from directory "five" from current directory.
- iv. change directory to five (i.e. cd one/two/three/four/five/).
- v. write your course name in file named "3.txt" which resides in directory "three" from current directory (i.e. five).also read the same file.
- vi. list the contents of directory "two" from current directory (i.e. five).
- vii. remove file named "222.txt" which belongs to directory "two" from current directory (i.e. five)
- viii. now change the directory to "one"
- ix. remove all files only from directory named "five" from current directory (i.e. one)
- x. remove directory named "five" from current directory (i.e. one)
- xi. remove whole directory named "four" from current directory (i.e. one) xii. change to your home directory.

```

[jagdishbutte@Jagdish96342D6 OS_SDM % mkdir one
[jagdishbutte@Jagdish96342D6 OS_SDM % cd one
[jagdishbutte@Jagdish96342D6 one % touch 1.txt 11.txt 111.txt
[jagdishbutte@Jagdish96342D6 one % mkdir two
[jagdishbutte@Jagdish96342D6 one % cd two
[jagdishbutte@Jagdish96342D6 two % touch 2.txt 22.txt 222.txt
[jagdishbutte@Jagdish96342D6 two % mkdir three
[jagdishbutte@Jagdish96342D6 two % cd three
[jagdishbutte@Jagdish96342D6 three % touch 3.txt 33.txt 333.txt
[jagdishbutte@Jagdish96342D6 three % mkdir four
[jagdishbutte@Jagdish96342D6 three % cd four
[jagdishbutte@Jagdish96342D6 four % touch 4.txt 44.txt 444.txt
[jagdishbutte@Jagdish96342D6 four % mkdir five
[jagdishbutte@Jagdish96342D6 four % cd five
[jagdishbutte@Jagdish96342D6 five % touch 5.txt 55.txt 555.txt
[jagdishbutte@Jagdish96342D6 five % cd ~
[jagdishbutte@Jagdish96342D6 ~ % ls one/two/three/four/five
ls: one/two/three/four/five: No such file or directory
[jagdishbutte@Jagdish96342D6 ~ % cd Desktop/OS_SDM
[jagdishbutte@Jagdish96342D6 OS_SDM % ls one/two/three/four/five
5.txt 55.txt 555.txt
[jagdishbutte@Jagdish96342D6 OS_SDM % echo "Your Name" > one/two/three/four/44.txt
[jagdishbutte@Jagdish96342D6 OS_SDM % ls one/two/three/four/five
5.txt 55.txt 555.txt
[jagdishbutte@Jagdish96342D6 OS_SDM % echo "Jagdish Butte" > one/two/three/four/44.txt
[jagdishbutte@Jagdish96342D6 OS_SDM % rm one/two/three/four/five/555.txt
[jagdishbutte@Jagdish96342D6 OS_SDM % cd one/two/three/four/five/
[jagdishbutte@Jagdish96342D6 five % echo "OS-SDM" > ../../3.txt && cat ../../3.txt
OS-SDM
[jagdishbutte@Jagdish96342D6 five % ls ../../../
2.txt 22.txt 222.txt three
[jagdishbutte@Jagdish96342D6 five % rm ../../../222.txt
[jagdishbutte@Jagdish96342D6 five % cd ~/one
cd: no such file or directory: /Users/jagdishbutte/one
[jagdishbutte@Jagdish96342D6 five % cd ../../../../
[jagdishbutte@Jagdish96342D6 one % rm two/three/four/five/*
zsh: sure you want to delete all 2 files in /Users/jagdishbutte/Desktop/OS_SDM/one/two,
[jagdishbutte@Jagdish96342D6 one % rmdir two/three/four/five
[jagdishbutte@Jagdish96342D6 one % rm -r two/three/four
[jagdishbutte@Jagdish96342D6 one % cd ~

```

9. change the time stamp of file named "3.txt" which resides in directory named "three".(man touch)

```

[jagdishbutte@Jagdish96342D6 OS_SDM % touch one/two/three/3.txt
[jagdishbutte@Jagdish96342D6 OS_SDM % ls one/two/three/3.txt
one/two/three/3.txt
[jagdishbutte@Jagdish96342D6 OS_SDM % ls -l one/two/three/3.txt
-rw-r--r-- 1 jagdishbutte staff 7 19 May 16:42 one/two/three/3.txt

```