

Linux Commands Assignment 5

Create file named grade.txt and write following contents in it. (grep , cut)

John Smith: A
Mary Johnson: B
Alex Rodriguez: C
Emily Wong: A
David Lee: B
James Johnson: A
Edwin Albert: B

```
[jagdishbutte@Jagdish96342D6 ~ % cat > grade.txt  
John Smith: A  
Mary Johnson: B  
Alex Rodriguez: C  
Emily Wong: A  
David Lee: B  
James Johnson: A  
Edwin Albert: B  
[jagdishbutte@Jagdish96342D6 ~ % cat grade.txt  
John Smith: A  
Mary Johnson: B  
Alex Rodriguez: C  
Emily Wong: A  
David Lee: B  
James Johnson: A  
Edwin Albert: B
```

And compose commands to perform following operations

1. Count the number of students. (wc)

```
[jagdishbutte@Jagdish96342D6 ~ % wc -l grade.txt  
7 grade.txt
```

2. List the students having grade A. (grep)

```
[jagdishbutte@Jagdish96342D6 ~ % grep ": A" grade.txt  
John Smith: A  
Emily Wong: A  
James Johnson: A
```

3. List the students not having grade B. (grep)

```
[jagdishbutte@Jagdish96342D6 ~ % grep -v ": B" grade.txt  
John Smith: A  
Alex Rodriguez: C  
Emily Wong: A  
James Johnson: A
```

4. Print the count of students not having grade C. (grep)

```
[jagdishbutte@Jagdish96342D6 ~ % grep -v -c ": C" grade.txt  
6
```

5. List the student/students whose name starts with E & having grade B. (grep)

```
[jagdishbutte@Jagdish96342D6 ~ % grep "^E.*: B" grade.txt  
Edwin Albert: B
```

6. Show only Students first name & Last Name. (cut)

```
[jagdishbutte@Jagdish96342D6 ~ % cut -d ':' -f 1 grade.txt  
John Smith  
Mary Johnson  
Alex Rodriguez  
Emily Wong  
David Lee  
James Johnson  
Edwin Albert
```

7. Show only grades. (cut)

```
[jagdishbutte@Jagdish96342D6 ~ % cut -d ' ' -f 3 grade.txt  
A  
B  
C  
A  
B  
A  
B
```

8. Show only first name & grades. (cut)

```
[jagdishbutte@Jagdish96342D6 ~ % cut -d ' ' -f1,3 grade.txt  
John A  
Mary B  
Alex C  
Emily A  
David B  
James A  
Edwin B
```