What are all the possible values for the Control-M Job State and Status that can exist in the CMR_AJF tables STATE and STATUS column?

This document contains official content from the BMC Software Knowledge Base. It is automatically updated when the knowledge article is modified.

PRODUCT:

Control-M/Server for UNIX and Microsoft Windows

COMPONENT:

Control-M/Server for UNIX and Microsoft Windows

APPLIES TO:

Control-M/Server for UNIX and Microsoft Windows

QUESTION:

In some instances, it might be necessary to execute ajfstats on a Unix-based Control-M/Server to see the number of jobs waiting in each state, or use SQL to determine how many jobs are in a specific state or which jobs are in a specific state.

In the table of cmr_ajf at Control-M/Server database, the columns of STATE, STATUS and HOLDFLAG are used to determine the job status. These states are represented by a single alphanumeric code. The information below describes the human readable job state name and it's corresponding code.

ANSWER:

Job States

What are all the possible values for the Control-M Job State and Status that can exist in the CMR_AJF tables STATE and STATUS column?

| Code | Title | Description |
|------|---------------------|--|
| 0 | Wait Scheduling | |
| 1 | Wait Confirm | |
| 2 | Submitted | |
| 3 | Not Submitted | |
| 4 | Executing | |
| 5 | Ended | |
| 6 | Analyzed | |
| 7 | Disappeared | |
| 8 | Post Processed | |
| 9 | Not Found | |
| A | Wait Rerun | |
| В | Wait Time | |
| С | Wait Condition | |
| D | Wait Resource | |
| E | Wait Submission | |
| F | Not Known | |
| G | Retry Submit | |
| Н | Wait Group Schedule | |
| I | Fail Submit | |
| J | Wait ODAT | |
| K | Post ODAT | |
| L | Job Wait Node | From Control-M Server V7.0.0, job that waits for agent to be available is set to CM_JOB_WAIT_NODE (instead of CM_JOB_WAIT_RSC) |
| M | Job Wait Workload | A job reaches this state, if the "number of running jobs" of the workload it is a member of, reaches the Workload's limit. |
| Z | Unknown | |

Job Status

Y means that the job has completed successfully. N means that it has not completed or it has completed unsuccessfully. HOLDFLAG determines if the job is on hold. Possible values are:

N not on hold

What are all the possible values for the Control-M Job State and Status that can exist in the CMR_AJF tables STATE and STATUS column?

Y on hold

D deleted

Article Number:

000031003

Article Type:

FAQ/Procedural

Looking for additional information? Search BMC Support or Browse Knowledge Articles