```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        form input {
            margin-bottom: 1rem;
            height: 25px;
            width: 250px !important;
        }

        @media screen and (max-width: 500px) {
            img {
                width: 100%;
                height: auto;
                margin-left: -2rem;
            }

            .main {
                flex-direction: column;
                align-items: center;
                width: 100%;
            }

            .form {
                margin-top: -2rem !important;
                padding: 1rem;
            }

            button {
                text-align: center;
            }
        }
    </style>
</head>
<!-- Create a responsive webpage with a form on one side and an image on the
other using
Flexbox. -->

<body>
    <h2 style="padding: 2rem; text-align: center;">Registration From</h2>
    <div style="display: flex ; justify-content: center; " class="main">
```

```html
        <div class="form" style="margin-top:3rem;">
            <form action="#">
                <label for="name">Name:</label>
                <br>
                <input type="text" name="name" id="name" required>
                <br>
                <label for="email">Email:</label>
                <br>
                <input type="email" name="email " id="email" required>
                <br>
                <label for="phone">Contact:</label>
                <br>
                <input type="number" name="content" id="phone" required>
                <br>
                <label for="password"> password:</label>
                <br>
                <input type="password" id="password">
                <br>
                <label for="pass"> Conform password:</label>
                <br>
                <input type="password" id="pass" required>
                <br>
                <button type="submit"
                    style="background-color: rgb(78, 254, 78); border-radius: 5%;
height: 30px; width: 100%; ">Register</button>
            </form>
        </div>
        <div class="img">
            <img src="image.png" alt="image" style="height: 75%;">
        </div>
    </div>
</body>

</html>
```



Output



JavaScript:

Core java :

```java
package test;
import java.util.Scanner;

public class Constructor {
    public static class Student {
        int roll;
        String name;
        String email;
        String address;

        public Student(String name, String email) {
            this.name = name;
            this.email = email;
        }

        public Student(int roll, String name, String email) {
            this.roll = roll;
            this.name = name;
            this.email = email;
        }

        public Student(int roll, String name, String email, String address) {
            this.roll = roll;
            this.name = name;
            this.email = email;
            this.address = address;
        }
    }

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.print("Enter Rollno");
        int roll = sc.nextInt();
        System.out.print("Name :");
        String name = sc.next();
        System.out.print("Email : ");
        String email = sc.next();
        System.out.print("Address: ");
        String address = sc.next();

        Student s = new Student(name, email);
        Student s1 = new Student(roll, name, email);
        Student s2 = new Student(roll, name, email, address);

        System.out.println("Students created successfully!");
    }
}
```

React :

```
import React, { useState } from 'react';

export default function App() {
  const [count, setCount] = useState(0);
  return (
    <>
      <h1>Counter = {count}</h1>
      <button onClick={() => setCount(count + 1)}>Increment</button>
      <button onClick={() => setCount(count - 1)}>Decrement</button>
      <button onClick={() => setCount(0)}>Reset</button>
    </>
  );
}
```

Adv java

StudentDao:

```java
package com.student.dao;

import java.sql.Connection;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.util.ArrayList;
import java.util.List;

import com.student.model.Student;

public class StudentDao {
	private Connection conn;
	public StudentDao(Connection conn) {
		this.conn = conn;
	}
	public boolean addStudent(Student s) {
		boolean f=false;
		try {
			String sql="INSERT INTO Student(name,email) VALUES(?,?)";
			PreparedStatement ps=conn.prepareStatement(sql);
			ps.setString(1, s.getName());
			ps.setString(2, s.getEmail());
			ps.executeUpdate();
			f=true;
		} catch (Exception e) {
			// TODO: handle exception
		}
		return f;
	}
	public List<Student> getAllStudent() {
		List<Student> list = new ArrayList<Student>();
		try {
			String sql = "SELECT * FROM student";
			PreparedStatement ps = conn.prepareStatement(sql);
			ResultSet rs = ps.executeQuery();

			while (rs.next()) {
				int id = rs.getInt("id");
				String name = rs.getString("name");
				String email = rs.getString("email");
				Student s = new Student(id ,name,email);
				list.add(s);
			}
		} catch (Exception e) {
			// TODO: handle exception
			e.printStackTrace();
		}
		return list;
```

```
        }}
```

DBConnec t:

```
package com.student.db;

import java.sql.Connection;
import java.sql.DriverManager;

public class DBConnect {
    public static Connection getConnection() {
        Connection conn=null;

        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            conn =
DriverManager.getConnection("jdbc:mysql://localhost:3306/student_dbb", "root",
"413401");
            System.out.println("Database Connected");
        } catch (Exception e) {
            // TODO: handle exception
            e.printStackTrace();
        }
        return conn;
    }
}
```

Model :Student

```
package com.student.model;

public class Student {
       private int id;
       private String name;
       private String email;

       public Student() {

       }


       public Student(String name, String email) {
              this.name = name;
              this.email = email;
       }
```

```java
	public Student(int id, String name, String email) {
		this.id = id;
		this.name = name;
		this.email = email;
	}


	public int getId() {
		return id;
	}


	public void setId(int id) {
		this.id = id;
	}


	public String getName() {
		return name;
	}


	public void setName(String name) {
		this.name = name;
	}


	public String getEmail() {
		return email;
	}


	public void setEmail(String email) {
		this.email = email;
	}


	@Override
	public String toString() {
		return "Student [id=" + id + ", name=" + name + ", email=" + email +
"]";
	}


}
```

AddStudentServlet:

```
package com.student.servlet;

import java.io.IOException;

import com.student.dao.StudentDao;
import com.student.db.DBConnect;
import com.student.model.Student;

import jakarta.servlet.ServletException;
import jakarta.servlet.http.HttpServlet;
import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;

public class AddStudentServlet extends HttpServlet {
	protected void doGet(HttpServletRequest req, HttpServletResponse resp) throws
IOException, ServletException{
		String name=req.getParameter("name");
		String email=req.getParameter("email");
		Student s=new Student(name,email);
		StudentDao dao=new StudentDao(DBConnect.getConnection());
		if(dao.addStudent(s)) {
			resp.sendRedirect("index.jsp");
		}
	}
}
```