

A

NO.	DESCRIPTION	DATE
1	PRELIMINARY WORKING DWG	21/02/2025

CLIENT SIGN OFF:
I/WE CONFIRM THAT THESE DRAWINGS

PROJECT
PROPOSED RESIDENCE

DRAWING
FIRST FLOOR PLAN

DRAWING NUMBER:
A1002 /1

FOR
CONSTRUCTION

2
HINGES TO ALL SWING DOORS IN SANITARY COMPARTMENTS AS PER NCC 2022
ING MEMBRANES FOR EXTERNAL ABOVE GROUND USE MUST COMPLY WITH
O DISCHARGE DIRECTLY TO OUTSIDE AIR AND
CE. MECHANICAL EXHAUST FANS ARE TO
PER SECOND FOR BATHROOMS & SANITARY
MIN 40L/S FOR RANGEHOODS
SAFETY GLAZING TO ALL BATHROOMS AND TOILETS AS PER NCC 2022.
OWER RECESS TO BATH AND ENSUITE SHOWERS (REFER TO INTERNALS)
UM FRAMED FIBRE-GLASS MESH FLYSCREENS TO ALL OPERABLE WINDOWS
S FOR TOWEL RAIL, TOILET ROLL HOLDER & TV BRACKET

200	3600	90	8655	200	1400
200	BATH	90	4155	90	3400
200	BED 4	90	1010	200	1400
200	BED 4	90	1010	200	1400
200	9051090	1650	200	200	200
200	3000	1650	200	200	200
200	ROBE	1650	200	200	200
200	STUDY NOOK	1650	200	200	200
200	5740	3205	200	200	200
200	OVERALL	12745	200	200	200


NOTE:
PROVIDE NOGGIN'S FOR TOWEL RAIL AND TOLLER ROLL HOLDER

NOTE:
PROVIDE 2340MM HIGH DOOR UPGRADE ILO STANDARD TO ALL
INTERNAL DOORS

NOTE:
ALL WINDOW SIZES NOMINAL- MANUFACTURER TO USE CLOSEST SIZE.
DOOR STYLE IS TO BE SELECTED BY CLIENT.

CONSTRUCTION TO BE IN ACCORDANCE WITH AS3500

ALL PLUMBING WORKS TO COMPLY WITH AS3500
ALL GLAZING TO BE IN ACCORDANCE WITH AS1288 & AS2047
INTERNAL WATERPROOFING TO COMPLY WITH AS3740



Handwritten notes and dimensions at the bottom right of the page:

- 3.50
- 3.70
- 3.70
- 3.80
- 3.90
- 4.35
- 4.55
- 26.10
- 45.57

