Listing all posts

```
• Request:
  • Method: GET
   • Protocol: HTTP/1.1
Address: /posts
Body: {}
Response (200 OK)
Body:
[
    {
       "id": "1",
        "title": "changed title 56",
        "status": "published",
        "content": "changed content",
        "user_id": "2"
    },
    {
        "id": "2",
        "title": "very interesting title for test",
        "status": "published",
        "content": "test post",
        "user_id": "2"
    },
]
```

Creating a New Post

```
• Request:
  Method: POST
  • Protocol: HTTP/1.1
Address: /posts
Body:
   {
        "content": "Hello world.",
        "title": "HELLO WORLD",
    }
Response (201 CREATED)
Body:
   {
        "http_status": "success",
        "id": 10,
        "title": "HELLO WORLD",
        "status": "published",
        "content": "Hello world.",
        "user_id": "2",
        "URI": "/posts/10"
    }
```

Reading a Post

```
• Request:

    Method: GET

   • Protocol: HTTP/1.1
Address: /posts/1
Body: {}
Response (200 OK)
Body:
{
    "id": "1",
    "title": "changed title 56",
    "status": "published",
    "content": "changed content",
    "user_id": "2"
}
Updating a Post
   • Request:
   • Method: PATCH
   • Protocol: HTTP/1.1
Address: /posts/3?title=Awesome%20work&content=Great%20work!
Body: {}
Response (200 OK)
Body:
{
    "id": "3",
    "title": "Awesome work",
    "status": "published",
    "content": "Great work!",
    "user_id": "1"
}
```

Deleting a Post

• Request:

```
• Method: DELETE
   • Protocol: HTTP/1.1
Address: /posts/10
Body: {}
Response (200 OK)
Body:
{
    "id": "10",
    "deleted": "true"
}
Creating a post comment
   • Request:
   • Method: POST
   • Protocol: HTTP/1.1
Address: /posts/8/comments
Body:
{
    "comment": "nice post!",
    "user_id": "2"
}
Response (201 CREATED)
Body:
{
    "status": "success",
    "comment_id": 10,
    "user_id": "2",
    "endpoint": "/comments/10"
}
```

Reading a post comment

```
• Request:
   • Method: GET
   • Protocol: HTTP/1.1
Address: /posts/8/comments/10
Body: {}
Response (200 OK)
Body:
[
    {
        "id": "10",
        "comment": "nice post!",
        "user_id": "2"
    }
]
Updating a post comment
   • Request:
   • Method: PATCH
   • Protocol: HTTP/1.1
Address:/posts/8/comments/10?comment=cool%20post!!!!
Body: {}
Response (200 OK)
Body:
{
    "id": "10",
    "comment": "cool post!!!!",
    "post_id": "8",
    "user_id": "2"
}
```

Deleting a post comment

```
• Request:
   • Method: DELETE
   • Protocol: HTTP/1.1
Address: /comments/10
Body: {}
Response (200 OK)
Body:
{
    "status": "success",
    "comment_id": "10",
    "deleted": true
}
Listing all comments
   • Request:
   • Method: GET
   • Protocol: HTTP/1.1
Address: /posts/1/comments/
Body: {}
Response (200 OK)
Body:
{
     "id": "1",
     "comment": "this is a testing comment",
     "user_id": "1"
},
{
     "id": "3",
     "comment": "do not reply this comment again.",
     "user_id": "2"
}
```