

## Course Project API Documentation

### Listing all Movies

- Request:
- Method: GET
- Protocol: HTTP/1.1

Address: /movies

Body: {}

Response (200 OK)

Body:

```
[
  {
    "id": "1",
    "movieName": "Pulp Fiction",
    "releaseDate": "1994-10-14",
    "studioId": "1",
    "directorId": "1"
  },
  {
    "id": "1",
    "movieName": "Jurassic Park",
    "releaseDate": "1993-06-11",
    "studioId": "2",
    "directorId": "2"
  },
  .....
]
```

### Creating a new Movie

- Request:
- Method: POST
- Protocol: HTTP/1.1

Address: /movies

Body:

```
{
  "movieName": "Lorem Ipsum",
  "releaseDate": "2000-01-01",
  "studioId": "1",
  "directorId": "1"
}
```

### Response (201 CREATED)

Body:

```
{
  "Http_status": "success",
  "id": 10,
  "movieName": "Lorem Ipsum",
  "releaseDate": "2000-01-01",
  "studioId": "1",
  "directorId": "1",
  "URI": "/movies/10"
}
```

### Reading a Movie

- Request:
- Method: GET
- Protocol: HTTP/1.1

Address: /movies/1

Body: {}

Response (200 OK)

Body:

```
{
  "id": "1",
  "movieName": "Pulp Fiction",
  "releaseDate": "1994-10-14",
  "studioId": "1",
  "directorId": "1"
}
```

### Updating a Movie

- Request:
- Method: PATCH
- Protocol: HTTP/1.1

Address: /movies/1?movieName=Toy%20Story

Body: {}

Response (200 OK)

Body:

```
{
  "id": "1",
  "movieName": "Toy Story",
  "releaseDate": "1994-10-14",
  "studioId": "1",
  "directorId": "1"
}
```

### Deleting a Movie

- Request:
- Method: DELETE
- Protocol: HTTP/1.1

Address: /movies/1

Body: {}

Response (200 OK)

Body:

```
{  
  "id":1,  
  "deleted":"true"  
}
```

### Listing all Directors

- Request:
- Method: GET
- Protocol: HTTP/1.1

Address: /directors

Body: {}

Response (200 OK)

Body:

```
[
  {
    "id": "1",
    "name": "Quentin Tarantino",
    "Bio": "Quentin Tarantino is a renowned American director and screenwriter known for his highly stylized films, often featuring non-linear narratives, sharp dialogue, and graphic violence. His works include Pulp Fiction (1994), Reservoir Dogs (1992), Kill Bill."
    "birthDate": "1963-03-27",
    "deathDate": NULL
  },
  {
    "id": "1",
    "name": "Steven Spielberg",
    "Bio": "One of the most influential directors in cinema history, Steven Spielberg is an American filmmaker best known for creating some of the highest-grossing and most beloved films of all time. His works include Jaws (1975), E.T. (1982), Jurassic Park (1993)"
    "birthDate": "1946-12-18",
    "deathDate": NULL
  },
  .....
]
```

### Creating a new Director

- Request:
- Method: POST
- Protocol: HTTP/1.1

Address: /directors

Body:

```
{  
    "name": "Lorem Ipsum",  
    "birthDate": "2000-01-01",  
    "deathDate": "2000-01-01",  
}
```

Response (201 CREATED)

Body:

```
{  
    "Http_status": "success",  
    "id": 10,  
    "name": "Lorem Ipsum",  
    "birthDate": "2000-01-01",  
    "deathDate": "2000-01-01"  
}
```

## Reading a Director

- Request:
- Method: GET
- Protocol: HTTP/1.1

Address: /directors/1

Body: {}

Response (200 OK)

Body:

```
{
  "id": "1",
  "name": "Quentin Tarantino",
  "Bio": "Quentin Tarantino is a renowned American director and
screenwriter known for his highly stylized films, often featuring
non-linear narratives, sharp dialogue, and graphic violence. His
works include Pulp Fiction (1994), Reservoir Dogs (1992), Kill
Bill."
  "birthDate": "1963-03-27",
  "deathDate": NULL
}
```

### Updating a Director

- Request:
- Method: PATCH
- Protocol: HTTP/1.1

Address: /directors/1?name=Guillermo%20Del%20Toro

Body: {}

Response (200 OK)

Body:

```
{
  "id": "1",
  "name": "Guillermo Del Toro",
  "Bio": "Quentin Tarantino is a renowned American director and
screenwriter known for his highly stylized films, often featuring
non-linear narratives, sharp dialogue, and graphic violence. His
works include Pulp Fiction (1994), Reservoir Dogs (1992), Kill
Bill."
  "birthDate": "1963-03-27",
  "deathDate": NULL
}
```

### Deleting a Director

- Request:
- Method: DELETE
- Protocol: HTTP/1.1

Address: /directors/1

Body: {}

Response (200 OK)

Body:

```
{
  "id": 1,
  "deleted": "true"
}
```



### Listing all Genres

- Request:
- Method: GET
- Protocol: HTTP/1.1

Address: /genres

Body: {}

Response (200 OK)

Body:

```
[
  {
    "id": "1",
    "genreName": "Drama":
    "description": "Character-driven stories that emphasize emotional
and relational development. This film delves into deep
conversations and personal struggles.\r\n"
  },
  {
    "id": "2",
    "genreName": "Adventure":
    "description": "Focuses on action-packed sequences, often
involving exploration, danger, and discovery. "
  },
  .....
]
```

### Creating a new genre

- Request:
- Method: POST
- Protocol: HTTP/1.1

Address: /genres

Body:

```
{  
    "genreName": "Lorem Ipsum",  
    "description": "lorem Ipsum"  
}
```

Response (201 CREATED)

Body:

```
{  
    "Http_status": "success",  
    "id": 10,  
    "genreName": "Lorem Ipsum",  
    "description": "lorem Ipsum"  
}
```

### Reading a genre

- Request:
- Method: GET
- Protocol: HTTP/1.1

Address: /genres/1

Body: {}

Response (200 OK)

Body:

```
{
  "id": "1",
  "genreName": "Drama":
  "description": "Character-driven stories that emphasize emotional
and relational development. This film delves into deep
conversations and personal struggles.\r\n"
}
```

### Updating a genre

- Request:
- Method: PATCH
- Protocol: HTTP/1.1

Address: /movies/1?name=Comedy

Body: {}

Response (200 OK)

Body:

```
{
  "id": "1",
  "genreName": "Comedy":
  "description": "Character-driven stories that emphasize emotional
and relational development. This film delves into deep
conversations and personal struggles.\r\n"
}
```

### Deleting a genre

- Request:
- Method: DELETE
- Protocol: HTTP/1.1

Address: /genres/1

Body: {}

Response (200 OK)

Body:

```
{
  "id": 1,
  "deleted": "true"
}
```

### Listing all Studios

- Request:
- Method: GET
- Protocol: HTTP/1.1

Address: /studios

Body: {}

Response (200 OK)

Body:

```
[
  {
    "id": "1",
    "name": "Miramax Films":
    "description": "Miramax Films was founded by brothers Bob and
    Harvey Weinstein, initially focused on distributing independent
    films. The studio gained prominence in the 1990s by producing
    award-winning films like Pulp Fiction (1994), The English Patient
    (1996), and Shake"
    "foundingDate": "1979"
  },
  {
    "id": "2",
    "name": "Universal Pictures":
    "description": "Universal Pictures is one of the oldest and most
    successful film studios in the world, established by Carl
    Laemmle. It played a key role in shaping Hollywood during its
    formative years, and is known for producing a wide variety of
    iconic films."
    "foundingDate": "1912"
  },
  .....
]
```

### Creating a new studio

- Request:
- Method: POST
- Protocol: HTTP/1.1

Address: /studios

Body:

```
{  
  "name": "Lorem Ipsum",  
  "description": "lorem Ipsum"  
  "foundingDate":2002  
}
```

Response (201 CREATED)

Body:

```
{  
  "Http_status": "success",  
  "id": 10,  
  "name": "Lorem Ipsum",  
  "description": "lorem Ipsum"  
  "foundingDate":2002  
}
```

### Reading a studio

- Request:
- Method: GET
- Protocol: HTTP/1.1

Address: /studios/1

Body: {}

Response (200 OK)

Body:

```
{
  "id": "1",
  "name": "Miramax Films":
  "description": "Miramax Films was founded by brothers Bob and
  Harvey Weinstein, initially focused on distributing independent
  films. The studio gained prominence in the 1990s by producing
  award-winning films like Pulp Fiction (1994), The English Patient
  (1996), and Shake"
  "foundingDate": "1979"
}
```

### Updating a studio

- Request:
- Method: PATCH
- Protocol: HTTP/1.1

Address: /movies/1?name=Disney

Body: {}

Response (200 OK)

Body:

```
{
  "id": "1",
  "name": "Disney",
  "description": "Miramax Films was founded by brothers Bob and Harvey Weinstein, initially focused on distributing independent films. The studio gained prominence in the 1990s by producing award-winning films like Pulp Fiction (1994), The English Patient (1996), and Shake",
  "foundingDate": "1979"
}
```

### Deleting a Studio

Request:

Method: DELETE

Protocol: HTTP/1.1

Address: /studios/1

Body: {}

Response (200 OK)

Body:

```
{
  "id": 1,
  "deleted": "true"
}
```



Getting all Reviews for a movie

Request:

Method: DELETE

Protocol: HTTP/1.1

Address: /movies/1/reviews

Body: {}

Response (200 OK)

Body:

```
[
{
  "id": 1,
  "reviewerId": 5,
  "review": "Pulp Fiction is a masterpiece! The non-linear storytelling
and unforgettable dialogue kept me on the edge of my seat. Tarantino's
ability to blend humor with violence is nothing short of genius. Each
character is so distinct and memorable, especially Samuel L. Jackson as
Jules. It's a film that demands multiple viewings to catch all the nuances."
  "movieId": "1",
  "created_at": "2024-10-03 02:41:41"
  "ratingId": "5"
},
{
  "id": 2,
  "reviewerId": 3,
  "review": "Pretty Generic movie. The Emoji movie was better."
  "movieId": "1",
  "created_at": "2024-10-03 02:41:41"
  "ratingId": "2"
}
]
.....
]
```

### Creating a new review

- Request:
- Method: POST
- Protocol: HTTP/1.1

Address: /movies/3/reviews

Body:

```
{  
  
  "reviewerId": 3,  
  "review": "Good Movie."  
  "movieId": "2",  
  "created_at": "2024-10-03 02:41:41"  
  "ratingId": "5"  
  
}
```

Response (201 CREATED)

Body:

```
{  
  "Http_status": "success",  
  "id": 10,  
  "reviewerId": 3,  
  "review": "Good Movie."  
  "movieId": "2",  
  "created_at": "2024-10-03 02:41:41"  
  "ratingId": "5"  
  
}
```

**Reading a review**

**Request:**

**Method: DELETE**

**Protocol: HTTP/1.1**

**Address: /movies/1/reviews/1**

**Body: {}**

**Response (200 OK)**

**Body:**

[  
{

```
    "id": 1,  
    "reviewerId": 5,  
    "review": "Pulp Fiction is a masterpiece! The non-linear storytelling  
and unforgettable dialogue kept me on the edge of my seat. Tarantino's  
ability to blend humor with violence is nothing short of genius. Each  
character is so distinct and memorable, especially Samuel L. Jackson as  
Jules. It's a film that demands multiple viewings to catch all the nuances."  
    "movieId": "1",  
    "created_at": "2024-10-03 02:41:41"  
    "ratingId": "5"
```

}

### Updating a review

- Request:
- Method: PATCH
- Protocol: HTTP/1.1

Address: /movies/3/reviews/10?review=Not%20%Good%Movie.

Body: {}

### Response (200 OK)

Body:

```
{  
  
  "reviewerId": 3,  
  "review": "Not Good Movie"  
  "movieId": "2",  
  "created_at": "2024-10-03 02:41:41"  
  "ratingId": "1"  
  
}
```

### Deleting a Review

Request:

Method: DELETE

Protocol: HTTP/1.1

Address: /movies/1/reviews/1

Body: {}

### Response (200 OK)

Body:

```
{  
  
  "id": 1,  
  "deleted": "true"  
  
}
```

## Getting all Reviewers

Request:

Method: DELETE

Protocol: HTTP/1.1

Address: /reviewers

Body: {}

Response (200 OK)

Body:

```
[
{
  "id": 1,
  "name": "Emily R."
  "created_at": "2024-10-03 02:41:41"

},
{
  "id": 2,
  "name": "Mark T."
  "created_at": "2024-10-03 02:41:41"
}
.....
]
```

### Creating a new reviewer

- Request:
- Method: POST
- Protocol: HTTP/1.1

Address: /reviewers

Body:

```
{  
  
  "name": "Emily R."  
  
}
```

Response (201 CREATED)

Body:

```
{  
  "Http_status": "success",  
  "id": 10,  
  "name": "Emily R."  
  "created_at": "2024-10-03 02:41:41"  
}
```

**Reading a reviewer**

**Request:**

**Method:** DELETE

**Protocol:** HTTP/1.1

**Address:** /reviewers/1

**Body:** {}

**Response (200 OK)**

**Body:**

```
[  
{  
  "id": 1,  
  "name": "Emily R."  
  "created_at": "2024-10-03 02:41:41"  
}
```

### Updating a review

- Request:
- Method: PATCH
- Protocol: HTTP/1.1

Address: /reviewers/3?name=Jimmy%20P.

Body: {}

### Response (200 OK)

Body:

```
{  
  
  "id": 1,  
  "name": "Jimmy P."  
  "created_at": "2024-10-03 02:41:41"  
  
}
```

### Deleting a Review

Request:

Method: DELETE

Protocol: HTTP/1.1

Address: /reviewers

Body: {}

### Response (200 OK)

Body:

```
{  
  
  "id": 1,  
  "deleted": "true"  
  
}
```



**Reading a rating for a review**

**Request:**

**Method:** GET

**Protocol:** HTTP/1.1

**Address:** /reviews/1/rating

**Body:** {}

**Response (200 OK)**

**Body:**

```
[  
{  
  "id":5,  
  "rating":"5/5"  
  "ratingStar":"★★★★★"  
}  
]
```

### Updating a review

- Request:
- Method: PATCH
- Protocol: HTTP/1.1

Address: /reviews/1/rating?id=3

Body: {}

Response (200 OK)

Body:

```
{  
  
  "id":3,  
  "rating":"3/5"  
  "ratingStar":"★★★"  
}
```