

HEART: Statistics and Data Science With Networks

Joshua Agterberg

Johns Hopkins University

Fall 2022

Outline

- 1 What We've Learned
- 2 Open Problems in Statistical Network Analysis
- 3 Overall Perspective of Data Science

Outline

- 1 What We've Learned
- 2 Open Problems in Statistical Network Analysis
- 3 Overall Perspective of Data Science

Basic Stuff: Probability and Linear Algebra

We discussed:

- Probability: necessary to understand Bernoulli random variables (e.g. edges of a graph)

Basic Stuff: Probability and Linear Algebra

We discussed:

- Probability: necessary to understand Bernoulli random variables (e.g. edges of a graph)
- Linear algebra: eigenvectors and eigenvalues (to find graph embeddings)

Basic Stuff: Probability and Linear Algebra

We discussed:

- Probability: necessary to understand Bernoulli random variables (e.g. edges of a graph)
- Linear algebra: eigenvectors and eigenvalues (to find graph embeddings)
- Also discussed notions from graph theory (Adjacency matrix, Laplacian matrix, etc.)

Random Graph Models

Common models we discussed:

- Erdos-Renyi Graph

Random Graph Models

Common models we discussed:

- Erdos-Renyi Graph
- Stochastic Blockmodel

Random Graph Models

Common models we discussed:

- Erdos-Renyi Graph
- Stochastic Blockmodel
- Degree-Corrected SBM

Network Analysis Pipeline

- Step 0: get the adjacency matrix

Network Analysis Pipeline

- Step 0: get the adjacency matrix
- Step 1: choose the number of clusters (embedding dimension by):

Network Analysis Pipeline

- Step 0: get the adjacency matrix
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.

Network Analysis Pipeline

- Step 0: get the adjacency matrix
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
- Step 2:

Network Analysis Pipeline

- Step 0: get the adjacency matrix
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
- Step 2: compute those eigenvectors!

Network Analysis Pipeline

- Step 0: get the adjacency matrix
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
- Step 2: compute those eigenvectors!
- Step 2.5: Normalize the eigenvectors by their length

Network Analysis Pipeline

- Step 0: get the adjacency matrix
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
- Step 2: compute those eigenvectors!
- Step 2.5: Normalize the eigenvectors by their length
- Step 3: Cluster!

Network Analysis Pipeline

- Step 0: get the adjacency matrix
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
- Step 2: compute those eigenvectors!
- Step 2.5: Normalize the eigenvectors by their length
- Step 3: Cluster!

Knobs to Tweak

- Step 0: get the adjacency matrix

Knobs to Tweak

- Step 0: get the adjacency matrix
 - Could use another matrix here!
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.

Knobs to Tweak

- Step 0: get the adjacency matrix
 - Could use another matrix here!
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
 - Could use automated methods to find an elbow!
 - Could use “eyeball” method!

Knobs to Tweak

- Step 0: get the adjacency matrix
 - Could use another matrix here!
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
 - Could use automated methods to find an elbow!
 - Could use “eyeball” method!
- Step 2: compute those eigenvectors!
- Step 2.5: Normalize the eigenvectors by their length

Knobs to Tweak

- Step 0: get the adjacency matrix
 - Could use another matrix here!
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
 - Could use automated methods to find an elbow!
 - Could use “eyeball” method!
- Step 2: compute those eigenvectors!
- Step 2.5: Normalize the eigenvectors by their length
 - Could not do this at all!
 - Could normalize in a different way!

Knobs to Tweak

- Step 0: get the adjacency matrix
 - Could use another matrix here!
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
 - Could use automated methods to find an elbow!
 - Could use “eyeball” method!
- Step 2: compute those eigenvectors!
- Step 2.5: Normalize the eigenvectors by their length
 - Could not do this at all!
 - Could normalize in a different way!
- Step 3: Cluster!

Knobs to Tweak

- Step 0: get the adjacency matrix
 - Could use another matrix here!
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
 - Could use automated methods to find an elbow!
 - Could use “eyeball” method!
- Step 2: compute those eigenvectors!
- Step 2.5: Normalize the eigenvectors by their length
 - Could not do this at all!
 - Could normalize in a different way!
- Step 3: Cluster!
 - Could choose a different algorithm for clustering!

Knobs to Tweak

- Step 0: get the adjacency matrix
 - Could use another matrix here!
- Step 1: choose the number of clusters (embedding dimension by): finding an “elbow” in the scree plot.
 - Could use automated methods to find an elbow!
 - Could use “eyeball” method!
- Step 2: compute those eigenvectors!
- Step 2.5: Normalize the eigenvectors by their length
 - Could not do this at all!
 - Could normalize in a different way!
- Step 3: Cluster!
 - Could choose a different algorithm for clustering!
- Step 4: do something besides cluster!

Multiple Graphs

- Frontier of network literature!

Multiple Graphs

- Frontier of network literature!
- Ways to aggregate networks:
 - Averaging!
 - Averaging the squared adjacency matrices!
 - Running the whole “pipeline” on one network and then using the singular vectors of the concatenated eigenvectors!

Outline

- 1 What We've Learned
- 2 Open Problems in Statistical Network Analysis
- 3 Overall Perspective of Data Science

Open Problems

- Covariates?

Open Problems

- Covariates?
- Edge weights?

Open Problems

- Covariates?
- Edge weights?
- Edge Covariates?

Open Problems

- Covariates?
- Edge weights?
- Edge Covariates?
- Dependence

Open Problems

- Covariates?
- Edge weights?
- Edge Covariates?
- Dependence
- Hypothesis Testing

Open Problems

- Covariates?
- Edge weights?
- Edge Covariates?
- Dependence
- Hypothesis Testing
- Hypergraphs

Open Problems

- Covariates?
- Edge weights?
- Edge Covariates?
- Dependence
- Hypothesis Testing
- Hypergraphs
- Graph models that model real world networks

Open Problems

- Covariates?
- Edge weights?
- Edge Covariates?
- Dependence
- Hypothesis Testing
- Hypergraphs
- Graph models that model real world networks
- Multiple graph models that model real-world networks

Reconciling Theory and Practice

- Triangles

Reconciling Theory and Practice

- Triangles
- Sparse networks

Reconciling Theory and Practice

- Triangles
- Sparse networks
- “Heterophily” versus “homophily”

Reconciling Theory and Practice

- Triangles
- Sparse networks
- “Heterophily” versus “homophily”
- Is a community model the “right” model?

Outline

- 1 What We've Learned
- 2 Open Problems in Statistical Network Analysis
- 3 Overall Perspective of Data Science

Data Science

This class focused on:

- Unsupervised Learning

Data Science

This class focused on:

- Unsupervised Learning
- Spectral methods (e.g. here)

Data Science

This class focused on:

- Unsupervised Learning
- Spectral methods (e.g. here)

Can also study

- Supervised Learning

Data Science

This class focused on:

- Unsupervised Learning
- Spectral methods (e.g. here)

Can also study

- Supervised Learning
- Manifold Learning (e.g. here and here)
- Deep learning...